

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

# مجلس التعلیم و تربیت

20 جولائی 2022ء کو منعقد ہونے والے اجلاس کی کارروائی

(IUL)244-ESMSMS/244/2022/59

08 اگست 2022ء

مدرسہ کی طرف سے:

پرنسپل، مدرسہ:

تعمیر:



پرنسپل، مدرسہ کی طرف سے  
رہنما، مدرسہ، تحصیل، تحصیل



2. 2.1  
2.1.1  
2.1.2  
2.1.3  
2.1.4  
2.2  
3. 3.1  
3.2  
3.3  
3.3.1  
3.3.2  
3.3.2

2.1 2.1.1 2.1.2 2.1.3 2.1.4 2.2 3.1 3.2 3.3 3.3.1 3.3.2 3.3.2

2.1.1 2.1.2 2.1.3 2.1.4

2.1.2

2.1.3 2.1.4

2.1.4

2.2

3.1

3.2

3.3 3.3.1

3.3.2

3.3.2

















סעיף 4 -

עקרונות

1 -

שם הרשם והמספר הרשמי והשם המלא והשם

#	שם הרשם והמספר הרשמי והשם המלא והשם	מספר	תאריך
שם הרשם והמספר הרשמי והשם המלא והשם			
1	שם הרשם והמספר הרשמי והשם המלא והשם		
2	שם הרשם והמספר הרשמי והשם המלא והשם		
3	שם הרשם והמספר הרשמי והשם המלא והשם		
4	שם הרשם והמספר הרשמי והשם המלא והשם		
5	שם הרשם והמספר הרשמי והשם המלא והשם		
6	שם הרשם והמספר הרשמי והשם המלא והשם		
7	שם הרשם והמספר הרשמי והשם המלא והשם		
8	שם הרשם והמספר הרשמי והשם המלא והשם		
9	שם הרשם והמספר הרשמי והשם המלא והשם		
10	שם הרשם והמספר הרשמי והשם המלא והשם		
שם הרשם והמספר הרשמי והשם המלא והשם			
11	שם הרשם והמספר הרשמי והשם המלא והשם		
שם הרשם והמספר הרשמי והשם המלא והשם			
12	שם הרשם והמספר הרשמי והשם המלא והשם		
13	שם הרשם והמספר הרשמי והשם המלא והשם		
14	שם הרשם והמספר הרשמי והשם המלא והשם		
15	שם הרשם והמספר הרשמי והשם המלא והשם		









5 - 5

5 - 5

<p>5 - 5</p>	<p>5 - 5</p>	<p>5 - 5</p>	<p>5 - 5</p>
<p>(Benchmark Price) / Submitted Price) x Allocated Percentage</p>	<p>5 - 5</p>	<p>70%</p>	<p>5 - 5</p>
<p>(Benchmark Period) / (Submitted Period) x Allocated Percentage</p>	<p>5 - 5</p>	<p>10%</p>	<p>5 - 5</p>
<p>(Submitted Number of document) / (Benchmark Number of document) x Allocated Percentage</p>	<p>5 - 5</p>	<p>10%</p>	<p>5 - 5</p>
<p>-</p>	<p>5 - 5</p>	<p>10%</p>	<p>5 - 5</p>
<p></p>	<p></p>	<p>100%</p>	<p>5 - 5</p>



1.1

1.2

1.2.1

1.2.2 Table Top with Wall-)

1.2.3

2.

TECHNICAL SPECIFICATION

Product Generic Name	Water Purifier
Product Color	Neutral
Applications	Suitable for Purification of Brackish/Tap Water/Municipal Corporation Water
Purification Production Rate	15 - 20 L/hr
Body Material	ABS Food Grade Plastic
Mounting	Wall-mounted (Table Top with Wall-mounted)
Dimensions(mm)	200 - 400 (L) X 200 - 300 (W) X 400 - 600 (H)
Inlet Water Pressure/Temp (Min.)	0.1 - 0.3 kg / cm <sup>2</sup> / Max 5 – 10 °C
Inlet Water Pressure/Temp (Max.)	2 - 4 kg / cm <sup>2</sup> / Max 40°C
Min./Max. Operating pH	6.5 - 8.0
Filter Cartridges	Sediment, Pre Carbon Block Filters / Active Carbon Filters, UF, Mineral & Post Carbon
Auto-Flushing System	Yes
UV Lamp Wattage	Max 11 W
Life of UV Lamp	Max 5000 hrs. of operation
Weight	5 - 10 kg
Storage Capacity	6 - 8 L
Maximum Duty Cycle	50 - 100 L/day
Membrane Type	Thin Film Composite RO
Booster Pump Voltage	Max 24 V DC
Total Power Consumption	Max 60 W
Input Power Supply	Single Phase 100-250V AC, 50-60 Hz.
IP Rating	IPX1