







2. 2022 2022 2022 2022 2022

2022 2022	2022 2022 2022	2022 2022 2022
85	2022 2022 / 2022 2022 x 85	2022
10	<p>2022 2022 2022 / 2022 2022 x 10</p> <p>( )</p> <p>2022 2022. 2022 2022 2022 2022 2022. 2022 2022</p> <p>2022 2022 2022 2022 2022 2022 2022 2022 2022 2022 2022</p> <p>2022 2022 2022 2022 2022 2022 2022 2022 2022 2022 2022</p>	2022 2022
5	<p>2022 2022 2022 2022 2022 2022 2022 2022 2022 2022</p> <p>2022 2022 2022 2022 2022 2022 2022 2022 2022 2022</p> <p>2022 2022 2022 2022 2022 2022 2022 2022 2022 2022</p>	2022 2022 2022
100	2022	



## 1

## 3

Specification 1	
<b>GENERAL</b>	
Quantity / Color	2 Red, 1 Black
Model Year	2023
<b>ENGINE</b>	
Bore × Stroke (mm)	47.000 x 63.121
Carburation	PGM-FI electronic fuel injection
Compression Ratio	10.0:1
Engine Displacement (cm <sup>3</sup> )	109.51
Engine Type	eSP, 4-stroke, SOHC, Air cooled
Starter	Electric
<b>WHEELS</b>	
Brakes Front	Hydraulic disc brake (CBS)
Brakes Rear	Drum
Suspension Front	Telescopic fork
Suspension Rear	Swing unit
Tyres Front	100/90-12 59J Tubeless
Tyres Rear	110/90-12 64J Tubeless
Wheels Front	Alloy wheel
Wheels Rear	Alloy wheel
<b>DIMENSIONS AND WEIGHTS</b>	
Caster Angle	26° 22'
Dimensions (L×W×H) (mm)	1,864 x 683 x 1,076
Frame type	Underbone: eSAF (Enhanced Smart Architecture Frame)
Fuel Tank Capacity (Litres)	4.2
Ground Clearance (mm)	147
Net Weight (kg)	94
Seat Height (mm)	748
Trail (mm)	84
Wheelbase (mm)	1251
<b>TRANSMISSION</b>	
Clutch	Automatic, centrifugal dry clutch
Final Drive	V-Belt
Transmission Type	V-Matic



Specification 2	
<b>GENERAL</b>	
Quantity / Color	1 Red, 1 Blue
Model Year	2023
<b>ENGINE</b>	
Bore × Stroke (mm)	53.500 x 55.502
Carburation	PGM-FI electronic fuel injection
Compression Ratio	11.5:1
Engine Displacement (cm <sup>3</sup> )	124.77
Engine Type	eSP+, 4-stroke, single-cylinder, liquid-cooled
Starter	Electric
<b>WHEELS</b>	
Brakes Front	Hydraulic disc (CBS)
Brakes Rear	Drum
Suspension Front	Telescopic fork
Suspension Rear	Swingarm
Tyres Front	80/90-14M/C 40P - Tubeless
Tyres Rear	90/90-14M/C 52P - Tubeless
Wheels Front	Alloy wheel
Wheels Rear	Alloy wheel
<b>DIMENSIONS AND WEIGHTS</b>	
Caster Angle	26° 28'
Dimensions (L×W×H) (mm)	1,887 x 687 x 1,092
Frame type	Underbone
Fuel Tank Capacity (Litres)	4.4
Ground Clearance (mm)	141
Net Weight (kg)	112
Seat Height (mm)	775
Trail (mm)	84
Wheelbase (mm)	1,286
<b>TRANSMISSION</b>	
Clutch	Automatic, centrifugal, dry type
Final Drive	V-Belt
Transmission Type	CVT

