

Kulhudhuffushi Regional Hospital

SYMBOL	D1	W1
ELEVATION		
DESCRIPTION	40MM THICK OPENABLE ALUMINUM DOOR	40MM THICK OPENABLE ALUMINUM FRAMED DOOR
FRAME	120MM ALUMINUM FRAME 80 MICRON WHITE POWDER COATED	120MM ALUMINUM FRAME 80 MICRON WHITE POWDER COATED
HARDWARE	DOOR CLOSER×2 LOCK×2 BUTT HINGE STOPPER HOLDER KICKER DOOR LATCH	



GL = 6MM THICK CLEAR GLASS

CL = 6MM THICK WHITE POWDER COATED CLADDING

ALL THE ALUMINUM PROFILE MUST BE MINIMUM 2MM THICK.

Kulhudhuffushi Regional Hospital

Counter partition



DESCRIPTION 40MM THICK OPENABLE ALUMINUM FRAMED DOOR
FRAME 120MM ALUMINUM FRAME
80 MICRON WHITE POWDER COATED

GL = 6MM THICK CLEAR GLASS

CL = 6MM THICK WHITE POWDER COATED CLADDING

ALL THE ALUMINUM PROFILE MUST BE MINIMUM 2MM THICK.

Dressing room cupboard

