

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ



مَنْعَمُ مَرْكُزِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ

مَعْرُوفَاتِ مَعْرُوفَاتِ

مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ (SD-WAN) مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ	مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ
PROC-2023-01	مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ
(IUL) 164-PRO/1/2023/27	مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ
2023 مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ 16	مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ مَعْرُوفَاتِ





<p>2.14</p> <p>سروس فراہم کنندہ کو ایئر کنڈیشننگ سروس فراہم کرنے کے لیے 500,000/- (پانچ لاکھ روپے) کی رقم فراہم کرنے کی ضرورت ہے۔ ایئر کنڈیشننگ سروس فراہم کنندہ کو ایئر کنڈیشننگ سروس فراہم کرنے کے لیے 56,000/- (پانچ سو سو روپے) کی رقم فراہم کرنے کی ضرورت ہے۔</p>	
<p>2.15</p> <p>ایئر کنڈیشننگ سروس فراہم کنندہ کو ایئر کنڈیشننگ سروس فراہم کرنے کے لیے 56,000/- (پانچ سو سو روپے) کی رقم فراہم کرنے کی ضرورت ہے۔</p>	
<p>2.16</p> <p>ایئر کنڈیشننگ سروس فراہم کنندہ کو ایئر کنڈیشننگ سروس فراہم کرنے کے لیے 6 لاکھ روپے کی رقم فراہم کرنے کی ضرورت ہے۔</p>	

<p>3. سروس فراہم کنندہ کی جانب سے پیش کیے گئے سروس فراہم کنندہ کی تفصیلات</p>	
<p>3.1</p> <p>ایئر کنڈیشننگ سروس فراہم کنندہ کو ایئر کنڈیشننگ سروس فراہم کرنے کے لیے 56,000/- (پانچ سو سو روپے) کی رقم فراہم کرنے کی ضرورت ہے۔</p>	
<p>3.2</p> <p>ایئر کنڈیشننگ سروس فراہم کنندہ کو ایئر کنڈیشننگ سروس فراہم کرنے کے لیے 56,000/- (پانچ سو سو روپے) کی رقم فراہم کرنے کی ضرورت ہے۔</p>	
<p>3.3</p> <p>ایئر کنڈیشننگ سروس فراہم کنندہ کو ایئر کنڈیشننگ سروس فراہم کرنے کے لیے 56,000/- (پانچ سو سو روپے) کی رقم فراہم کرنے کی ضرورت ہے۔</p>	
<p>3.4</p> <p>ایئر کنڈیشننگ سروس فراہم کنندہ کو ایئر کنڈیشننگ سروس فراہم کرنے کے لیے 56,000/- (پانچ سو سو روپے) کی رقم فراہم کرنے کی ضرورت ہے۔</p>	

#	Requirements	Compliance (Yes / No)	Part No. and Reference
1	<b>01 Nos x Concentrator Firewall</b>		
	<b>General Requirement</b>		
	Make and Model of the proposed appliance should be clearly stated		
	The appliance should be a hardware appliance supporting next-generation firewall features and SD-WAN architecture without any additional module or hardware		
	OEM of the proposed appliance should be in "Leaders" quadrant as per the latest 2 years Gartner's Magic Quadrant for SD-WAN.		
	Should be an appliance-based hardware platform which is optimized and purpose-built for high performance		
	The appliance should include redundant power supply units		
	Should be 19" rack mountable		

Should support Active-Active as well as Active-Passive redundancy architecture for high availability		
Bidder should submit the Original Manufacture's Authorization Certificate along with the bid		
<b>Interface and Connectivity Requirements</b>		
Proposed device should have USB interfaces for connecting 3G/4G modems or alternatively should include pluggable LTE module		
Proposed appliance should have the following interfaces <ul style="list-style-type: none"> <li>● 8 x 10GE SFP+ ports</li> <li>● 1 x Dedicated Console/Management interface</li> </ul>		
Should include 8 x OM4 Duplex LC 5m Fiber Optic Patch Cord		
Should include 8 x 10GE SFP+ Multi-Mode (SR) Original Cisco transceivers for existing equipment		
<b>Network and Routing Requirements</b>		
The appliance should support Static Routing, Policy-based Routing, Dynamic Routing (RIP, OSPF, BGP & IS-IS) and Application aware Routing		
Should provide NAT functionality, including PAT		
Should support Policy-based NAT		
Should support NAT within IPsec/SSL VPN tunnels		
The device should include perpetual license for the following features/function:  Routing (RIP, OSPF, BGP), Essential Routing: NAT, DNS, NTP  Essential Security: Firewall, IPS, IPsec VPN, Application visibility, Policy Based Routing		
<b>Administration &amp; Management Requirements</b>		
Should support Graphical Interface (HTTP/HTTPS) and CLI (Telnet/SSH) based management		
Should have SNMPv2c and SNMPv3 support		
Should support for role-based administration of the device		
<b>Encryption &amp; VPN Requirements</b>		
Should support Hub and Spoke VPN topology		
Should support encryption, authentication and integrity protocols: DES, 3DES, AES-128, AES-256, MD5, SHA, SHA-256		
IPSec VPN should support XAuth over RADIUS		
Should have integrated SSL VPN		
<b>IPS and Application Control Requirements</b>		

The appliance should include all required license for IPS and Application Control		
Should have built-in Signature and Anomaly based IPS engine on the same unit		
Should identify and control applications		
Should control popular IM/P2P, social media, malware, applications.		
Should be able to control cloud-based applications and should able to route the specific applications via different WAN links		
<b>Malware Protection</b>		
Should include all required license <b>advance malware protection.</b>		
Should support real-time detection of viruses and malicious code for HTTP,HTTPS, SMTPS,POP3, IMAP		
Should have options to prevent user downloads based on file extension as well as file type		
<b>Web Content Filtering Requirements</b>		
The appliance should include all required license for web content filtering		
Web content filtering should work independently without the need to integrate with an external proxy server		
Web content filtering should have the facility to block URLs.		
Web content filtering should support HTTP and HTTPS traffic		
Should prevent the download of specific file types via policy.		
Should include DNS filtering feature to block DNS requests to known botnet C&C domains		
Should have option to configure traffic shaping on policy basis, application basis and IP basis.		
<b>SD WAN Support</b>		
The appliance should support redundant links with active/active traffic load balancing		
The SD WAN Solution should work seamlessly in typical NAT scenarios inclusive but not limited to <ul style="list-style-type: none"> <li>• 1 to 1 NAT</li> <li>• Behind NAT / Traversal NAT</li> </ul>		
The appliance should support for multiple WAN link types (4G LTE, MPLS, ILL, etc.)		
Encryption of the WAN transport		
Monitor the quality of the WAN links		
Should provide a method for providing direct branch to branch WAN connectivity		



1 x console interface			
<b>Network &amp; Routing Requirements</b>			
The appliance should support Static Routing, Policy-based Routing, Dynamic Routing (RIP, OSPF, BGP & IS-IS) and Application aware Routing			
Proposed firewall should support Policy-based Routing			
Should provide NAT functionality, including PAT			
Should support Policy-based NAT			
Should support NAT within IPSec/SSL VPN tunnels			
The device should include perpetual license for the following features/function:  Routing (RIP, OSPF, BGP), Essential Routing: NAT, DNS, NTP  Essential Security: Firewall, IPS, IPsec VPN, Application visibility, Policy Based Routing			
<b>Administration &amp; Management Requirements</b>			
Should support Graphical Interface (HTTP/HTTPS) and CLI (Telnet/SSH) based management			
Should have SNMPv2c and SNMPv3 support			
Should support for role-based administration of the device			
<b>Encryption &amp; VPN Requirements</b>			
Should support Hub and Spoke VPN topology			
Should support encryption, authentication and integrity protocols: DES, 3DES, AES-128, AES-256, MD5, SHA, SHA-256			
IPSec VPN should support XAuth over RADIUS			
Should have integrated SSL VPN			
<b>IPS and Application Control Requirements</b>			
The appliance should include all required license for IPS and Application Control			
Should have built-in Signature and Anomaly based IPS engine on the same unit			
Should identify and control applications			
Should control popular IM/P2P, social media, malware, applications regardless of port/protocol			
Should be able to control cloud-based applications and should be able to route the specific applications via different WAN links			
<b>Malware Protection</b>			
Should include all required license <b>advance malware protection.</b>			

Should support real-time detection of viruses and malicious code for HTTP,HTTPS, SMTPS,POP3, IMAP		
Should have options to prevent user downloads based on file extension as well as file type		
<b>Web Content Filtering Requirements</b>		
The appliance should include all required license for web content filtering		
Web content filtering should work independently without the need to integrate with an external proxy server		
Web content filtering should have the facility to block URLs based on categories		
Web content filtering should support HTTP and HTTPS traffic		
Should prevent the download of specific file types via policy.		
Should include DNS filtering feature to block DNS requests to known botnet C&C domains		
Should have option to configure traffic shaping on policy basis, application basis and IP basis.		
<b>SD WAN Support</b>		
Redundant links with active/active traffic load balancing		
The appliance should support for multiple WAN link types (4G LTE, MPLS, ILL, etc.)		
The SD WAN Solution should work seamlessly in typical NAT scenarios inclusive but not limited to <ul style="list-style-type: none"> <li>• 1 to 1 NAT</li> <li>• Behind NAT / Traversal NAT</li> </ul>		
Monitor the quality of the WAN links		
Should provide a method for providing direct branch to branch WAN connectivity		
Application based traffic steering should be available to be implemented for SD-WAN policies		
SD-WAN policies should provide multiple WAN strategy options. Such as, <ul style="list-style-type: none"> <li>- Manually assign WAN link to an application/Internet service</li> <li>- Assign the best quality WAN link to an application/Internet service</li> <li>- Load balance traffic across all WAN links that meet the SLA targets</li> </ul>		
<b>Warranty &amp; Subscriptions</b>		
The proposed device should include One (01) Year OEM authorized warranty, subscription and support services (TAC) for 24x7		
The proposed appliance should include One (01) Year security subscription with IPS, Advance Malware Protection, Cloud		



	The proposed management and analytics solution should include One (01) Year OEM authorized warranty / support services (TAC) for 24x7		
#	Requirements	Compliance (Yes / No)	Part No. and Reference
4	<b>Installation, Configuration, Migration and Training</b>		
	Hardware installation including mounting, management cabling and power up as per manufacturer guidelines		
	The vendor MUST have at minimum the following full time OEM Certified Professional/Engineer under its payroll to provide installation, configuration, integration, migration and training services. All relevant engineer(s) certificates and supporting documents should be included with the proposal.		
	A solution specific technical solution diagram that represents an overview of the solution (items proposed in this proposal) should be proposed.		
	The NCN core is currently based on technologies from Cisco Systems. The vendor should demonstrate capability to install the SDWAN to work with the NCN. We accept the following as demonstration: <ul style="list-style-type: none"> <li>• Cisco Certified Employees</li> <li>• Proof Of Experience</li> </ul>		
	Perform site readiness assessment ensuring hardware environment is ready for project commencement		
	Identify and assess existing environment including network security devices, core network switching and routing devices.		
	Ensure current deployment and configuration is setup such that the configuration and migration works can be conducted with minimal downtime.		
	The devices and appliances should be installed and configured as per manufacturer best practice guidelines and as per industry best practices.  The installation plan (timeline) should be provided and agreed with NCIT before the commencement of installation.  <i>Note : The proposed timeline should consider that all work should be done on official government, unless specified by NCIT.</i>		
	Configure secure management console for all devices and appliances.		
	Design appropriate LAN, WAN, and DMZ security policies.		
	Configure Malware Protection and Web filtering policies		
	Configure IPS and Application policies		
	Configure and migrate existing routing segments		

	Configure management and logging appliance		
	On the job training for minimally 02 technical personnel		
	Comprehensive testing and a detailed documentation inclusive of diagrams, flow charts and other industry standard documentation.		
5	<b>Service Level Expectations</b>		
	The support service vendor should provide the contact number of a single point of contact to facilitate immediate contact by client's representative and he or she should be responsible to liaise with all vendors for rectification of faults within the Next Business Day.		
	Defective equipment should be replaced by the bidder at their own cost including the cost of transport if any.		
	The support service vendor should provide all normal toolkit and test equipment needed for the maintenance of the hardware to NCIT.		
	System maintenance and support services should include the following activities. <ul style="list-style-type: none"> <li>• 24 x 7 on-line Support.</li> <li>• Patch updating and major / minor software version upgrading support.</li> <li>• Phone/Email TAC support must be provided during support period</li> <li>• Issue resolution / Onsite Visits within 1 day of hardware failures reported</li> <li>• Local TAC support plan must be maintaining by the Bidder for the maintenance period.</li> </ul>		
6	<b>Maintenance Support Services including on-site Technical Support</b>		
	On-site hardware repair/replace and maintenance support service should be delivered by experienced OEM Certified Engineer		
	On-site diagnostics and repair service should be delivered by experienced OEM Certified Engineer and should diagnose, repair, and test the unit to ensure optimal performance.		
	Technical support experienced engineers should be available to answer questions.		
	Flexible on-site response times that best meets the business requirements		
	Service summary report should provide after each work performed including recommendations for service to ensure optimal performance.		
	Maintenance Support Engineer should check and ensuring the unit is operating with the most recent firmware version. Firmware upgrades should be provided at no extra charge.		
	During each maintenance visit, field service Engineers should run tests to verify that the system is functioning correctly in all operational modes, stopping problems before they start.		
	Maintenance Support Engineer should follow well-defined set of processes and procedures to be able to provide quality services, as per Industry standard.		
	The support service vendor should maintain critical parts locally in Male' to provide after sale support.		

מסמכים 4.	
4.1	רשימת דיווחים על חשבונות
4.2	מסמכים רשמיים
4.3	תקנונים שונים / חוקים / דיווחים / רשימת מסמכים
4.4	רשימת תיקים שונים, תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים
4.5	מסמכים רשמיים (מסמכים) ורשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים
4.6	תקנונים שונים, רשימת תיקים שונים
4.7	מסמכים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים
4.8	מסמכים שונים, רשימת תיקים שונים
4.9	דיווחים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים
4.10	דיווחים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים
4.11	דיווחים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים
4.12	דיווחים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים
4.13	דיווחים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים
4.14	מסמכים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים, רשימת תיקים שונים

مستند شماره 5.1  
ارزواي كوتاه مدت

Total Cost Of Ownership							Marks (100%)
<b>5 Year Total Cost of Ownership (TCO)</b>							<b>80%</b>
Should provide detailed yearly cost breakdown for the following items for up to five years. However, the payments will be done for one year and the vendor will be fixed for the term of 5 years for renewals and further expansion.							
Item	Year 1	Year 2	Year 3	Year 4	Year 5	Total TCO	
01 Nos x Concentrator Firewall Security Subscriptions							
01 Nos x Concentrator Firewall OEM authorized warranty, subscription and support services							
01 Nos x Concentrator Firewall subscription for SD-WAN license							
16 Nos x Branch Firewall Security Subscriptions							
16 Nos x Branch Firewall OEM authorized warranty, subscription and support services							
16 Nos x Branch Firewall subscription for SD-WAN license							
01 Nos x Management and Analytics Appliance OEM authorized warranty / support services							
<b>Total</b>							

  

Year	Weightage
Year 1	10.00
Year 2	10.00
Year 3	20.00
Year 4	20.00
Year 5	20.00
<b>Total</b>	<b>80.00</b>

  

Bidder	Year 1		Year 2		Year 3		Year 4		Year 5		Total
	Price	Point %	Point %								
Party 1											
Party 2											
Party 3											

  

$$Price(Total TCO) = \frac{\text{Benchmark (lowest price)}}{\text{Proposed Price By Bidder}} \times \text{Weightage}$$











National Centre for Information Technology

<b>Financial Data for Previous 03 Years [MVR Equivalent]</b>			
<b>Financial Information of the Year</b>	<b>2019</b>	<b>2020</b>	<b>2021</b>
<b>Information from Balance Sheet</b>			
Total Assets			
Total Liabilities			
Net Worth			
Current Assets			
Current Liabilities			
Working Capital			
<b>Information from Income Statement</b>			
Total Revenues			
Profits Before Taxes			
Profits After Taxes			
<ul style="list-style-type: none"> <li>Attached are copies of financial statement (balance sheets including all related notes, and income statements), as indicated above, complying with the following conditions.</li> <li>All such documents reflect the financial situation of the Bidder.</li> <li>Historic financial statement must be complete, including all notes to the financial statements.</li> <li>Historic financial statements must correspond to accounting periods.</li> </ul>			

### Evaluation criteria

#### Financial Situation evaluation

- To be eligible the financial statements of the bidding party must show, average annual turnover of MVR 800,000.00 for the years 2019, 2020 and 2021.  
(or)
- To be eligible the financial statements of the bidding party must show, Minimum value of MVR 800,000.00 of the proposed price, for liquid asset, for the year 2019, 2020 and 2021.  
(or)
- If bidding party is unable to meet any of the above requirement they shall submit "Line of Credit Letter" as per the template in Form FIN – 3. (credit limit shall be no less than MVR 800,000.00 of the proposed price)

Bidder Stamp and Sign

---



## Form of Bid Security (Bank Guarantee)

WHEREAS, .....[*name of Bidder*] (hereinafter called "the Bidder") has submitted his Bid for the Project no.....issued by National Centre for Information Technology ..... for construction of .....[*name of Contract*] (hereinafter called "the Bid").

KNOW ALL PEOPLE by these presents that We ..... [*name of Bank*] of ..... [*name of country*] having our registered office at ..... (hereinafter called "the Bank") are bound unto ..... [*name of Purchaser*] (hereinafter called "the Purchaser") in the sum of \*..... for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank this .....day of .....20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
- or
- (2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
  - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
  - (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
  - (c) does not accept the correction of the Bid Price pursuant to Clause 27,

\* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 16.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser's having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date ..... days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS ..... SEAL

[signature, name, and address]

# Form of Performance Bank Guarantee (Unconditional)

To: .....  
[name & address of Purchaser]  
.....  
.....

WHEREAS ..... [name and address of Supplier] (hereinafter called "the Supplier") has undertaken, in pursuance of Contract No. .... dated ..... to execute ..... [name of Contract and brief description of Works] (hereinafter called "the Contract");

AND WHEREAS it has been stipulated by you in the said Contract that the Supplier shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Supplier such a Bank Guarantee;

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Supplier, up to a total of \* ..... [amount of Guarantee] ..... [amount in words], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of ..... [amount of Guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

\*An amount is to be inserted by the Guarantor, representing the percentage of the Contract Price specified in the Contract, in Maldivian Rufiyaa.

We hereby waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Supplier shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

This Guarantee shall be valid until the date of issue of the Defects Correction Certificate.

SIGNATURE AND SEAL OF THE GUARANTOR .....

Name of Bank .....

Address .....

.....  
.....

Date .....

ئىشلىتىش

سۆزۈم:

1.1. سۆزۈم. 1.1. (سۆزۈم ئىشلىتىش) سۆزۈم ئىشلىتىش ئىشلىتىش ئىشلىتىش.

2.1. ئىشلىتىش. 2.1. ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش.

2.2. سۆزۈم ئىشلىتىش ئىشلىتىش ئىشلىتىش ئىشلىتىش.

3.1. ئىشلىتىش. 3.1. سۆزۈم ئىشلىتىش ئىشلىتىش ئىشلىتىش.

4.1. سۆزۈم ئىشلىتىش. 4.1. سۆزۈم ئىشلىتىش ئىشلىتىش ئىشلىتىش.

5.1. سۆزۈم ئىشلىتىش. 5.1. سۆزۈم ئىشلىتىش ئىشلىتىش ئىشلىتىش.

(ر) ئىشلىتىش ئىشلىتىش ئىشلىتىش.

(س) ئىشلىتىش ئىشلىتىش ئىشلىتىش.

6.1. سۆزۈم ئىشلىتىش. 6.1. سۆزۈم ئىشلىتىش ئىشلىتىش ئىشلىتىش.

7.1.1. המסמך "הסכם המסחר" יכיל, בין היתר, את כל הפרטים הנדרשים להגשת המסמך למשרד המשפטים, וכן את כל הפרטים הנדרשים להגשת המסמך לרשות המוסמכת.

7.2. מטרת המסמך "הסכם המסחר" היא להגדיר את כל הפרטים הנדרשים להגשת המסמך למשרד המשפטים, וכן את כל הפרטים הנדרשים להגשת המסמך לרשות המוסמכת.

8.1. המסמך "הסכם המסחר" יכיל, בין היתר, את כל הפרטים הנדרשים להגשת המסמך למשרד המשפטים, וכן את כל הפרטים הנדרשים להגשת המסמך לרשות המוסמכת.

(א) המסמך "הסכם המסחר" יכיל, בין היתר, את כל הפרטים הנדרשים להגשת המסמך למשרד המשפטים, וכן את כל הפרטים הנדרשים להגשת המסמך לרשות המוסמכת.

(ב) מטרת המסמך "הסכם המסחר" היא להגדיר את כל הפרטים הנדרשים להגשת המסמך למשרד המשפטים, וכן את כל הפרטים הנדרשים להגשת המסמך לרשות המוסמכת.

(ג) המסמך "הסכם המסחר" יכיל, בין היתר, את כל הפרטים הנדרשים להגשת המסמך למשרד המשפטים, וכן את כל הפרטים הנדרשים להגשת המסמך לרשות המוסמכת.

(ד) מטרת המסמך "הסכם המסחר" היא להגדיר את כל הפרטים הנדרשים להגשת המסמך למשרד המשפטים, וכן את כל הפרטים הנדרשים להגשת המסמך לרשות המוסמכת.

(ה) המסמך "הסכם המסחר" יכיל, בין היתר, את כל הפרטים הנדרשים להגשת המסמך למשרד המשפטים, וכן את כל הפרטים הנדרשים להגשת המסמך לרשות המוסמכת.





دَوْرَانِ الْعَرَبِيَّةِ وَاللُّغَوِيَّةِ وَاللُّغَوِيَّةِ وَاللُّغَوِيَّةِ

سَوَدِيَّةُ

سَوَدِيَّةُ

سَوَدِيَّةُ :  
رَبِّعٌ سَوَدِيَّةُ :

سَوَدِيَّةُ :  
رَبِّعٌ سَوَدِيَّةُ :