

# Agro National Corporation

---

## Roller Shutters for Distribution Centers

### Introduction

This document provides information for roller shutters that needs to be supplied and install at nine Distribution Centers of Agro National Corporation (AgroNat).

### Roller Shutter fixing area dimensions

1. Washing Area, 3350mm (-+30mm)
2. Cold Room, 2650mm (-+30mm)  
\*Height 2700mm (-+40mm)

### Roller Shutter Specifications

1. Type : Roller shutter (Manual).
2. Aluminum surface: White powder coated, 60-80 microns.
3. Color: White
4. Slat size: 80mm to 77mm (double layer), 0.8mm to 1.0mm thickness.
5. Outer cover of roller shutter with White cladding material (Front only).
6. Shutter guide rails (Thickness: 1.6mm to 2.0mm & Width: 70mm to 90mm) with sound and thermal insulation.
7. 1-Lock with 3-keys


### Conditions

1. Price should be quoted with delivery and installation on site.

### AgroNat Distribution Center locations (Islands)

1. N. Manadhoo
2. F. Magoodhoo
3. R. Kinolhas
4. L. Gan
5. L. Isdhoo
6. L. Kalaidhoo
7. Ga . Nilandhoo
8. Gn. Fuvahmulah
9. S. Hulhumeedhoo

# 2 Shutters



# Cold room -Shutter

