

## Annex

### Requirements for Nellaidhoo health centre extension and portico drawing

#	Details	Req.	Remarks
1	Bed Capacity (Ground Floor)	10	
2	Office Area (First Floor)	1	Office Area with 5 Work Stations, Managers and senior management rooms and meeting facility - Sockets / N/W Port Clinical office and meeting space for 10 people
3	Public Health Unit (Ground Floor)	1	Minimum 4 work station, a room for reproductive health/ counselling and an area for health education
4	Medical store (Ground Floor)	1	Must have the capacity to store medical consumables for 1 year
5	General ward (Ground Floor)	1	Total of 8 beds (medical and pediatric ward with higher ratio of beds compared to rest) - 2 Bed for Each Cubical, 1 bed dedicated to ICU / HDU (3.5 Ft from Wall), 3 beds dedicated to Pead Each ward to have a nurse's station that is accessible with a medicine preparation room, treatment room. general and medicine store, clean and dirty utility, bed pan washer, nurses' room. toilet and doctors waiting room and visitors waiting room (waiting for pediatric ward should be child friendly.) Wards to have toilets/bath for both female and male patients with provisions for patients with special needs. (Distance between 2 bed 3.5 Ft / from wall 1.5 Ft) Optimum Space for Wards 250- 275 sq.ft per bed With Nursing Station, 4 Sockets / Beds
6	Laboratory (1st Floor)	1	Optimum space of 25-35sqft. each department should be clearly demarcated with separate benches. Laboratory should also be demarcated sample collection. analytical. disposal areas. Should include staff area with staff workstation. Should have access to patient toilet and staff toilet
7	General Storeroom (1st Floor)	1	Store Room with shelves — Metal or Wood rack - With 1 Workstation for Storekeeper with required size refrigerators
8	General store room (ground floor)	1	
9	Main store room (ground floor)	1	
10	Medical store room (ground floor)	1	
11	Vaccine store room (ground floor)	1	
12	Laundry room (ground floor)	1	Demarcated areas for washing, segregation of soiled linens and drying and ironing
13	Vehicle Garage (ground floor)	1	Adequate In-house Parking area - For Ambulance and Staff Parking
14	Toilets (ground floor)	5	Toilets should have urinals at least 1 per 50 persons and water closet and wash basin @ 1 per 100 persons
15	Toilets (1st Floor)	4	
16	Staff Lounge (1st Floor)	1	Minimum 1 Table 4 Chairs, facility to accommodate workstation and resting area
17	Prayer Room (ground floor)	1	Minimum space for 6 persons
18	Maintenance workshop (ground floor)	1	
19	Conference Hall/ Seminar	1	20 theatre seating
20	Portico	1	Link with Existing Building