

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



وَدُوْلَهُ دُوْلَهُ دُوْلَهُ

ଓ খ ও ।  
২ ৩ ৪ ৫ ৬ ৭

وَجْهَكُمْ كَعَلَىٰ مِنْهُمْ بَلْ وَجْهَكُمْ كَعَلَىٰ مِنْهُمْ

400/PROJ/2023/02

ج ۰ خ ۰ س ۰ م ۰ س ۰

(IUL)400/INDIV/2023/13

ప్రాణి వ్యవస్థల నీత్యాను

2023 ፲፻፲፻ ፪

( ١ )



ଓଡ଼ିଆ ଶର୍ମିଳା ପରିଷଦ  
HADHDHUNMATHI  
MAAVAH COUNCIL

2023 ፲፻፲፭ ፪ ፪፷፭



ଶ୍ରୀମଦ୍ଭଗବତ - (୧)







مکتبہ تحریر و تدوین

- 2.16.1 - **سُورَةُ الْمُنْذِرِ**  
الْمُنْذِرُ لِلْمُنْذِرِ

- 2.16.2 - **سُورَةُ الْمُنْذِرِ**  
الْمُنْذِرُ لِلْمُنْذِرِ

- 2.16.3 - **سُورَةُ الْمُنْذِرِ**  
الْمُنْذِرُ لِلْمُنْذِرِ

- 2.16.4 - **سُورَةُ الْمُنْذِرِ**  
الْمُنْذِرُ لِلْمُنْذِرِ



- (۰) - مخترعه رفته اند و آنها را شناسد






17-20 ای بھوپال میں 30 فروری کو 1000 پریس گرفتاری کی گئی تھی۔

(ع) - دَمَسْكُوْرُ دَمَسْكُوْرُ دَمَسْكُوْرُ





$$CP \times 0.005 \times LD = \frac{0.005}{100} \times \frac{0.005}{100}$$



جعفر و خ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ مَوْلَانَا مُحَمَّدُ عَلِيٌّ



جُنْدُوْفَر - 2 ، سُوقَيْتُ شَرَقَيْهُ لِلْمُرْسَى

-1 مَوْتَهُ شَرَفَهُ فَرَحَهُ لَهُ

	وَهُوَ قَرِيرٌ بِمَا يَصْنَعُ فَإِنَّ رَبَّكَ لَغَنِيمٌ	-1.1
	فَلَمَّا سَمِعَتِ الْمُؤْمِنَاتُ مِنْ حَدِيثِ رَسُولِ اللَّهِ صَلَّى اللَّهُ عَلَيْهِ وَسَلَّمَ	-1.2
	أَذَقَنَاهُنَّا مِنْ فَضْلِهِ مَا لَمْ يَرَوْا	-1.3

-2

-3

	شترنگ مهندس	3.1
	پی. ام. سی. جی	
	جودخواه مهندس	
	جودخواه مهندس (جودخواه مهندس مرید خودست)	3.2
	جودخواه (جودخواه مهندس مرید خودست)	3.3

۴ - مکالمہ میرزا


سید علی بن ابی طالب

۱۷

· 5 ·

三

۱۰




جعفر و خ - 3 ، شیراز قم خوش

-1

		سَرْتُ	1.1
	سَرْتُ سَعْيٍ لِّنَشُورِ قَدْرٍ مُّكْثَرٌ	سَرْتُ	1.2
	وَمَدْقُوبٍ مُّكْثَرٌ	سَرْتُ	1.3
	سَرْتُ سَعْيٍ لِّنَشُورِ قَدْرٍ	سَرْتُ	1.4
	لِّغَتْرَةٍ لَّوْلَوْرَهْ مَدْقُوبٍ سَعْيٍ وَنَسْبَتْرَهْ سَرْتُ	سَرْتُ	1.5
	لِّغَتْرَهْ لَوْلَوْرَهْ سَرْتُ سَرْتُ	سَرْتُ	1.6
	وَلَوْلَوْرَهْ لِّغَتْرَهْ سَرْتُ	سَرْتُ	1.7
	وَلَوْلَوْرَهْ لِّغَتْرَهْ	سَرْتُ	1.8

2. شورت و پرچم خود را در میانه (نام فرشته های مخصوص خود را در میانه)، از سمت راست شروع کنید و در میانه شورت و پرچم خود را در میانه (نام فرشته های مخصوص خود را در میانه) موند.


#	سری	ردیف
1		
2		
3		
4		
5		



**جعفر عواد - 4 ، قریب تا 10 (عمره) هر شروع خود را با مسأله خود کنید و بخوبی پاسخ دهید و در اینجا ممکن است این سوالات را در مورد خود پرسیده و پاسخ داده باشید.**



٥ - مَوْتُهُ وَجْهُهُ مُدْعَىٰ مُسْتَرٌ حِلْمُهُ مُسْتَرٌ



## Form of Bid Security (Bank Guarantee)

WHEREAS, .....*[name of Bidder]* (hereinafter called "the Bidder") has submitted his Bid for the Project no.....issued by the Ministry of Finance and Treasury on .....for construction of .....*[name of Contract]* (hereinafter called "the Bid").

KNOW ALL PEOPLE by these presents that We ..... *[name of Bank]* of .....  
..... *[name of country]* having our registered office at  
..... (hereinafter called "the Bank") are  
bound unto ..... *[name of Purchaser]* (hereinafter called "the Purchaser") in the sum of  
\* ..... for which payment well and truly to be made to the said Purchaser,  
the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank this ..... day of ..... 20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;  
or  
(2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:  
    (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or  
    (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or  
    (c) does not accept the correction of the Bid Price pursuant to Clause 27,

\* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 16.1.7 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser's having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date ..... days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS ..... SEAL .....

[signature, name, and address]



## Form of Performance Bank Guarantee (Unconditional)

To: .....

[name & address of Purchaser]

<sup>1</sup> See, e.g., *United States v. Ladd*, 10 F.3d 1250, 1254 (11th Cir. 1993) (“[A]nyone who has ever been to a bar or restaurant knows that it is common for people to leave a tip for waitstaff.”); *United States v. Gandy*, 10 F.3d 1250, 1254 (11th Cir. 1993) (“[A]nyone who has ever been to a bar or restaurant knows that it is common for people to leave a tip for waitstaff.”).

WHEREAS ..... [name and address of Supplier] (hereinafter called "the Supplier") has undertaken, in pursuance of Contract No. ..... dated ..... to execute ..... [name of Contract and brief description of Works] (hereinafter called "the Contract");

AND WHEREAS it has been stipulated by you in the said Contract that the Supplier shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Supplier such a Bank Guarantee;

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Supplier, up to a total of \* ..... [amount of Guarantee] ..... [amount in words], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of ..... [amount of Guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

\*An amount is to be inserted by the Guarantor, representing the percentage of the Contract Price specified in the Contract, in Maldivian Rufiyaa.

We hereby waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Supplier shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

This Guarantee shall be valid until the date of issue of the Defects Correction Certificate.

SIGNATURE AND SEAL OF THE GUARANTOR

Name of Bank .....

Address .....

-----

Date \_\_\_\_\_



وَقُوَّتْ نَعْلَمْ نَعْلَمْ قُوَّتْ قُوَّتْ نَعْلَمْ سَفَرْ نَعْلَمْ سَفَرْ نَعْلَمْ قُوَّتْ قُوَّتْ

۱۰۷



• 2



٢٦٣ . ٣

- 3.1 ج جو کوئی سوچے تو اسے سمجھا جائے گا۔ جو کوئی سوچے تو اسے سمجھا جائے گا۔

3.2 ج جو کوئی سوچے تو اسے سمجھا جائے گا۔ جو کوئی سوچے تو اسے سمجھا جائے گا۔

3.3 ج جو کوئی سوچے تو اسے سمجھا جائے گا۔ جو کوئی سوچے تو اسے سمجھا جائے گا۔

۳۶ دستورات مختصر . ۴

- 4.1 ( )



5.3 میں اسی طبقے کا تصور کریں گے جو 30 (میریسو) کو ہے۔

٦. مَرْجَعُ شِرْكَتِيَّةِ مَرْجَعُ شِرْكَتِيَّةِ وَمَرْجَعُ شِرْكَتِيَّةِ مَرْجَعُ شِرْكَتِيَّةِ



7.2. **تَسْمِيَّةُ الْمَوْلَدِ** مُسْتَقْبَلٌ بِالْمَوْلَدِ تَسْمِيَّةٌ مُسْتَقْبَلٌ بِالْمَوْلَدِ تَسْمِيَّةٌ مُسْتَقْبَلٌ بِالْمَوْلَدِ

٨- حَسَدَهُمْ أَنَّهُمْ رَاغِبُونَ وَمَنْهُمْ خَيْرٌ مَمْنُونُ

8.1 دارالفنون 2 عصر حضارة فتح سلطنة العثماني، تأسست عام 1900م في مصر، وهي أول جامعة عربية متخصصة في الفنون.

8.2. የፌዴራል በመስቀል ስምምነት እና የሚከተሉት ደንብ መካከል የሚያስፈልግ ይችላል

8.3 የፌዴራል ስርዓት በፌዴራል እንደሆነ ይሰጣል (የፌዴራል ስርዓት የፌዴራል እንደሆነ ይሰጣል) ተከራክሩ ይችላል.

﴿كَمْ مِنْ فَرِيقٍ قَاتَلُوا رَبَّهُمْ مُّؤْمِنِينَ إِنَّ اللَّهَ لَمَعْلُومٌ بِمَا يَصْنَعُ وَإِنَّ رَجُلَيْهِ إِذَا سَمِعُوا مَا يَقُولُونَ﴾

٤٨- حَسَدَهُمْ نَاسٌ مِّنْ أَهْلِ الْأَرْضِ إِذَا يَمْرُّونَ بِالْأَرْضِ يَرَوْنَ مَا لَمْ يَرَوْا وَلَا يَرَى  
أَنفُسُهُمْ بِمَا هُمْ يَحْكُمُونَ وَاللَّهُ أَعْلَمُ بِمَا يَعْمَلُونَ

8-6. የሚሸፍ ማስተዣስ ተቋማው ፖስታ እና ማስተዣስ ተቋማው | የሚሸፍ ማስተዣስ ተቋማው ፖስታ እና ማስተዣስ ተቋማው

٦.٧.٢ قریبیت دسته‌گانه برآوردنیتر فرمولیتر حسنه‌گانه خبرچه برآوردن برخوش نادرست ساریه‌گانه فرمولی



9.1 میں اسی طریقے کو سمجھو سکتے ہیں جس کا نام "نئی تحریر" ہے۔

٩٥ "جَعْلَهُ" إِنْجِيْرِنِنْجْرِيْسْ تَحْتَهُ مُهَاجِرْتْ بَلْجِيْكِيْنْ لَمْ يَجْعَلْهُ سَادِرْ فَلَمْ يَجْعَلْهُ سَادِرْ

• 10 . حَسَنَةٌ مُّتَمَكِّنٌ مُّتَمَكِّنٌ

(LD x 0.005 x CP)  $\times 10^6$   $\text{kg/m}^3$

LD (جیع) مکانیزم کریستالیزاسیون: این مکانیزم روشی برای تولید کریستال از مذاب است.



• 12

12.2 د. ایجاد سه قوچت 10 وسیله ای برای تحریر دستورات کامپیوتر را خود و قرآن حسین خواجه دستورات کامپیوتر را داشتند و ۱۵% (قرآن حسین و آنها) در قوه دستورات کامپیوتر را درست، دستورات کامپیوتر سه قوچت را درستند و قرآن حسین دستورات کامپیوتر را درستند و قرآن حسین و آنها سه قوچت را درستند و قرآن حسین دستورات کامپیوتر را درستند.

12.4 دَسَّافَةٌ نَّاهِيَّرْ رَوْخُورْ قَعْدَهُونْ تَنْجِيچْ بَرْجَانْ دَسَّافَةٌ نَّاهِيَّرْ كَسَّافَهُونْ تَنْجِيچْ بَرْجَانْ  
رَسَّافَهُونْ تَنْجِيچْ بَرْجَانْ دَسَّافَةٌ نَّاهِيَّرْ رَوْخُورْ قَعْدَهُونْ تَنْجِيچْ بَرْجَانْ دَسَّافَةٌ نَّاهِيَّرْ كَسَّافَهُونْ تَنْجِيچْ بَرْجَانْ 14 (سَعْدَ)  
قَرْبَرَئِيْ سَرْجِيْتْ قَرْبَرَئِيْ سَرْجِيْتْ قَرْبَرَئِيْ سَرْجِيْتْ قَرْبَرَئِيْ سَرْجِيْتْ قَرْبَرَئِيْ سَرْجِيْتْ  
رَوْخُورْ قَعْدَهُونْ تَنْجِيچْ بَرْجَانْ دَسَّافَةٌ نَّاهِيَّرْ رَوْخُورْ قَعْدَهُونْ تَنْجِيچْ بَرْجَانْ دَسَّافَةٌ نَّاهِيَّرْ



સુર્યાંગ પત્ર .13

۱۳-۱ **میراث اسلامی** در **تاریخ اسلام** و **تاریخ اسلام** در **میراث اسلامی**

સુધી 14

14.1. حَدَّدَتْ تَفَصِّيلَاتِهِ الْمُعْنَى وَجَعَلَتْهُ مُسْتَقِلًّا مُنْفَعًا لِلْأَرْضِ وَالْمَاءِ وَالْأَنْوَاعِ الْمُحْيَةِ.

جَنَاحَةِ الْمُؤْمِنِينَ بِرَوْضَتِهِ فَقَبَّلَهُ مَرْسَى: سَرَّهُ قَبْرُهُ وَدَعَوْتُ لَهُ مَغْفِرَةً

6800718

• 15

15.1 مەتھىمۇقى:

١٥.٢ حَسَنَةُ الْمُجْمِعِ شَوَّخُونَ وَشَوَّخَنَ

١٥٣ / مَوْتَنِي: مُسْتَعْرِفٌ بِرَبِّهِ

15.4 حَسْبَهُمْ بِأَنَّهُمْ لَا يَعْلَمُونَ

١٥.٥ شرکت ملی پست ایران

جعفری، علیرضا ۱۵.۶



(AGR)400/PRIV/2023/000


15.7



۲۰۰۰ نتیجه می خواهد موقبده (فیض)

ଶୁଣ୍ଡ ଶୁଣ୍ଡ : ୧ ଶୁଣ୍ଡ ଶୁଣ୍ଡ

#	شەخچەرەت مەئەنۋەت	دەپەنەتىقىچىق	شەخچەرەت مەئەنۋەت	دەپەنەتىقىچىق	شەخچەرەت مەئەنۋەت	دەپەنەتىقىچىق																													
1			1	NOS SET	<p><b>Playset 1(Playground play structure)</b></p> <p><b>Specification:</b></p> <p>Size: 1090*770*500cm (variation of +/- 10% can be acceptable)</p> <p>Capacity: 28 kids</p> <p>Colour: Multi Colour</p> <p><b>Components and Material</b></p> <table border="1"> <thead> <tr> <th></th> <th>Material</th> <th>Size(L*W*H)</th> <th>Function</th> </tr> </thead> <tbody> <tr> <td>Deck &amp; Stair</td> <td>PVC coated steel deck or powder coated steel deck</td> <td>Square deck: 1220x1220x80mm</td> <td>Perforated platforms make it suitable for Changeable weather, Great Friction make it safety to children.</td> </tr> <tr> <td>Plastic parts</td> <td>LLDPE (imported from Samsung or ICO), rotational mold</td> <td>Roof:2020x2020x1350mm, Panel:950x1170x130mm climber/slide-h:1.2m and multiple choice</td> <td>Surface Smoothness and colorful, bring more safety and joy to children.</td> </tr> <tr> <td>Post &amp; cap</td> <td>Galvanized/ Aluminum</td> <td>Φ127mm (5") and different height of post is available at your demand. Cap size: 127x127x80mm</td> <td>Galvanized post and Aluminum Post has good rust resistance.</td> </tr> <tr> <td>Handrail &amp; Climber &amp; ladder</td> <td>Galvanized</td> <td>Different kinds of rail, ladder, and climber, give you a variety of choices</td> <td>Galvanized rail has good rust resistance, Give children longer periods of joy</td> </tr> <tr> <td>Clamp</td> <td>Stainless steel</td> <td>220x200x45mm</td> <td>Stainless steel making the equipment more durable.</td> </tr> <tr> <td>Components</td> <td>Spiral tube slide, spiral slide, double straight slide, straight crawl tunnel, arch climber, footprint climber, sunflower topper</td> <td></td> <td></td> </tr> </tbody> </table>		Material	Size(L*W*H)	Function	Deck & Stair	PVC coated steel deck or powder coated steel deck	Square deck: 1220x1220x80mm	Perforated platforms make it suitable for Changeable weather, Great Friction make it safety to children.	Plastic parts	LLDPE (imported from Samsung or ICO), rotational mold	Roof:2020x2020x1350mm, Panel:950x1170x130mm climber/slide-h:1.2m and multiple choice	Surface Smoothness and colorful, bring more safety and joy to children.	Post & cap	Galvanized/ Aluminum	Φ127mm (5") and different height of post is available at your demand. Cap size: 127x127x80mm	Galvanized post and Aluminum Post has good rust resistance.	Handrail & Climber & ladder	Galvanized	Different kinds of rail, ladder, and climber, give you a variety of choices	Galvanized rail has good rust resistance, Give children longer periods of joy	Clamp	Stainless steel	220x200x45mm	Stainless steel making the equipment more durable.	Components	Spiral tube slide, spiral slide, double straight slide, straight crawl tunnel, arch climber, footprint climber, sunflower topper				
	Material	Size(L*W*H)	Function																																
Deck & Stair	PVC coated steel deck or powder coated steel deck	Square deck: 1220x1220x80mm	Perforated platforms make it suitable for Changeable weather, Great Friction make it safety to children.																																
Plastic parts	LLDPE (imported from Samsung or ICO), rotational mold	Roof:2020x2020x1350mm, Panel:950x1170x130mm climber/slide-h:1.2m and multiple choice	Surface Smoothness and colorful, bring more safety and joy to children.																																
Post & cap	Galvanized/ Aluminum	Φ127mm (5") and different height of post is available at your demand. Cap size: 127x127x80mm	Galvanized post and Aluminum Post has good rust resistance.																																
Handrail & Climber & ladder	Galvanized	Different kinds of rail, ladder, and climber, give you a variety of choices	Galvanized rail has good rust resistance, Give children longer periods of joy																																
Clamp	Stainless steel	220x200x45mm	Stainless steel making the equipment more durable.																																
Components	Spiral tube slide, spiral slide, double straight slide, straight crawl tunnel, arch climber, footprint climber, sunflower topper																																		
2			1	NOS SET	<p><b>Playset 2(Iron Stand Swing Set)</b></p> <p><b>Specification:</b></p> <p>Size: 520 x 150 x 220 cm &amp; 520 x 150 x 250cm (variation of +/- 10% can be acceptable)</p> <p>Seat allocation: 6 seats</p> <p>Colour: Multi Colour</p> <p>Frame: Metal (galvanized steel, with outdoor paint)</p> <p>Seats: LLDPE Plastic / Fiber or PVC coated metal / any other outdoor relevant material is acceptable.</p> <p>Ropes: outdoor durable material.</p>																														
3			1	NOS SET	<p><b>Playset 3(Double Deck Metal See Saw- 4 Seats)</b></p> <p><b>Specification:</b></p> <p>Size: 300 x 40 x 85 cm (variation of +/- 10% can be acceptable)</p> <p>Seat allocation: 4 seats</p> <p>Colour: Multi Colour</p> <p>Frame: Metal (galvanized steel, with outdoor paint)</p> <p>Seats: LLDPE Plastic / Fiber or PVC coated metal</p>																														



#	ج. دخو (نحوه)	دَخْلَةُ الْمَوْلَى مَذْكُورَةٌ فِي		شَرْعِيَّةُ دَخْلَةِ الْمَوْلَى			مَفْرُضُهُ
		فَوْسَسَةُ الْمَوْلَى	بَعْدِهِ (نحوه)	الْمَقْرِئُ	الْمَسْرِعُ	الْمَقْرِئُ	
1				3	3	ج. دخو نَعْلَمُ بِهِ دَخْلَةُ الْمَوْلَى 3 مَرَّةٍ بِرِّيشَتِهِ لَمَّا صَاحَ سَوْفَاجُورُ لَمَّا حَرَّتْ دَارَ، أَمْمَانُهُ دَخْلَةُ الْمَوْلَى أَمْمَانُ دَخْلَةُ الْمَوْلَى مَذْكُورَةٌ بِهِ سَوْفَاجُورُ لَمَّا حَرَّتْ دَارَ، دَخْلَةُ الْمَوْلَى دَخْلَةُ الْمَوْلَى دَخْلَةُ الْمَوْلَى دَخْلَةُ الْمَوْلَى دَخْلَةُ الْمَوْلَى دَخْلَةُ الْمَوْلَى دَخْلَةُ الْمَوْلَى دَخْلَةُ الْمَوْلَى	



(ଶ୍ରୀମଦ୍ଭଗବତ / ପୂଜା) । ୧ ଶତାବ୍ଦୀ

وَقَاتَلَهُمْ فَلَمْ يَنْجُوهُمْ وَأَتَاهُمْ مِنْ كُلِّ هُدًىٰ وَرَحْمَةٍ



2- **النوع الرابع** - 1، **النوع الخامس** - 2.



3- جزویتی متعال 2- اینستیتو یونیورسیتی توچی

- جَوَيْرٌ سَكَّافٌ قَرْبَانٌ مُنْتَهِيٌّ دَخْرُوكُوسٌ 6 دَسْرُوكُوسٌ دَلْغَرَّانٌ سَرْسَرَانٌ سَوْرَجَانٌ،  
فَرْدَانٌ مُنْتَهِيٌّ سَوْرَجَانٌ دَلْغَرَّانٌ دَلْغَرَّانٌ فَرْدَانٌ سَوْرَجَانٌ.



## Playset 1(Playground play structure)



991



## **Playset 2(Iron Stand Swing Set)**



Size: 600 × 130 × 200cm  
Size: 600 × 130 × 250cm

### **Playset 3(Double Deck Metal See Saw- 4 Seats)**



Size: 300 x 40 x 85cm

