

ANNEX-05			
MINIMUM INFRASTRUCTURE STATNDARD FOR HEALTH CENTER			
#	DETAILS	REQ.	REMARKS
1	<b>BED CAPACITY</b>	10 + 2	
2	<b>WAITING AREA</b>		Should have min 15-30 chairs
3	<b>RECEPTION</b>		Minimum 2 Work Station (3 Sockets / Workstation, N/W Port)
4	<b>ACCIDENTS AND EMERGENCIES (ER)</b>		<p>First Responder (Set-Up), emergency department should have demarcated areas for receiving, triage, 1 Resuscitation and observation (Resuscitation Bay), 1 HDU, 2 Observation bed (10-15sq.ft/bed/8 Sockets per bed)</p> <p>Observation beds should be kept 2 feet apart</p> <p>Should include: dirty utility, clean utility, general store, medical store, equipment room, patient toilets (Male/ Female/ Disability), area to keep trolleys and wheel chair, enough space to move around.</p> <p>Should include space for staff recovery and staff toilet</p>
5	<b>CONSULTATION ROOM (Emergency - walk in patients)</b>	1	A demarked consultation room for walk-in patients after triaging. This area should not be inside the ER observation area and patient traffic should not cross in these two areas.
6	<b>INJECTION &amp; DRESSING UNIT / ECG Room / Nebulization Bay</b>	1	(10-15sq.ft / bed) - 3 Sockets The design of the building can accommodate these areas to be common to OPD and ER depending on the patient load.
7	<b>OPD NURSES STATION</b>		<p>Minimum 2 Work Station (3 Sockets / Workstation, N/W Port). should include: dirty utility, clean utility, general store, medical store, equipment room, patient toilets (Male/ Female/ Disability), area to keep trolleys and wheel chair, enough space to move around.</p> <p>Should include space for staff recovery and staff toilet</p> <p>The design can accommodate a common support area to be utilized by Accident and Emergency Department and OPD depending on the case load</p>
8	<b>FEEDING ROOM</b>	1	
9	<b>GENERAL OPD</b>	2	Should have min 10 chairs for each OPD / department
10	<b>GENERAL WARD (Male and Female separately)</b>	1	Total of 8 beds (medical and pediatric ward with higher ratio of beds compared to rest) -2 Bed for Each Cubical. 1 bed dedicated to
11	<b>PAEDIATRIC WARD</b>	1	<p>ICU / HDU (3.5 Ft from Wall), 3 beds dedicated to Pead</p> <p>Each ward to have a nurse's station that is accessible with a medicine preparation room, treatment room, general and medicine store, clean and dirty utility, bed pan washer, nurses' room, toilet and doctors waiting room and visitors waiting room (waiting for pediatric ward should be child friendly.)</p> <p>Wards to have toilets/bath for both female and male patients with provisions for patients with special needs.</p> <p>(Distance between 2 bed 3.5 Ft / from wall 1.5 Ft) Optimum Space for Wards 250275 sq.ft per bed With Nursing Station, 4 Sockets / Beds</p>

12	<b>PRIVATE WARD / ROOM</b>	1	Either an attached nursing station with relevant utility areas or attached with the other wards
13	<b>LABOUR ROOM</b>		Minimum 15-20 sq.ft per bed - Curtained, with examination light, Minimum of 1 labor beds and with first stage 1 bed, baby receiving and resuscitation area, wash and other requires amenities for the ward.
	<b>ISOLATION WARD WITH FLU CLINIC</b>		OPD room designated as a flue clinic with waiting area Donning and doffing area with changing room and showers. Ward should also have a dirty and clean utility area.  Minimum of 2 beds, separate for Males and Females with toilet and shower facilities, with provisions for patients with special needs. Nurses station that is accessible and easy observation of patients with a medicine preparation area, general and medicine store, clean and dirty utility, bed pan washer. (Distance between 2 bed 3.5 Ft / from wall 1.5 Ft) Optimum Space for Wards 250275 sq.ft per bed With Nursing Station, 4 Sockets / Beds
14	<b>LABORATORY</b>		Optimum space of 25-35sqft, each department should be clearly demarcated with separate benches. Laboratory should also be demarcated sample collection, analytical, disposal areas. Should include staff area with staff workstation. Should have access to patient toilet and staff toilet
15	<b>VEHICLE GARARGE</b>		Adequate In-house Parking area - For 2 Ambulance and Staff Parking, driver waiting area and toilet
16	<b>TOILETS</b>		Toilets should have urinals at least 1 per 50 persons and water closet and wash basin @ 1 per 100 persons
17	<b>STAFF LOUNGE</b>		Minimum 1 Table 4 Chairs, facility to accommodate workstation and resting area
18	<b>PRAYER ROOM</b>		Minimum space for 6 persons
20	<b>MAINTENANCE WORKSHOP</b>		(Outside building)
21	<b>CONFERENCE HALL / SEMINAR</b>		20 theatre seating
22	<b>CHILDREN PLAY AREA</b>		(Play corner)
23	<b>WASTE MANAGEMENT AREA</b>		(Outside building)
24	<b>AUTOCLAVE AREA</b>	1	Demarked with one way traffic flow. Entry and exit to be different