



Kulhudhuffushi Regional Hospital


Top View / Roof



Side view



Ward area floor plan



Kulhudhuffushi Regional Hospital

DOORS SCHEDULE

SYMBOL	D1	D2	W1
ELEVATION			
DESCRIPTION	40MM THICK OPENABLE ALUMINUM FRAMED DOOR	40MM THICK OPENABLE ALUMINUM FRAMED DOOR	40MM THICK OPENABLE ALUMINUM FRAMED DOOR
FRAME	120MM ALUMINUM FRAME 80 MICRON WHITE POWDER COATED	120MM ALUMINUM FRAME 80 MICRON WHITE POWDER COATED	120MM ALUMINUM FRAME 80 MICRON WHITE POWDER COATED
HARDWARE	DOOR CLOSER X 2 LOCK X 2 BUTT HINGE STOPPER HOLDER KICKER DOOR LATCH HANDLE X 2	DOOR CLOSER X 2 LOCK X 2 BUTT HINGE STOPPER HOLDER KICKER DOOR LATCH HANDLE X 2	

GL = 6MM THICK CLEAR GLASS

CL = 6MM THICK WHITE POWDER COATED CLADDING

ALL THE ALUMINUM PROFILE MUST BE MINIMUM 2MM THICK.