



ޔ. ސ. ޖެނެރަލް ސަކަރު ޤަޞިމް ޖަހިރުވުމުގެ ޖަނަރަލް ހޮސްޕިޓަލް

Dr. Abdul Samad Memorial Hospital

މ.ރ. ޖެނަރަލް ހޮސްޕިޓަލް ލަންޕިލަވުމުގެ ޖެނަރަލް ހޮސްޕިޓަލް
GDH-Thinadhoo, Maldives



ޔ. ސ. ޖެނެރަލް ސަކަރު ޤަޞިމް ޖަހިރުވުމުގެ ޖަނަރަލް ހޮސްޕިޓަލް

މ.ރ. ޖެނަރަލް ހޮސްޕިޓަލް ލަންޕިލަވުމުގެ ޖެނަރަލް ހޮސްޕިޓަލް

ސަރަޙައްދު: (IUL)ASMH-Procure/ASMH/2023/63

ޖަނަރަލް ހޮސްޕިޓަލް ލަންޕިލަވުމުގެ ޖެނަރަލް ހޮސްޕިޓަލް ލަންޕިލަވުމުގެ ޖެނަރަލް ހޮސްޕިޓަލް
ލަންޕިލަވުމުގެ ޖެނަރަލް ހޮސްޕިޓަލް ލަންޕިލަވުމުގެ ޖެނަރަލް ހޮސްޕިޓަލް



Procurement Notice

1. Introduction

Dr. Abdul Samad Memorial Hospital (IUL)ASM-H-Procure/ASM-H/2023/63: 63/2023-ASM-H/Procure (IUL)ASM-H-Procure/ASM-H/2023/63

Dr. Abdul Samad Memorial Hospital is pleased to announce the procurement of the following goods and services:

- Supply and installation of 1000kg of stainless steel kitchen equipment.
- Supply and installation of 1000kg of stainless steel kitchen equipment.
- Supply and installation of 1000kg of stainless steel kitchen equipment.
- Supply and installation of 1000kg of stainless steel kitchen equipment.

The procurement is open to all registered bidders. The tender documents are available for purchase from the procurement department of Dr. Abdul Samad Memorial Hospital. The deadline for the submission of tenders is 13th June 2023 at 11:00 AM.

2. Tender Information

2.1. The tender documents are available for purchase from the procurement department of Dr. Abdul Samad Memorial Hospital. The deadline for the submission of tenders is 13th June 2023 at 11:00 AM.

tender@asmh.gov.mv

The tender documents are available for purchase from the procurement department of Dr. Abdul Samad Memorial Hospital. The deadline for the submission of tenders is 13th June 2023 at 11:00 AM.

6845160

2.2. The tender documents are available for purchase from the procurement department of Dr. Abdul Samad Memorial Hospital. The deadline for the submission of tenders is 13th June 2023 at 11:00 AM.

- Tender documents are available for purchase from the procurement department of Dr. Abdul Samad Memorial Hospital.
- Deadline for the submission of tenders is 13th June 2023 at 11:00 AM.

2.3. The tender documents are available for purchase from the procurement department of Dr. Abdul Samad Memorial Hospital. The deadline for the submission of tenders is 13th June 2023 at 11:00 AM.

- Tender documents are available for purchase from the procurement department of Dr. Abdul Samad Memorial Hospital.
- Deadline for the submission of tenders is 13th June 2023 at 11:00 AM.

3. Contact Information

- 3.1. Contact information for the procurement department of Dr. Abdul Samad Memorial Hospital.
- 3.2. Contact information for the procurement department of Dr. Abdul Samad Memorial Hospital.



- **අමුදාම** රඳවා ගැනීමේදී ආර්ථික ප්‍රතිපත්ති සම්බන්ධ සවිස්තරව විස්තර කර ඇති බව අනුමාන කළ හැකිය.
- **අමුදාම** 8% බැර පවත්වා ගැනීමේදී අනුමාන කර ඇති බව අනුමාන කළ හැකිය.
- **අමුදාම** මට්ටම සහතික කළ හැකිය.

4. පොදු වෙළඳපොළ වෙළඳපොළ (සී) ඉදිරිපත් කිරීමේදී

ප්‍රදානය	අමුදාම මට්ටම	මිල
50	1	අඩුම
20	2	අඩුම
30	3	අඩුම

4.1 වස්තුවක අඩුම

අඩුම මට්ටම ඉහළ මට්ටමකට වෙනස් කිරීමට අනුමාන කළ හැකිය. ඉහළ මට්ටමකට වෙනස් කිරීමට අනුමාන කළ හැකිය.

4.2 වස්තුවක ඉහළ මට්ටම

වස්තුවක අඩුම මට්ටම ඉහළ මට්ටමකට වෙනස් කිරීමට අනුමාන කළ හැකිය. ඉහළ මට්ටමකට වෙනස් කිරීමට අනුමාන කළ හැකිය.

වස්තුවක අඩුම මට්ටම	අඩුම මට්ටම	මිල
20	5	50,000.00 රුපියල් වටිනාකමක් සහිතව 99,999.00 රුපියල් වටිනාකමක් දැක්වීම
	10	100,000.00 රුපියල් වටිනාකමක් සහිතව 499,999.00 රුපියල් වටිනාකමක් දැක්වීම
	20	500,000.00 රුපියල් වටිනාකමක් දැක්වීම

4.3 දීමනා

දීමනා මට්ටම ඉහළ මට්ටමකට වෙනස් කිරීමට අනුමාන කළ හැකිය. ඉහළ මට්ටමකට වෙනස් කිරීමට අනුමාන කළ හැකිය.

5. පොදු වෙළඳපොළ වෙළඳපොළ

5.1 **පොදු වෙළඳපොළ වෙළඳපොළ** (IUL)ASMNH-Procure/ASMNH/2023/63 සංඛ්‍යාංකයෙන් අනුමාන කළ හැකිය.

5.2 **අමුදාම** රඳවා ගැනීමේදී ආර්ථික ප්‍රතිපත්ති සම්බන්ධ සවිස්තරව විස්තර කර ඇති බව අනුමාන කළ හැකිය.

6. වස්තුවක අඩුම

6.1 **වස්තුවක අඩුම** මට්ටම ඉහළ මට්ටමකට වෙනස් කිරීමට අනුමාන කළ හැකිය. ඉහළ මට්ටමකට වෙනස් කිරීමට අනුමාන කළ හැකිය.



ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

Dr ·Abdul Samad Memorial Hospital

GDH·Thinadhoo, Maldives

18.2.2 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

18.3 ޯ. ޯ. ޯ. ޯ. ޯ.

18.3.1 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

18.3.2 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

18.3.3 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

18.3.4 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

19 ޯ. ޯ. ޯ. ޯ. ޯ.

19.1 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

20 ޯ. ޯ. ޯ. ޯ. ޯ.

20.1 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

20.2 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

20.3 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

20.4 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

20.5 ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.

ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ. ޯ.



17 17 17

ECG MACHINE SPEC

(QTY: 5 UNITS)

Size & Weight

- Sturdy & light weight machine < 5Kg
- Should be compact
- Should have carry handle for portability

Power Supply

- Compatibility with mains 220-240 V (normal), 50/60 Hz power supply
- High performance Li-ion rechargeable battery with built in charger. -Equipment should have sufficient battery backup for taking minimum 100 ECGs without AC power.
- Digital filtering to remove interference from power line, muscle tremor etc.

Display, Printer and Keypad

- 8-inch LCD screen with 800*400 high resolution
- Frosted membrane keyboard. Typing and editing can be as easy and comfortable as using a computer
- Optional touch bars for users with different operating preferences
- Built-in thermal printer and external USB printer supported
- Hot keys for common-used functions
- Device configuration is able to print/export/import

ECG recording

ECG recording with 12 leads

- Standard Leads (the limb leads or bipolar Limb leads: I, II & III)
 - Augmented Limb Leads- (aVL, aVR and aVF)
 - Chest Leads (the unipolar or V leads)- from V1 to V6 Simultaneous acquisition from 12 leads Recording speed selection of 25 mm/ sec and 50 mm/ sec with facility for speed selection Automatic adjustment of baseline for optimal recording Should have different filters like Baseline Filter, EMG Filter & AC Filter Multiple operating modes -automatic, manual and rhythm
- Common Mode Rejection Ratio >90dB

Built-in ECG Parameters measurement and interpretation

- -Built-in ECG auto-measurement including: HR, P-R interval, P-Duration, QRS duration, Q-T interval, Q-TcF (Friederica), P Axis, QRS Axis, T Axis, R(V5), S(V1), R(V5)+S(V1)
- -QTcF interval reading/ measurement should also be available with Limb leads alone .



Standard Accessories

The machine should be supplied with

- Power cord(Maldives), patient cable, user manual and warranty card, Operation Manual with user demonstration video CD, interpretation manual & 10 thermal recording paper rolls , 5 bottles of jelly
- Patient cable(12 lead)
- Extra 12 lead ecg cable
- chest electrodes – Both adult and pediatric (3 sets each)
- limb electrodes – Both adult and pediatric (3 sets each)

Safety Profile

Should be provided with terminal for good earth connection to preclude electric disturbances while recording-

- Must have a safety certificate or valid detailed electrical and functional safety test report from a recognized competent authority
- Copy of the certificate / test report shall be produced along with the technical bid.

Installation & Training

The firm should install the instrument at the designated location and provide one-day training/demonstration of operation of ECG machine.

Warranty

- performance warranty of at-least one year from date of installation + additional two years comprehensive warranty,
- In case of breakdown of the machine, the supplier shall make the machine functional by repair (including replacement of parts) free of cost at the user site, within 3 (three) days of the receipt of complaint, or replace the machine (if necessary).

After Sales Services

- The suppliers should have adequate after sales service facilities covering all districts of the country.
- They should have infrastructure and trained manpower to attend to any complaints within 3 days of receipt of complaints