



Local Government Authority

Atoll Post Building, Boduthakurufaanu Magu, Male', Maldives

ދިވެހިރާއްޖޭގެ ތެރޭގ ހުންނަ ރާއްޖޭގެ ތެރޭގ

ދިވެހިރާއްޖޭގެ ތެރޭގ ހުންނަ ރާއްޖޭގެ ތެރޭގ

ދިވެހިރާއްޖޭގެ ތެރޭގ ހުންނަ ރާއްޖޭގެ ތެރޭގ

މިއަހަރުގެ 25 (IUL)221-ASS/1/2018/19 2018 ވަނަ އަހަރު

މިއަހަރުގެ 25 (IUL)221-ASS/1/2018/19 2018 ވަނަ އަހަރު
މިއަހަރުގެ 25 (IUL)221-ASS/1/2018/19 2018 ވަނަ އަހަރު
މިއަހަރުގެ 25 (IUL)221-ASS/1/2018/19 2018 ވަނަ އަހަރު
މިއަހަރުގެ 25 (IUL)221-ASS/1/2018/19 2018 ވަނަ އަހަރު
މިއަހަރުގެ 25 (IUL)221-ASS/1/2018/19 2018 ވަނަ އަހަރު

1- ډیجیټل ټرانزفارمېشن

LOT 1		
Item #	DETAILS	Quantity
1	Core Network Switch 2 x 10GBASE-T Ports 4 x Dual personality 10/100/1000 ports 20 x RJ-45 autosensing L2/L3 10/100/1000 4 x SFP Ports 2 x Slot for optional 10G module 1 GB flash Processor: @ 625 MHz Switching capacity: 128 Gbps Stacking capabilities Up to 4 switches Rackmountable with Rack-Mount Brackets (Included) (2 core switches must be stacked)	2
2	NAS Storage CPU: Quad-core 64-bit 2.0GHz Flash Memory: 512MB RAM: 4GB DDR3L/DDR4 (2 Slot x Max 16GB Support) HDD BAY: 8 (Support 2.5" or 3.5") Hard Disk: 4 x 8TB 7200RPM NAS HDD LAN Ports: 4 x Gigabit ports & 1 x 10GbE port USB Ports: 2 x 2.0 USB port & 2 x 3.0 USB port Form factor: Rackmount	1
3	Smart UPS 3KVA, Rackmount SNMP Card	1
4	QLogic 57810 Dual Port 10Gb Base-T Low Profile Network Adapter	1
5	LAN Patch Cord CAT6 2M (24pcs from any 3 different colors)	72
6	1U 24Port Loaded CAT 6 Patch Panel (Punchdown keystone)	1
7	1U Cable Organizer Channel On Front & Back	3
8	Ethernet Cat6 Cable Roll	1
9	Punchdown CAT6 Inline Coupler	50
10	Copper SFP+ iSCSI Transceiver (Compatible with Dell FX2)	2
11	2U Server Rack PDU	1

LOT 2		
Item #	DETAILS	Quantity
1	Windows Server 2016 DataCenter Edition License with OS (Processor: 2 x Intel Xeon E5 v4 Processor (14core))	1

LOT 3		
Item #	DETAILS	Quantity
1	L2 Manageable Network Switch	1
	8 x Gigabit RJ45 Ports	
	2 x SFP Ports	
	Non-Blocking Throughput: 10 Gbps	
	Switching Capacity: 20 Gbps	
	Forwarding Rate: 14.88 Mbps	
	Maximum Power Consumption: 150W	
	Supports POE+ IEEE 802.3at/af and 24V Passive PoE	
	Wallmountable with Wall-Mount Brackets (Included)	
2	L2 Manageable Network Switch	2
	16 x Gigabit RJ45 Ports	
	2 x SFP Ports	
	Non-Blocking Throughput: 18 Gbps	
	Switching Capacity: 36 Gbps	
	Forwarding Rate: 26.78 Mbps	
	Maximum Power Consumption: 150W	
	Supports POE+ IEEE 802.3at/af and 24V Passive PoE	
	Rackmountable with Rack-Mount Brackets (Included)	
3	L2 Manageable Network Switch	3
	24 x Gigabit RJ45 Ports	
	2 x SFP Ports	
	Non-Blocking Throughput: 26 Gbps	
	Switching Capacity: 52 Gbps	
	Forwarding Rate: 38.69 Mbps	
	Maximum Power Consumption: 250W	
	Supports POE+ IEEE 802.3at/af and 24V Passive PoE	
	Rackmountable with Rack-Mount Brackets (Included)	
4	Wireless Access Point	6
	Dual Band	
	Speed: 450 Mbps (2.4 GHz)	
	Speed: 867 Mbps (5 GHz)	
	PoE Mode: 802.3af/A PoE & 24V PoE	
	Ports: 1 x 10/100/1000 Ethernet	
	Range: 180 M (Minimum)	
	User: 70 Users simultaneous	
	Wi-Fi Roaming Feature included	

سَرَسَهَئَر 01 زَوَّو مَوْنَم دَاوَزَدُو شَوْعَل تَرْدُو سَرَسَر د اَمَجِجِلِر زَوَّو سَرَسَر.

[illegible]

1. $\frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2}{dt^2} \right)$

2. $\frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} \frac{d^2}{dt^2} \right)$

3. دَسَوِیَافُؤْ فُوِیَعُؤْ زَرِکَرُمُ

[illegible]

5. وەرگەزىلىنىدىغان ئۇچۇرلارنىڭ ئىشلىتىلىش ھەققىدە 2018 يىلى 12 ئايدا (ئۇچۇر ئىشلىتىش ھەققىدە ئۇچۇر ئىشلىتىش ھەققىدە)

6. ج م ر ي ح ع س ق ط ن خ ز د ذ ر و س د ج ا ب ه ت ث ك ل م ن هـ و ز ح ط ي ق ف ك غ خ د ذ ر و س د ج ا ب ه ت ث ك ل م ن هـ و ز ح ط ي ق ف ك غ خ

7. $\text{استترى رسول الله} \text{ع} \text{تروو} 2 \text{دو} \text{صو} \text{تبرو} \text{نبرو}$

8. دَسُوں دے مَکھ

9. زُرْزُورٌ مَرْمَرٌ قَوْسٌ سَرْجٌ

سورة: نزلت في مكة، مكية، ١٠ آيات، ٧ سُرّ 1 سُورَة مُرْسَلَةٌ قَدْ جَاءَتْ بِمَدْحَاتٍ لِّدِينِ

[illegible]

زمرہ سدا زمرہ سدا زمرہ سدا

[illegible]

2. اَوَّلُهَا مَعْنَى تَارِجٍ سِرِّ سِرٍّ تَحْمِيصًا لَهَا وَفِيهَا نَمُوذَةٌ لِمَا يَكُونُ فِيهَا مِنْ حُرُوفٍ مُتَشَابِهَةٍ.

[illegible][illegible]

 2 ޖަދުވަލު ޖަހާނީ ލަންޓިވަލު ނަންބަރު 			
 ފަންޓިވަލު 	 ޖަހާނީ ލަންޓިވަލު 	 ލަންޓިވަލު 	 ލަންޓިވަލު ނަންބަރު
(Benchmark Price / Submitted Price) x Allocated Percentage	 ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު 	90%	ރަހު
(Benchmark Delivery Period / Submitted Delivery Period) x Allocated Percentage	 ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު ލަންޓިވަލު ނަންބަރު ޖަހާނީ ލަންޓިވަލު ނަންބަރު 	10%	ޖަހާނީ

4- رَسْمُ قَرَبِ رَسْمِ رَسْمِ رَسْمِ

[illegible][illegible]

(IUL)ASS/221/2018/20

خبر مردمان کوهستان

دَعَا، عَرَفَ، عَرَفَ، عَرَفَ

[illegible][illegible][illegible]

3006724

١٤٥

سَرَسَر: رَسَوَسَر رَسَوَدَرَسُو

دَتَّو: رَجْعُ نَسْرِ مَسُورٍ

دُعَا سَرَسَرَه: 3013160

މަޢުލޫމާތު ސަފުހާ

މި ޖަދުވަލުގައި ބަޔާންކޮށްފައިވާ މަޢުލޫމާތު ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ.	
އިދާރާތުގެ ނަންބަރު:	(IUL)221-ASS/1/2018/19
ދުވަހުގެ ތާރީޚު:	25 ސެޕްޓެމްބަރު 2018

1 ވަނަ ބައި ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް

މި ބައިގައި ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ.	
ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް:	
ޖެނެރަލް މެނޭޖަރ ގެ އިދާރާތުގެ ނަންބަރު (TIN)	
ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ:	
ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ:	
ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ:	
ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ:	

2 ވަނަ ބައި ފޯމުގައި

1 ވަނަ ބައި	
މި ބައިގައި ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ:	
މި ބައިގައި ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ: (ފޯމުގައި)	
މި ބައިގައި ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ: (ފޯމުގައި)	
މި ބައިގައި ފޯމުގައި ފުރިހަމަކުރެއްވުމަށް ދަންނަވަމެވެ: (ފޯމުގައި)	

2 ބަންދު	
	ދަންނަވާ ފަރާތް ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު :
	ދަންނަވާ ފަރާތް ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު (ފަރާތްތަކުގެ) :
	ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު (ފަރާތްތަކުގެ) :
	ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު (ފަރާތްތަކުގެ) :

3 ބަންދު	
	ދަންނަވާ ފަރާތް ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު :
	ދަންނަވާ ފަރާތް ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު (ފަރާތްތަކުގެ) :
	ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު (ފަރާތްތަކުގެ) :
	ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު (ފަރާތްތަކުގެ) :

ސަފުހާ :

ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު :

ފޮތް ފުރިހަމަކުރުމަށް ބޭނުންވާ ފަރާތްތަކުގެ ނަންބަރު :



LOT 1			
Item #	DETAILS	Quantity	Requirement Full filed (✓)
1	Core Network Switch	2	
	2 x 10GBASE-T Ports		
	4 x Dual Personality 10/100/1000 ports		
	20 x RJ-45 autosensing L2/L3 10/100/1000		
	4 x SFP Ports		
	2 x Slot for optional 10G module		
	1 GB flash		
	Processor: @ 625 MHz		
	Switching capacity: 128 Gbps		
	Stacking capabilities Up to 4 switches		
	Rack mountable with Rack-Mount Brackets (Included)		
	(2 core switches must be stacked)		
2	NAS Storage	1	
	CPU: Quad-core 64-bit 2.0GHz		
	Flash Memory: 512MB		
	RAM: 4GB DDR3L/DDR4 (2 Slot x Max 16GB Support)		
	HDD BAY: 8 (Support 2.5" or 3.5")		
	Hard Disk: 4 x 8TB 7200RPM NAS HDD		
	LAN Ports: 4 x Gigabit ports & 1 x 10GbE port		
	USB Ports: 2 x 2.0 USB port & 2 x 3.0 USB port		
	Form factor: Rack mount		
3	Smart UPS 3KVA	1	
	SNMP Card		
	Rack mount		
4	QLogic 57810 Dual Port 10Gb Base-T Low Profile Network Adapter	1	
5	LAN Patch Cord CAT6 2M (24pcs from any 3 different colors)	72	
6	1U 24Port Loaded CAT 6 Patch Panel (Punchdown keystone)	1	
7	1U Cable Organizer Channel On Front & Back	3	
8	Ethernet Cat6 Cable Roll	1	
9	Punchdown CAT6 Inline Coupler	50	
10	Copper SFP+ ISCSI Transceiver (Compatible with Dell FX2)	2	
11	2U Server Rack PDU	1	

LOT 2			
Item #	DETAILS	Quantity	Requirement Full filed (✓)
1	Windows Server 2016 DataCenter Edition License with OS (Processor: 2 x Intel Xeon E5 v4 Processor (14core))	1	

LOT 3			
Item #	DETAILS	Quantity	Requirement Full filed (✓)
1	L2 Manageable Network Switch 8 x Gigabit RJ45 Ports 2 x SFP Ports Non-Blocking Throughput: 10 Gbps Switching Capacity: 20 Gbps Forwarding Rate: 14.88 Mbps Maximum Power Consumption: 150W Supports POE+ IEEE 802.3at/af and 24V Passive PoE Wallmountable with Wall-Mount Brackets (Included)	1	
2	L2 Manageable Network Switch 16 x Gigabit RJ45 Ports 2 x SFP Ports Non-Blocking Throughput: 18 Gbps Switching Capacity: 36 Gbps Forwarding Rate: 26.78 Mbps Maximum Power Consumption: 150W Supports POE+ IEEE 802.3at/af and 24V Passive PoE Rackmountable with Rack-Mount Brackets (Included)	2	
3	L2 Manageable Network Switch 24 x Gigabit RJ45 Ports 2 x SFP Ports Non-Blocking Throughput: 26 Gbps Switching Capacity: 52 Gbps Forwarding Rate: 38.69 Mbps Maximum Power Consumption: 250W Supports POE+ IEEE 802.3at/af and 24V Passive PoE Rackmountable with Rack-Mount Brackets (Included)	3	
4	Wireless Access Point Speed: 450 Mbps (2.4 GHz) & 867 Mbps (5 GHz) PoE Mode: 802.3af/A PoE & 24V PoE Ports: 1 x 10/100/1000 Ethernet Range: 180 M (Minimum) User: 70 Users simultaneous Wi-Fi Roaming Feature included	6	

