

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ وَبِحَقِّ ذُرِّبَعْدٍ

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ وَبِحَقِّ ذُرِّبَعْدٍ

.....

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

.....

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

.....

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

.....

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ وَبِحَقِّ ذُرِّبَعْدٍ

.....

.....

.....

.....

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ وَبِحَقِّ ذُرِّبَعْدٍ

.....

.....

.....

.....

.....

تجزیہ و تحلیل کے نتائج:			
مجموعی نمرہ	تجزیہ و تحلیل کے نتائج	تجزیہ و تحلیل کے نتائج	تجزیہ و تحلیل کے نتائج
			مجموعی نمرہ
			تجزیہ و تحلیل کے نتائج (تجزیہ)
			تجزیہ و تحلیل کے نتائج (تجزیہ)
			تجزیہ و تحلیل کے نتائج

تجزیہ و تحلیل کے نتائج:	تجزیہ و تحلیل کے نتائج:
نمبر:	نمبر:
.....
.....
.....

تجزیہ و تحلیل کے نتائج

تجزیہ و تحلیل کے نتائج 3 اجزاء میں (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) : (05) (تجزیہ و تحلیل کے نتائج)

20__	20__	20__	تجزیہ و تحلیل کے نتائج
			تجزیہ و تحلیل کے نتائج
تجزیہ و تحلیل کے نتائج 3 اجزاء میں (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) :			

تجزیہ و تحلیل کے نتائج (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) : (15) (تجزیہ و تحلیل کے نتائج)

تجزیہ و تحلیل کے نتائج (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) 50% (تجزیہ و تحلیل کے نتائج)

تجزیہ و تحلیل کے نتائج			
#	تجزیہ و تحلیل کے نتائج	تجزیہ و تحلیل کے نتائج	تجزیہ و تحلیل کے نتائج
			تجزیہ و تحلیل کے نتائج (تجزیہ و تحلیل کے نتائج)
			تجزیہ و تحلیل کے نتائج
			تجزیہ و تحلیل کے نتائج (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) (تجزیہ و تحلیل کے نتائج) :

نمبر ۱ ۲ ۳ ۴ ۵ ۶	تاریخ و نام و پتو	تاریخ و نام و پتو	تاریخ و نام و پتو
1			
2			
3			
4			
5			
6			
	تاریخ		

تاریخ و نام و پتو	تاریخ و نام و پتو
تاریخ:	تاریخ:
نام:	نام:
پتو:	پتو:

BID SECURITY FORMAT

The Issuing Bank shall fill in this Bank Guarantee Form in accordance with the instructions indicated.

_____ [Bank's Name, and Address of Issuing Branch or Office]

Beneficiary: _____ [Name and Address of Procuring Entity]

Date: _____

BID GUARANTEE No.: _____

We have been informed that [name of the Bidder] (hereinafter called "the Bidder") has submitted to you its bid dated (hereinafter called "the Bid") for the execution of [name of contract] under Invitation for Bids No. [Procurement Reference number] ("the IFB").

Furthermore, we understand that, according to your conditions, bids must be supported by a bid guarantee.

At the request of the Bidder, we [name of Bank] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [amount in figures] ([amount in words]) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder:

- (a) has withdrawn its Bid during the period of bid validity specified by the Bidder in the Form of Bid; or
- (b) having been notified of the acceptance of its Bid by the Procuring Entity during the period of bid validity, (i) fails or refuses to execute the Contract Form; or (ii) fails or refuses to furnish the performance security, if required, in accordance with the Instructions to Bidders.

This guarantee will expire: (a) if the Bidder is the successful Bidder, upon our receipt of copies of the contract signed by the Bidder and the performance security issued to you upon the instruction of the Bidder; or (b) if the Bidder is not the successful Bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of the Bidder's Bid.

Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458.

[signature(s)]

PERFORMANCE GUARANTEE FORMAT

[The issuing bank, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated]

Date: *[insert date (as day, month, and year)]*

Title of the procurement: *[Insert general title of the procurement]*

Procurement Reference No: *[insert reference]*

Bank's Branch or Office: *[insert complete name of Guarantor]*

Beneficiary: *[insert complete name of Procuring Entity]*

PERFORMANCE GUARANTEE No.: *[insert Performance Guarantee number]*

We have been informed that *[insert complete name of Supplier]* (hereinafter called "the Supplier") has entered into Contract No. *[insert number]* dated *[insert day and month]*, *[insert year]* with you, for the supply of *[description of Goods and related Services]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a Performance Guarantee is required.

At the request of the Supplier, we hereby irrevocably undertake to pay you any sum(s) not exceeding *[insert amount(s)¹ in figures and words]* upon receipt by us of your first demand in writing declaring the Supplier to be in default under the Contract, without cavil or argument, or your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This Guarantee shall expire no later than the *[insert number]* day of *[insert month]* *[insert year]*,² and any demand for payment under it must be received by us at this office on or before that date. We agree to a one-time extension of this Guarantee for a period not to exceed *[six months]* *[one year]*, in response to the Procuring Entity's written request for such extension, such request to be presented to us before the expiry of the Guarantee.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded.

.....
[signatures of authorized representatives of the bank]

¹ The Bank shall insert the amount(s) specified in the SCC and denominated, as specified in the SCC, either in the currency(ies) of the Contract or a freely convertible currency acceptable to the Procuring Entity.

² Dates established in accordance with Clause 18.4 of the General Conditions of Contract ("GCC"), taking into account any warranty obligations of the Supplier under Clause 16.2 of the GCC intended to be secured by a partial Performance Guarantee.

BANK GUARANTEE FOR ADVANCE PAYMENT

[The bank, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated.]

Date: *[insert date (as day, month, and year)]*

Title of the procurement: *[Insert general title of the procurement]*

Procurement Reference No: *[insert reference]*

[Issuing bank's letterhead]

Beneficiary: *[insert legal name and address of Procuring Entity]*

ADVANCE PAYMENT GUARANTEE No.: *[insert Advance Payment Guarantee no.]*

We, *[insert legal name and address of bank]*, have been informed that *[insert complete name and address of Supplier]* (hereinafter called "the Supplier") has entered into Contract No. *[insert number]* dated *[insert date of Agreement]* with you, for the supply of *[insert types of Goods to be delivered]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, an advance is to be made against an advance payment guarantee.

At the request of the Supplier, we hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[insert amount(s)³ in figures and words]* upon receipt by us of your first demand in writing declaring that the Supplier is in breach of its obligation under the Contract because the Supplier used the advance payment for purposes other than toward delivery of the Goods.

It is a condition for any claim and payment under this Guarantee to be made that the advance payment referred to above must have been received by the Supplier on its account *[insert number and domicile of the account]*

This Guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until *[insert date⁴]*. We agree to a one-time extension of this Guarantee for a period not to exceed *[six months][one year]*, in response to the Procuring Entity's written request for such extension, such request to be presented to us before the expiry of the Guarantee.

This Guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458.

[signature(s) of authorized representative(s) of the bank]

³ The issuing bank shall insert the amount(s) specified in the SCC and denominated, as specified in the SCC, either in the currency(ies) of the Contract or a freely convertible currency acceptable to the Procuring Entity.




⁴ Insert the Delivery date stipulated in the Contract Delivery Schedule.





ސަލާމް ސަލާމް - 3: ބަލާ ސަލާމް ސަލާމް ސަލާމް / ސަލާމް ސަލާމް ސަލާމް
ސަލާމް ސަލާމް ސަލާމް ސަލާމް ސަލާމް ސަލާމް ސަލާމް ސަލާމް











EQUIPMENT REQUIRED FOR NURSING ART LAB




Category 1




#	Item	Qty	Minimum requirement / specifications	Sample image
1	Thermometer (any brand)	20	<ul style="list-style-type: none"> • Display range: 32.0~42.0°C/90.0~107.6°F • Accuracy: $\pm 0.1^{\circ}\text{C}/\pm 0.2^{\circ}\text{F}$ • Min. scale: 0.1 • Measurement time (reference only, it differs from people to people): <ul style="list-style-type: none"> a) 60 ± 10 seconds in oral b) 100 ± 20 seconds underarm • Beeper function • Auto shut-off 	
2	Bp apparatus	10	<p>Sphygmomanometer (adult), aneroid sphygmomanometer, composed of cloth containing an inflatable bag connected via a tube to a flexible bulb with valve and integrated manometer needle gauge.</p> <p>Washable, one-size-fits-all adult-sized cloth cuff with Velcro fastening, reinforced at both end, Mercury-free</p>	
3	Stethoscope	20	<p>Comprises a chest piece connected by a double tube to the headgear with earpieces that are placed into the users' ears.</p> <p>Double cup, with two diaphragms for dual-use (adult and paediatric auscultation) chest piece in zinc alloy.</p> <p>Adult diaphragm \varnothing: 45,5mm; paediatric diaphragm \varnothing: 31.5mm.</p> <p>Tube made of PVC and is crack resistant.</p> <p>Tube impervious to outside noises, guaranteeing full transmission of sound, good auditive quality.</p> <p>Tube diameter: outer diameter 10mm, inner diameter 4.8mm. Tube length 560mm.</p> <p>Sensitivity from 3.2dB to 26dB in a range from 50 to 1000Hz for cardiology.</p> <p>Sensitivity 8.1dB in a range from 600 Hz to 1,500Hz for pneumology.</p> <p>Arms: brass-steel with a flexible spring.</p> <p>Removable plastic earpieces.</p> <p>Latex-free.</p> <p>Designed for frequent and easy disassembly and disinfection with hospital-grade products.</p>	






4	Beakers	03	<ul style="list-style-type: none"> • Capacity-600 milliliters • Graduation Interval-50 milliliters • Height 124 millimeters • Item Volume-0.02 milliliters • Item Weight-8.8 ounces • Material-Glass • Outside Diameter-90 millimeters • Specification Met Astm , Astm E960 • Style-Plain 	
5	Digital timer	05	Countdown, Digital, Large Buttons, Large Display, Magnetic, Reusable, Alarm Clock, Silent Mode, Battery Saving Mode	
6	Otoscope	01	<p>Handle with a built-in LED light source in a mounted head. Including rotatable viewing lens with a magnification between 3 times. Colour temperature: Cool white in the range 3,200-4,000K. Including reusable, autoclavable specula. Specula are cleanable with alcohol wipes Handle contains on/off switch. Includes a port to connect an insufflation bulb. Uses 2 x type AA Alkaline batteries as a power source. Is able to withstand frequent cleaning and disinfecting with hospital grade products.</p>	
7	Tourniquet	20	<p>Tourniquet used for venipuncture, during blood sample collection Made of strong, elastic tissue Reusable, washable Length: 45cm to 75cm Width: approximately 2cm</p>	

8	Adult Nasal Oxygen Cannula	10	<ul style="list-style-type: none"> • Nontoxic green PVC • Non-irritating even in long term use • Adjustable nasal tips for the patient's comfort • Soft funnel shape connector facilitates easy connection to the oxygen source • Star Lumen tube ensures the supply of oxygen even if the tube is accidentally kinked 	
9	Infra-red thermometer	4	<ul style="list-style-type: none"> • High- precision infrared sensor, automatically display measuring value 32 sets, Large- size LCD scree, high brightness, back light, 2 kind of temperature units, automatic shutdown and energy saving 	
10	Ambu bag with mask	2	<ul style="list-style-type: none"> • Material: PVC, with Reservoir bag, mask and tube Fitment: Adult • Fitment: Pediatric 	
11	LED Fingertip Oxygen Monitor Pulse Oximeter Medical Equipment	05	<ul style="list-style-type: none"> • Accurately determine your SPO2 (blood oxygen saturation levels), pulse rate in 10 seconds and display it conveniently on a large LED display. Finger chamber with SMART Spring System. Accommodates wide range of finger sizes. • Easy to read digital display. 	



12	Knee hammer	02	<ul style="list-style-type: none"> Pointed Tip With Pin And Brusu, Stainless Steel 							
13	Nelson's Inhaler	03	<table border="1"> <tr> <td>Type</td> <td>Inhalers with Spacers</td> </tr> <tr> <td>Usage/Application</td> <td>Nasal Congestion</td> </tr> <tr> <td>Alternative Name</td> <td>Inhaler Pot, Manual Vaporizer</td> </tr> </table>	Type	Inhalers with Spacers	Usage/Application	Nasal Congestion	Alternative Name	Inhaler Pot, Manual Vaporizer	
Type	Inhalers with Spacers									
Usage/Application	Nasal Congestion									
Alternative Name	Inhaler Pot, Manual Vaporizer									
14	Hot water bag	2	<ul style="list-style-type: none"> plastic 							
15	Cold Compress bag	1	<ul style="list-style-type: none"> plastic 							

16	Body Fat Caliper and Measuring Tape for Body	02	<ul style="list-style-type: none"> • 1 - Body Fat Caliper in Black • 1 - Body Measuring Tape in Black • 1 - BMI Measurement Chart • Easy to Read White Markings • Measure quickly, accurately and easily. • Used by Top Personal Trainers, Health Care and Fitness Professionals • Retains Your Last Measurement • Caliper Measures: 0-60mm 0 - 2.5 inches 	 <p>INCLUDES: BODY FAT % MEASUREMENT CHART</p>
17	height measuring scale	2	<ul style="list-style-type: none"> • ADE Accessory: Body Measuring Tape For measuring Adults & Children • Easy to use and economic • Roll-up measuring band for wall fixing 	
18	Perfect Body Tape Measure - 80 Inch Retractable Measuring Tape for Body: Waist, Hip, Bust, Arms, and More (White)	5	<p>Product Dimensions : 3.5 x 2.5 x 0.8 inches (8.9 x 6.4 x 2.1 cm); 1.6 Ounces (45.36 grams)</p> <p>Item model number : BD12072</p> <p>Color White</p> <p>Brand PERFECT MEASURING TAPE</p> <p>Item Dimensions LxWxH 3.5 x 2.5 x 0.8 inches (8.9 x 6.4 x 2 cm)</p>	

19	BSLINO 3pcs Tape Measure 60-Inch/150cm Soft Cloth Measuring Tape Weight Loss Medical Body Measurement Sewing Tailor Craft Vinyl Ruler, Has Centimetre Scale on Reverse Side + Gift Card	10	BS 60-inch Vinyl Tape Measure is lightweight and accurately printed in both-inches and centimeters.	
20	Stadiometer	04	* Measuring Range - 20-220 Cm, * Material Used = Non-Breakable Abs, * Easy to Fold and Move, * Graduation = 1 Mm, Gross Weight = 2.75 Kg, * Measurement in Inch and Centimeter Both	
21	Surgical scissors	25	<p>General scissors 11.5cm Curved sharp</p> <ul style="list-style-type: none"> • Reusable 	



22	Vulsellum Forcep	02	<ul style="list-style-type: none"> • 5mm Wide Tip • Curved Sideways Pattern • 10" Length • German Stainless Material 											
23	Umbilical Cord Scissors, For Surgery Use	02	<ul style="list-style-type: none"> • Corrosion-resistant surgical stainless steel • Built to last • Wide, flat, curved blades to effectively sever umbilical cords • Non-ratcheted • Ideal instruments to use in delivery rooms in hospitals • Length- 4 inches 											
24	Mintex Angular Episiotomy Scissors for Operations, Size/Dimension: 5.5 inch	02	<table border="0"> <tr> <td>Tip Type</td> <td>Blunt</td> </tr> <tr> <td>Product Type</td> <td>Surgical Scissor</td> </tr> <tr> <td>Shape</td> <td>Angular</td> </tr> <tr> <td>Usage/Application</td> <td>Hospital</td> </tr> <tr> <td>Size/Dimension</td> <td>5.5",7.5"</td> </tr> </table>	Tip Type	Blunt	Product Type	Surgical Scissor	Shape	Angular	Usage/Application	Hospital	Size/Dimension	5.5",7.5"	
Tip Type	Blunt													
Product Type	Surgical Scissor													
Shape	Angular													
Usage/Application	Hospital													
Size/Dimension	5.5",7.5"													
25	Artery forceps	06	Straight 14-16 cm, High quality stainless steel corrosion resistant, long durability & reusable											
26	Medical Speculum	02	<ul style="list-style-type: none"> • virgin model • stainless steel, matte finish • blade length 75 mm • blade width 17 mm 											







27	Sims Speculum Instruments	02	Item Weight	200 g	
			Product Dimensions	12 x 8 x 7 cm; 200 Grams	
			Item Height	7 Centimeters	
			Item Width	8 Centimeters	
28	Tuning fork	04	Stainless Steel, set of 3 piece		



Category 2

#	Item	Qty	Minimum requirement / specifications	Sample image	Other requirements
1	Pen torch (any brand)	10	<ul style="list-style-type: none"> • Mini Pocket Stainless Steel Pen Size. • Usb Rechargeable Flashlight Torch. • Small Size Just Like a Pen, Easy to Carry. • Perfect for Outdoor Cycling Fishing Using <p>Specification:</p> <ol style="list-style-type: none"> 1. Material: Stainless Steel 2. Size: 13 X 1.3cm 3. Lumen: 500lm 4. Input Voltage: Dc 5v 5. Power: USB Charging 6. Weight: 36g 		
2	Digital weighing scale (any brand)	7	<ul style="list-style-type: none"> • Measuring range 0.1 to 150 kg. • Graduation: 100 g. • Accuracy: ± 100 g over the entire range of measurement. • Portability: Easy to carry by a health worker in the field. • Maximum weight 4.0 kg (including batteries); maximum dimensions: length: 360 mm, width: 400 mm, height: 70 mm. • Taring: Taring function is automatically initiated, without pressing any operational button. 		

3	Bed sheets	46	<ul style="list-style-type: none"> • Cotton fabric white • Single size 		
4	pillow case	20	<ul style="list-style-type: none"> • Cotton fabric white • large 		
5	hand towel	20	<ul style="list-style-type: none"> • towel fabric • 50cm X 100 cm • white 		

6	Nurses gown (Surgical gown)	20	<ul style="list-style-type: none"> • Cotton fabric Green • Large 10 • Medium 10 		
7	Rubber sheet	20	<ul style="list-style-type: none"> • Made of 100% natural rubber • Premium Quality rubber sheet • Soft & High-quality Breaking & Tearing Strength • Baby Care Bedding Sheet • Matterss Protector • Apporx. 100cm X 100 cm 		
8	Stainless Steel Perineal care bowl	3	Size: diameter - 200mm - (8")		
9	Stainless Steel bowl	06	<ul style="list-style-type: none"> • Bowls – Stainless Steel 10cm / 250ml 		

10	Portable linen hamper	01	Material	Stainless Steel		
			Size	460X900mm		
			Number Of Wheel	2 Wheel		



