

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ



دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ
مَدِينَةُ الدَّوْلَةِ | مَدِينَةُ الدَّوْلَةِ

دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ
دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ
دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ دَوْلَاتِ قَطَرْ

23 دَوْلَاتِ قَطَرْ 2023



අනුමැතිය ලබාදීම:

1. මුද්‍රණය කළ පිටපත් ලබාදීම
2. ව්‍යවස්ථාපිත වශයෙන් ලබාදීම
3. මුද්‍රණය කළ පිටපත් ලබාදීම
4. මුද්‍රණය කළ පිටපත් ලබාදීම (අනුමැතිය ලබාදීම සඳහා)
5. ව්‍යවස්ථාපිත වශයෙන් ලබාදීම
6. ව්‍යවස්ථාපිත වශයෙන් ලබාදීම
7. මුද්‍රණය කළ පිටපත් ලබාදීම
8. මුද්‍රණය කළ පිටපත් ලබාදීම
9. මුද්‍රණය කළ පිටපත් ලබාදීම



<u>2.1</u>	
2.1.1	2.1.1
2.1.2	2.1.2
2.1.2.1	2.1.2.1
2.1.2.2	2.1.2.2
2.1.2.3	2.1.2.3
2.1.3	2.1.3
<u>2.2</u>	
2.2.1	2.2.1
<u>2.3</u>	
2.3.1	2.3.1
2.3.2	2.3.2
2.3.3	2.3.3
2.3.4	2.3.4

<u>3.1</u>	
3.1.1	3.1.1
3.1.2	3.1.2
<u>3.2</u>	
3.2	3.2



3.2.1	•••••
3.2.2	•••••
3.2.3	•••••
3.2.4	•••••
3.2.5	•••••
3.2.6	•••••
3.2.7	•••••
3.2.8	•••••
3.2.9	•••••
3.2.10	•••••
3.3	•••••
	•••••

4 •••••

4.1	•••••
4.2	•••••
4.3	•••••
4.4	•••••
4.5	•••••



--

4.6	دکٽر وٽر سرٽيفڪيٽ:

4.7	پڙهڻو ڪتاب:

4.8	ويٽڪيٽ / ٽيڪسٽ بڪ / پڙهڻو ڪتاب:



5.1

5.1.1

(فارسى ژورنالوندىكى ئىنگلىزچە ئىبارەتلەر ئىشلىتىش ۋەزىپىسى)

ئىسمى	ئىسمى
	ئىسمى
	ئىسمى (ئىنگلىزچە ئىبارەت)
	ئىسمى
	ئىسمى (ئىنگلىزچە ئىبارەت)

ئىسمى

ئىسمى

ئىسمى

5.2

ئىسمى

ئىسمى

5.3

5.3.1 ئىسمى ئىسمى

5.3.2 ئىسمى ئىسمى ئىسمى ئىسمى ئىسمى ئىسمى ئىسمى ئىسمى



A large rectangular area containing 20 horizontal lines, intended for writing or drawing.



6.1	80
	()
6.2	15
	()
6.3	5
	(2015)
	(1)



7.1

...

...

...

...

...

...

...



ބަންދުވާ 1:

Technical Specifications

These specifications describe the basic requirements for goods. Tenderers are requested to submit with their offers the requisite brochure for the product(s) they intend to supply which contains all the aspects of specification required by the tender.

All the dimensions, weights, size capacities and the like of the equipment to be supplied shall not be outside the tolerances given under below. Deviations from the basic requirements and outside the tolerance, if any and which is/are felt necessary, shall be explained in detail and in writing with the offer, with supporting data such as calculation sheets, the purchase reserves the right to reject the products, if such deviations shall be found critical to the use and operation of the products.

The tenderers are required to present information along with their offers as follows:

- i) Shortest possible delivery period.*
- ii) Information on proper representative and/or workshop for backup service/repair and maintenance including their names and addresses.*
- iii) 100% of the items and 100% of the Quantity should be quoted.*

Tolerances for the various specification requirements are $\pm 10\%$ for performance data



Technical Specifications

PICKUP TRUCK

Specification	Required	Bidders Response (Y/N)
Make	Yes	
Model	Yes	
Year of Manufacture	2019 OR LATER	
Mileage	Yes	
Country of Origin	Yes	
Type	Truck	
Manufacturers Literature and specification supplied	Yes	

GENERAL

Specification	Required	Bidders Response (Y/N)
A standard production, of latest design, robust construction, protection measures against rust and corrosion and in current production	Yes	
Supplied (new) or (refurbished)	Yes	
Designed for operating in tropical conditions and suitable for use in waste management operations	Yes	
Of a Make and Model familiar in Maldives and easy availability of spare parts and services locally (equivalent to Isuzu, Suzuki, Toyota, Mitsubishi models)	Yes	
Equipment to be painted in manufacturer's colours with standard safety decal	Yes	
Any information of relevance not included in this specification sheet deemed to be necessary for the enhancement of performance of the equipment shall be included along with the tender response	Yes	

SPECIFICATIONS

Description	Unit	Specification	Bidders Response (Y/N)
Payload Capacity	KG	2000-3000	
Passenger capacity	nos	3	
Propellant	-	Diesel	
Transmission	-	Automatic	
Drive	-	Right hand drive	
Steering	-	Power steering	
Turning Radius	m	4.5 – 5.0	
Length	m	4.5 – 6.0	
Width	m	1.8 – 2.5	
Height	m	1.6 – 2.2	
Wheel base	m	2.2 – 2.6	
Ground clearance	cm	15 - 17	
Drivetrain	-	2WD	
Engine		Diesel, In-line, 4 cyc	
Engine Displacement (cc)	cc	3500 - 4500	

Aspiration		Natural	
Engine Cooling	-	Water-cooled	
Minimum Emission standards	-	Euro 3 or higher	
Deck type	-	Standard deck with 3 side drop	
Enclosed Driver Cab	-	Air conditioning system Sun wiser Tilt cab	
Operator Seat	-	Standard seat with seat belt	
Equipment		Power gate	

OTHER REQUIREMENTS

Specification	Required	Bidders Response (Y/N)
Central locking	Yes	
Dome light (cabin)	Yes	
Anti-skid Braking System (ABS)	Yes	
SRS Airbag system	Yes	
Tool kit, spare wheel and jack set	Yes	

WARRANTY AND MANUALS

Specification	Required	Bidders Response (Y/N)
Each vehicle supplied to carry a statement of warranty	Yes	
Warranty duration min. 12 months	Yes	
Service Manual	Yes	
Driver's Handbook/ Owner's Manual	Yes	

Inspections and Tests

The Manufacture and/or Supplier shall carry out any test and/or inspection deemed necessary to verify that the characteristics and performance of the Goods comply with the *Schedule of Requirements and Technical Specifications*.



<p>8.7.3 ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ.</p>	<p>8.7.3</p>
<p>8.8 ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ.</p> <p>8.8.1 ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ.</p> <p>8.8.2 ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ، ڊاڪٽر جي ڪارروائيءَ ۾ ڪو به ڪم ڪونه ٿيڻ.</p>	<p>8.8</p> <p>8.8.1</p> <p>8.8.2</p>

