

(ANNEX 1)

Technical Specification

- **Item 1:**
- Solar Marine Lantern (Light) 1-2 NM RED – 50 Nos
 - Solar Marine Lantern
 - Visible Range: Minimum 2 NM
 - Battery Capacity: Standard 2.4 minimum AH Battery
 - Options: GPS Synchronization
 - 360 (Degree Light)
 - 01 Years product warrantee from the date of delivery.
- **Item 2:**
- Solar Marine Lantern (Light) 1-2 NM GREEN – 50 Nos
 - Solar Marine Lantern
 - Visible Range: Minimum 2 NM
 - Battery Capacity: Standard 2.4 minimum AH Battery
 - Options: GPS Synchronization
 - 360 (Degree Light)
 - 01 Years product warrantee from the date of delivery.
- **Item 3:**
- Solar Marine Lantern (Light) 6-12 NM WHITE – 20 Nos
 - Solar Marine Lantern
 - Visible Range: Minimum 6 NM
 - Battery Capacity: Standard 110 minimum AH Battery
 - Options: GPS Synchronization
 - 360 (Degree Light)
 - 01 Years product warrantee from the date of delivery.

Note: All lights should meet the requirements of IALA specifications by submitting a letter or a certificate from the manufacturer.