

# INFORMATION SHEET FOR PROCUREMENT OF MV SWITCH GEAR (11kV)

Reference No.: FNK-I/IUL/2023/272

Issued on: 26th September 2023

Issued by:

Fenaka Corporation Limited

Male', Republic of Maldives





# **Section I: Instruction to Bidders**

| A. General                |     |   |  |  |
|---------------------------|-----|---|--|--|
| 1. Scope of Bid           | 1.1 | Fenaka Corporation Limited requests quotations for MV Switch Gear (11kV)          |  |  |
|                           |     | in accordance with Section III, Technical Specifications                          |  |  |
| 2. Eligible               | 2.1 | Local companies registered in Maldives are eligible to participate in the tender  |  |  |
| Participants              | 2.2 | Foreign companies are eligible to participate in the tender only if the total bid |  |  |
|                           |     | value is above 2,500,000 Maldivian Rufiyaa.                                       |  |  |
| B. Preparation of the Bid |     |   |  |  |
| 3. Bid Prices             | 3.1 | The unit price of each item and the total price shall be clearly indicated in the |  |  |
|                           |     | quotation   |  |  |
|                           | 3.2 | All items shall be quoted in the bid (please refer to Section III, Technical      |  |  |
|                           |     | Specifications for the details of required items)                                 |  |  |
|                           | 3.3 | Quotation shall separately indicate the additional charges such as freight        |  |  |
|                           |     | charges and insurance. GST for mentioned charges should be omitted in grand       |  |  |
|                           |     | total.  |  |  |
|                           | 3.4 | The bidder shall submit quotation on CIF basis to Male' port                      |  |  |
| 4. Currency               | 4.1 | The bidder shall quote entirely in Maldivian Rufiyaa                              |  |  |
| 5. Alternative            | 5.1 | Bidders can submit a maximum of two (2) options                                   |  |  |
| Bids                      |     |   |  |  |
| 6. Validity of            | 6.1 | Quotation shall remain valid for minimum sixty (60) days from the date of bid     |  |  |
| Bids                      |     | opening   |  |  |
| 7. Bid Security           | 7.1 | All bids should be accompanied with a bid security of USD 2,000 (Two              |  |  |
|                           |     | Thousand US Dollars) or its equivalent in Maldivian Rufiyaa                       |  |  |
|                           | 7.2 | The bid security should be:   |  |  |
|                           |     | - Original bank guarantee letter (or)   |  |  |
|                           |     | - Bank guaranteed and stamped check (or)  |  |  |
|                           |     | - An insurance policy from Maldives Monetary Authority (MMA)                      |  |  |
|                           |     | registered insurance company  |  |  |
|                           | 7.3 | Any bid not accompanied by a Bid Security shall be rejected during bid            |  |  |
|                           |     | opening   |  |  |

Page 2 of 7


















|                | 7.4  | The bid security must be valid for a minimum of twenty (20) additional days     |
|----------------|------|---|
|                |      | beyond the validity of quotation  |
| 8. Technical   | 8.1  | All relevant information including the brand shall be given to enable technical |
| Compliance     |      | evaluation of quoted items  |
|                | 8.2  | If the manufacturer or assembler is not the same as the bidder, a document      |
|                |      | indicating that manufacturer or assembler is willing to sell the item to the    |
|                |      | bidder is required  |
|                | 8.3  | Manufacturer's Authorization letter will be required to enable technical        |
|                |      | evaluation  |
|                | 8.4  | If the goods do not comply with the requirements mentioned in Section III,      |
|                |      | Technical Specifications, the bid will be rejected during evaluation.           |
| 9. Documents   | 9.1  | Quotation (inclusive of the delivery period and payment terms)                  |
| Comprising the | 9.2  | Specifications of the offered product   |
| Bid            | 9.3  | Single-line diagram   |
|                | 9.4  | Details of the company  |
|                |      | - Company profile/background  |
|                |      | - Company registration certificate  |
|                |      | - GST registration certificate (for local bidders only)                         |
|                |      | - TAX clearance report (6 months validity)                                      |
|                |      | - Contact details (name, designation, mobile number and e-mail address)         |
|                | 9.5  | Experience letters, if available  |
|                |      | - Letters within past five (5) years  |
|                |      | - Relevant experience letters   |
|                |      | - Letters with project name and value   |
|                | 9.6  | One (1) compact disc with original bid document scanned and written             |
|                | 9.7  | Bids lacking the documents above are subjected to be rejected during the bid    |
|                |      | opening   |
| 10. Format of  | 10.1 | The Bidder shall submit two (2) sets of the bid document (1 original and 1      |
| Bid            |      | copy), enclosed separately in two envelopes and sealed with company stamp       |
|                | 10.2 | All pages of the bid document shall be stamped and bound properly (excluding    |
|                |      | the bid security)   |
|                |      | ·   |

Page 3 of 7















| C. Bid Submission       |      |  |  |  |
|-------------------------|------|--|--|--|
| 11. Sealing and         | 11.1 | The bid document shall be sealed properly in an envelope clearly marked              |  |  |
| Marking Bid             |      | 'ORIGINAL' or 'COPY', with the name of the company and the tender                    |  |  |
| Document                |      | reference number (FNK-I/IUL/2023/272)  |  |  |
| 12. Bid Opening         | 12.1 | The bids will be opened on 04 <sup>th</sup> October 2023, 10:00am in the presence of |  |  |
|                         |      | bidders  |  |  |
|                         | 12.2 | Bids will be opened at:  |  |  |
|                         |      | Fenaka Corporation Limited   |  |  |
|                         |      | Hilaalee Magu, K. Male', Republic of Maldives  |  |  |
|                         | 12.3 | Bids received electronically will not be accepted                                    |  |  |
| 13. Bid Rejection       | 13.1 | Bidders that arrive after bid submission deadline shall not be able to               |  |  |
|                         |      | participate in the bid   |  |  |
|                         | 13.2 | Bidders that do not register for the tender are unable to participate in the bid     |  |  |
|                         |      | opening  |  |  |
|                         | 13.3 | Bids lacking the documents mentioned in 9. Documents Comprising the Bid              |  |  |
|                         |      | (except 9.5 Experience letters) and that do not comply with 10. Format of Bid        |  |  |
|                         |      | are subjected to be rejected   |  |  |
| D. Awarding of Contract |      |  |  |  |
| 14. Payment             | 14.1 | An advance payment will not be released for this project                             |  |  |
| Terms                   | 14.2 | Proposed payment terms should not be tied with submission of Bill of Lading.         |  |  |
| 15. Factory             | 15.1 | The panel(s) shall be fully tested at the manufacturer workshop in the presence      |  |  |
| Acceptance              |      | of Client's appointees via video conferencing  |  |  |
| Testing                 | 15.2 | The testing shall be conducted at internationally accepted testing standards         |  |  |
|                         | 15.3 | The panel(s) shall undergo protection testing and operation testing                  |  |  |
|                         | 15.4 | The panel(s) shall be checked for dimension and the supplier shall provide the       |  |  |
|                         |      | dimensions of the panel(s) during the virtual factory acceptance testing.            |  |  |
|                         | 15.5 | Recorded video clips while operating the units will not be accepted as virtual       |  |  |
|                         |      | factory acceptance testing.  |  |  |

Page 4 of 7















## **Section II: Evaluation Criteria**

**Proposal Cost**: 70 points for the lowest price

(Lowest price / proposed price) x 70

**Delivery**: 20 points for the lowest delivery period

- (Lowest delivery period / proposed delivery period) x 20
- If the delivery period indicates 'ex-stock', it shall be taken same as the party offering the longest delivery period.

Credit Period: 10 points for the maximum credit period

(Proposed credit period / longest credit period) x 10

Note: Any discrepancy in technical details specified in quotation with technical specification document, the specification shall prevail.















# **Section III: Technical Specifications**

Ring Main Unit

### General information

### **Climatic Conditions**

Materials supplied shall be suitable for operating under the following climatic conditions

Climate : Typical tropical coast line.

Atmosphere : Saliferous, corrosive and dusty. Altitude : 2 meter above mean sea water level.

Temperature: 32 °C (mean maximum) 25 °C (mean minimum).

Barometric air pressure: 1010 millibars.

Relative humidity: 90%.

Average rainfall: 145 days/year. Average sunshine: 24 days/month. Mean wind speed: 10.8 knots. Maximum wind speed: 15.1 knots.

Equipment must withstand worst tropical conditions, including lightning, cyclonic rains, and high humidity.

C) 1Nos x 4 Way Non Extensible Unit with 4 Nos. Circuit Breaker feeders and bus sectionalizer with circuit breaker as per SLD (Schneider RM6 NE-IDBcDI or equivalent)

4 Way, 11kV, indoor non-extensible free standing metal clad SF6 insulated ring main unit comprising of two numbers 200A fault making/ load breaking switches and two number 200A circuit breaker feeders complete with all necessary measurement and protection devices and remote terminal unit for automation.

Short time power frequency withstand voltage: 28 kA
Rated Lightning impulse withstand voltage: 75 kV
Rated peak withstand current: 63 kA
Rated short circuit making current: 63 kA
Rated short circuit withstand current: 25 kA, 3 s
Rated busbar current: 200 A

Rated current of feeders: 200 A Rated Frequency: 50 Hz













# MV SWITCHGEAR SLD

