









## (ANNEX 1)

### Technical Specification

- **Item 1:**
- Solar Marine Lantern (Light) 1-2 NM RED – 50 Nos
  - Solar Marine Lantern
  - Visible Range: Minimum 2 NM
  - Battery Capacity: Standard 2.4 minimum AH Battery
  - Options: GPS Synchronization
  - 360 (Degree Light)
  - 01 Years product warrantee from the date of delivery.
- **Item 2:**
- Solar Marine Lantern (Light) 1-2 NM GREEN – 50 Nos
  - Solar Marine Lantern
  - Visible Range: Minimum 2 NM
  - Battery Capacity: Standard 2.4 minimum AH Battery
  - Options: GPS Synchronization
  - 360 (Degree Light)
  - 01 Years product warrantee from the date of delivery.
- **Item 3:**
- Solar Marine Lantern (Light) 6-12 NM WHITE – 20 Nos
  - Solar Marine Lantern
  - Visible Range: Minimum 6 NM
  - Battery Capacity: Standard 110 minimum AH Battery
  - Options: GPS Synchronization
  - 360 (Degree Light)
  - 01 Years product warrantee from the date of delivery.

**Note:** All lights should meet the requirements of IALA specifications by submitting a letter or a certificate from the manufacturer.