

# Procurement of Chamber Electric Room Accessories

## BIDDERS DETAILS

BUSINESS NAME: \_\_\_\_\_  
 CONTACT #: \_\_\_\_\_  
 EMAIL: \_\_\_\_\_  
 SIGN: \_\_\_\_\_

Iulaan #: 57-T/IU/2023/XXXXXX  
 Bid Submission Date: XX SEPTEMBER 2023

### LOT # 1

SPECIFICATION	PROPOSED SPECIFICATION
<u>1P+N Slim RCBO 30mA 10A</u>	
Brand: Clipsal MAX9 or Equivalent	
Model #MX9R3110 or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 170	
<ul style="list-style-type: none"> <li>● Earth Leakage Sensitivity 30mA</li> <li>● Protection Class Type A</li> <li>● Voltage 240V</li> <li>● Poles 1P+N</li> </ul>	
<u>1P+N Slim RCBO 30mA 16A</u>	
Brand: Clipsal MAX9 or Equivalent	
Model #MX9R3116 or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 30	
<ul style="list-style-type: none"> <li>● Earth Leakage Sensitivity 30mA</li> <li>● Protection Class Type A</li> <li>● Voltage 240V</li> <li>● Poles 1P+N</li> </ul>	
<u>1P+N Slim RCBO 30mA 20A</u>	
Brand: Clipsal MAX9 or Equivalent	
Model #MX9R3120 or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 15	
<ul style="list-style-type: none"> <li>● Earth Leakage Sensitivity 30mA</li> <li>● Protection Class Type A</li> <li>● Voltage 240V</li> <li>● Poles 1P+N</li> </ul>	
<u>1P+N Slim RCBO 30mA 32A</u>	
Brand: Clipsal MAX9 or Equivalent	
Model #MX9R3132 or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 15	
<ul style="list-style-type: none"> <li>● Earth Leakage Sensitivity 30mA</li> <li>● Protection Class Type A</li> <li>● Voltage 240V</li> <li>● Poles 1P+N</li> </ul>	

<u>3 Pole Circuit Breaker 6kA 63A Red Toggle</u>	
Brand: Clipsal MAX9 or Equivalent	
Model #MX9MC363R or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 3	
<ul style="list-style-type: none"> <li>• Poles 3P</li> <li>• 63 Amp</li> </ul>	
<u>3P+N Cable Connector (4 Pack)</u>	
Brand: Clipsal Resi MAX or Equivalent	
Model #RMXPC3 or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 15	
<ul style="list-style-type: none"> <li>• 63 Amp</li> <li>• Poles 3P+N</li> </ul>	
<u>Slim Comb Busbar Tooth Cover (20 Pack)</u>	
Brand: Clipsal Resi MAX or Equivalent	
Model #RMXPT120 or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 3	
<ul style="list-style-type: none"> <li>• Pack of 20</li> </ul>	
<u>3P+N SLIM Comb Busbar End Cap (10 Pack)</u>	
Brand: Clipsal Resi MAX or Equivalent	
Model #RMXPE310 or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 3	
<ul style="list-style-type: none"> <li>• Pack of 10</li> </ul>	
<u>3 Pole Surge Protection Device 40kA</u>	
Brand: Clipsal MAX9 or Equivalent	
Model #MX9SP340 or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 3	
<ul style="list-style-type: none"> <li>• 3 Poles</li> </ul>	
<u>SPD 1P 40kA Replacement Cartridge</u>	
Brand: Clipsal MAX9 or Equivalent	
Model #MX9SP40C or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 9	
<ul style="list-style-type: none"> <li>• 3 Poles</li> </ul>	
<u>Terminal Block 100A</u>	
Brand: Clipsal MAX9 or Equivalent	
Model #MX9TB1100 or Equivalent	
<a href="#">URL to product page:</a>	
Quantity: 5	
<ul style="list-style-type: none"> <li>• Single Pole</li> </ul>	

16mm x 4 Core Flexible Cable

Brand: CLASSICO/ACL

Model # -

[URL to product page:](#)

Quantity: 30 Feet

Distribution Block, 11 Way, 0.5 → 16mm<sup>2</sup>

Brand: Phoenix Contact or Equivalent

Model #3002368 or Equivalent

[URL to product page:](#)

Quantity: 25

- Push In

Grey Slotted Panel Trunking - Open Slot, PVC

Brand: Any

Model Any

[URL to product page:](#)

Quantity: 8

- Width 65mm
- Depth 65mm
- Length 2000mm

Steel DIN Rail, Top Hat Compatible

Brand: Any

Model Any

[URL to product page:](#)

Quantity: 2

- Width 35MM
- Depth 7.5mm
- Length 2000mm

PUSH WIRE® Inline Splicing Connector

Brand: Wago or Equivalent

Model #2773-2401 or Equivalent

[URL to product page:](#)

Quantity: 500

- 0.75 to 4 mm<sup>2</sup>

16mm<sup>2</sup> - Vinyl Insulated Ferrules

Brand: Any

Model Any

[URL to product page:](#)

Quantity: 50

- 18mm Pin

6mm<sup>2</sup> - Vinyl Insulated Ferrules

Brand: Any

Model Any

[URL to product page:](#)

Quantity: 50

- 18mm Pin

**4mm2 - Vinyl Insulated Ferrules**

**Brand: Any**

**Model Any**

**URL to product page:**

**Quantity: 50**

- 18mm Pin

**2.5mm2 - Vinyl Insulated Ferrules**

**Brand: Any**

**Model Any**

**URL to product page:**

**Quantity: 1000**

- 18mm Pin

**Lever-Nuts Assortment Box**

**Brand: Wago or Equivalent**

**Model Wago 221 or Equivalent**

**URL to product page:**

**Quantity: 1**

**2 Meter Neutral Bar**

**Brand: Any**

**Model Any**

**URL to product page:**

**Quantity: 3**

- 6mm<sup>2</sup> 100 Connections or more

**Scope of Work for Bidder**

Delivery of equipment to People's Majlis

PRICE  
GST  
**TOTAL**

\_\_\_\_\_  
\_\_\_\_\_

# Procurement of Chamber Electric Room Accessories

## BIDDERS DETAILS

BUSINESS NAME: \_\_\_\_\_  
CONTACT #: \_\_\_\_\_  
EMAIL: \_\_\_\_\_  
SIGN: \_\_\_\_\_

lulaan #: 57-T/IU/2023/XXXXXX  
Bid Submission Date: XX SEPTEMBER 2023

### LOT # 2

SPECIFICATION	PROPOSED SPECIFICATION
Knipex High Leverage Diagonal Cutter chrome-plated 74 06 200 T	
MAKITA HEAT GUN HG5030	
Self-Adjustable Ratchet Ferrule Crimper Plier 0.25-10mm <sup>2</sup>	
Klauke EK50ML Electromechanical Crimping Tool with battery KL-EK50ML	
Knipex ErgoStrip Universal Stripping Tool K16 95 01 SB	
Klauke AE5071 0.5mm <sup>2</sup> - 6mm <sup>2</sup> Crimping Die	
Klauke AE5072 10mm <sup>2</sup> - 25mm <sup>2</sup> Crimping Die	
Klauke CR501 0.25mm <sup>2</sup> - 6mm <sup>2</sup> Crimping Die	
TIS 870 Digital Circuit Breaker Finder & Socket	
Wiha 38074 5pc VDE Slim Torque Screwdriver Set WHA-36068	
UT502A Insulation Resistance Tester	
Metrel MD9272 TRMS Leakage Clamp METRMD9272	
KLEIN TOOLS 32307 27-in-1 Multi-Bit Tamperproof Screwdriver	
KLEIN TOOLS 44131 Folding Utility Knife	
KNIPEX 00 11 01 TwinKey® Control Cabinet Key	
SKIL Rechargeable 4V Cordless Screwdriver SD561204	
KNIPEX 95 05 20 SB Angled Electrician's Shears	
Dremel 2200-01 VersaFlame™ Multi-function Butane Torch	

### Scope of Work for Bidder

Delivery of equipment to People's Majlis  
Test the equipment with Majlis IT/Maintenance Team to ensure it operates as intended  
All power cables/adapters supplied must be IEC 320 C13/14

PRICE  
GST  
**TOTAL**

\_\_\_\_\_  
\_\_\_\_\_