



٥٠ ٥١ ٥٢ ٥٣ ٥٤ ٥٥ ٥٦ ٥٧ ٥٨ ٥٩ ٦٠ ٦١ ٦٢ ٦٣ ٦٤ ٦٥ ٦٦ ٦٧ ٦٨ ٦٩ ٧٠ ٧١ ٧٢ ٧٣ ٧٤ ٧٥ ٧٦ ٧٧ ٧٨ ٧٩ ٨٠ ٨١ ٨٢ ٨٣ ٨٤ ٨٥ ٨٦ ٨٧ ٨٨ ٨٩ ٩٠ ٩١ ٩٢ ٩٣ ٩٤ ٩٥ ٩٦ ٩٧ ٩٨ ٩٩ ١٠٠

[illegible]

(IUL)PSM-FP/PSM/2023/295	پښتو ژبه:
PROC-54-23/GSRF-PSM-BT/2023/25	پښتو ژبه:
06 مې 2023 د 10:00 بجې	پښتو ژبه:
پښتو ژبه:	پښتو ژبه:

QTY	Description
20	Premium quality KMR400 Coax Cable or Equivalent

[illegible][illegible]

1	1.1	<p>دستورالعمل رسیدگی به درخواستهای رسیدگی به شکایات</p> <p>1- دستورالعمل رسیدگی به شکایات: برقرار می باشد (موجود است)</p> <p>2- دستورالعمل رسیدگی به شکایات: برقرار می باشد (موجود است)</p> <p>3- دستورالعمل رسیدگی به شکایات: 500,000.00 ریال (موجود است)</p> <p>10,000.00 ریال (موجود است)</p> <p>90 روز (موجود است)</p>
---	-----	--

☎ +960 300 0300 ☎ +960 331 7273 ✉ info@psm.mv 🌐 www.psm.mv








## Premium Quality KMR400 Coax Cable

Low loss signal attenuation over long distance



### Construction Specification

	Material	Diameter(In)
1. Inner Conductor	Copper Clad Aluminium	0.108
2. Dielectric	Physical Foam Polyethylene	0.29
3. Outer Conductor	Bonded Aluminum Foil + Tinned Copper Braid	0.32
4. Jacket	Black PVC or Polyethylene	0.405



MOOKEERF-400 Cable, LMR400  
Equivalent Coaxial Cable 10ft,N Male Ultra  
Low Loss Coax Cable 50ohm,N Male to N  
Male Connector Jumper Cables for  
Antenna,WiFi Router,Signal Booster,  
Amplifier

Size: 10FT

• 10FT

Connector Type	Coaxial
Cable Type	Coaxial
Compatible Devices	Television
Brand	MOOKEERF
Connector Gender	Male-to-Male

## About this item

- **Ultra Low Loss** - MOOKEERF KMR400 10ft N cable with N male to N male connector. It is ultra low loss N male cable. The inner of this N cable is made of aluminum foil and tinned copper braid shields, it incurs a very low signal attenuation. The signal loss of this N cable on 1800MHZ is only 0.55 dB. It would make the max protection for the signal over large distance.
- **Low SWR** - The Swr of N-type cable is less than 1.15. Every N male to N male cable is fully tested by USA KEYSIGHT E5071C ENA network analyzers to confirmed its quality. It is best for uninterrupted transfer of signals while reducing signal loss over large distances and higher frequency use.
- **Thick and Heavy Duty** - The outer material of this N male cable feature with waterproof PVC jacket. The length of N to N cable connection between cable and connector is up to 2.2" heat shrink tube with inner adhesive and the end is clamped connector design. It would provide a heavy duty and professionally connection, making it tougher and able to stand abrasion. It can be used inside building or outside buildings. No worried about the connector come off.
- **Compatibility** - This N male to N male cable is work with 50 ohm impedance device and application. It is ideal for antenna extension, booster repeater, 4g LTE, gmrs repeater, outdoor antennas, receivers, meters and etc.
- **Professional Produce** - MOOKEERF is a professional manufacturer who produces type N cable over 10 years. We are confident with the quality of our product and willing to provide 12 months warranty and 100% satisfaction guarantee.

### Product Specifications

Cable Length	10 feet feet
Cable Type	Coaxial
Compatible Devices	Television
Connector Gender	Male-to-Male
Connector Type	Coaxial
Ean	0739515024941

Impedance	50.0 ohm
Measurement System	Imperial
Part Number	400-N-JJ-10FT
Size	10FT
Specification Met	
UPC	739515024941