



Information Sheet

ސ.ކެންޑިކުލުހުދުވުނު ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް
ގެ ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް
ގެ ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް

ސ.ކެންޑިކުލުހުދުވުނު ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް ގެ ސަރުކާރުގެ ރައީސް	ސ.ކެންޑިކުލުހުދުވުނު ސަރުކާރުގެ ރައީސް
(IUL)286-MP/286/2023/110	އިދާރާތަކީ: ސ.ކެންޑިކުލުހުދުވުނު ސަރުކާރުގެ ރައީސް
09 ނޮވެމްބަރު 2023	އިދާރާތަކީ: ސ.ކެންޑިކުލުހުދުވުނު ސަރުކާރުގެ ރައީސް

-Lights Heaslights – LED 13.5V / 14.5W x 2 -Lights Taillights – 12 V BULB			
-Brakes – Front: V disc, Rear: drum -Tires – 225/70R17C All terrain steel general silver -Doors – 4 -Seats – 6, Front: single driversest 1+2 (w/head rest), Rear: 3 -Engine – Turbo Diesel, DOHC 4 Cyl, 16 valve, 2393 cc, Torque: 40,8 Kgm, Efi W/ Common Rail & Intercooler, Cooling system: Liquid -Fuel/Tank Capacity – Diesel – 80 l -Electrics – Single Battery 12V -Suspension – FR: Double wishbone, RR: Leaf springs -Standard Features – A/C, Heater, ABS+EBD+BA, VSC, Hill Assist Control + Trailer Sway Control, Auto Traction Control, D+P+Knee (Driver) Air Bag, colour keyed / steel step chrome bumper, Fr. & Rr. Mud guards, Green laminated windshield glass/top shade, chrome plated outer mirror, chrome plated door handles, Fr. Seat belt – 3PELRx2 W/PT & FL+2PNRx1, Rr. Seat belt – 3PELRx2+2PNRx1, Tachometer, Digital clock, Day/Night inner rear view mirror, Sun visor – D(W/Holder)+P, AM/FM, CD,USB, AUX, BT, 2 SPK, Multi reflector halog headlamp, Chrome+silver radiator grille, Slide type rear window, urethane shift lever knob, Rear fog lamp, tyre pressure monitoring system, Urethane w/ audio+BT controls steering wheel	1	4	4
-Have sharp metal tines that can break up compacted soil or rocks	15	5	5
-Strong tines to sweeping dry leaf and normal rubbish	30	6	6
-Length - 15ft	1	7	7
-Length – 3.9m -Weight Capacity – 220kg	15	8	8
-Length – 15ft 6in -Weight Capacity – 363kg	4	9	9
-Center Steering Handle -2 passengers -Easy to carry	2	10	10
-Capacity – 7-2400m3/h -Head – 7-120m -Power – 075-315kw -Max. particle – 120mm -Materials – High Chrome, Hyperchrome, SS304, SS316L, Duplex - SS	1	11	11
Adult	6	12	12
Kids	16	13	13
-Size: 660 Ltr -With 4 wheel	8	14	14

දර්ශන දැක්වීමේ පටිපාටිය

- (විදුලි බලය)

- මිනිස් බර

- වර්ගය



2 - ڪَٽِي ڪَٽِي

1 ڊائريڪٽوريٽي ڪارو

ڪيترن ئي رڪارڊن: 10



2 - ڪي ڪي ڪارو

ڪيترن ئي رڪارڊن: 10





ڪنٽرول سائونڊ: 1



ڪنٽرول سائونڊ: 1





5 ڪنڊيڪو ڪنڊيڪو

ڪنڊيڪو ڪنڊيڪو: 15



6 ڪنڊيڪو ڪنڊيڪو

ڪنڊيڪو ڪنڊيڪو: 30






7 ޯސީރީ

ޯސީރީ ޯސީރީ:



8 ޯސީރީ (2 ސީޖް)

ޯސީރީ ޯސީރީ: 15





4 ئاسر راسر: 4



10 ئاسر راسر (4 سبب)

2 ئاسر راسر: 2





11 54 50 50 50

1 50 50 50

12 50 50 50 (50 50)

16 50 50 50



13 50 50 50 (50 50)

6 50 50 50







ސަރުކާރުގެ ފަރާތުން

1 - ބަޔާން

1. ސަރުކާރުގެ ފަރާތުން	
	1.1 ސަރުކާރުގެ
(IUL)286-MP/286/2023/110	1.2 ޕްރޮސެކިއުޓަރ ޖެނެރަލް
	1.3 ސަރުކާރުގެ ފަރާތުން ހިންގާ (ޕްރޮސެކިއުޓަރ ޖެނެރަލް)
	1.4 ސަރުކާރުގެ ސަރުކާރުގެ ފަރާތުން ހިންގާ
	1.5 ސަރުކާރުގެ ފަރާތުން ހިންގާ ސަރުކާރުގެ ފަރާތުން ހިންގާ
2. ސަރުކާރުގެ ފަރާތުން	
	2.1 ޕްރޮސެކިއުޓަރ ޖެނެރަލް ގެ ފަރާތުން ހިންގާ ސަރުކާރުގެ
	2.2 ހިންގާ ސަރުކާރުގެ
	2.3 ޕްރޮސެކިއުޓަރ ޖެނެރަލް ގެ ފަރާތުން ހިންގާ
	2.4 ޕްރޮސެކިއުޓަރ ޖެނެރަލް ގެ ފަރާތުން ހިންގާ
	2.5 ޕްރޮސެކިއުޓަރ ޖެނެރަލް ގެ ފަރާތުން ހިންގާ ސަރުކާރުގެ
	2.6 ޕްރޮސެކިއުޓަރ ޖެނެރަލް ގެ ފަރާތުން ހިންގާ
	2.7 ޕްރޮސެކިއުޓަރ ޖެނެރަލް ގެ ފަރާތުން ހިންގާ / ޕްރޮސެކިއުޓަރ ޖެނެރަލް ގެ ފަރާތުން ހިންގާ
	2.8 ޕްރޮސެކިއުޓަރ ޖެނެރަލް ގެ ފަރާތުން ހިންގާ

