



ދިވެހިރާއްޖޭގެ ޖެނެރަލް އިންޓިމީޑް އިރިތިޔުގެ ޕްރޮސެޕްޝަން ޕްލާން

| | |
|------------------------|-------------------------------|
| ނަންބަރު 38/2024/G-008 | ޕްރޮސެޕްޝަން ޕްލާން ނަންބަރު: |
| (IUL)38-AD/38/2024/170 | ޕްރޮސެޕްޝަން ޕްލާން ނަންބަރު: |
| 2024 ވަނަ ޖުލައި 19 | ޕްރޮސެޕްޝަން ޕްލާން ނަންބަރު: |

| | |
|--|-------------------------------|
| ދިވެހިރާއްޖޭގެ ޖެނެރަލް އިންޓިމީޑް އިރިތިޔުގެ ޕްރޮސެޕްޝަން ޕްލާން ނަންބަރު 38/2024/G-008 | ޕްރޮސެޕްޝަން ޕްލާން ނަންބަރު: |
| 2024 ވަނަ ޖުލައި 28 | ޕްރޮސެޕްޝަން ޕްލާން ނަންބަރު: |
| 14:00 | ޕްރޮސެޕްޝަން ޕްލާން ނަންބަރު: |

ދިވެހިރާއްޖޭގެ ޖެނެރަލް އިންޓިމީޑް އިރިތިޔުގެ ޕްރޮސެޕްޝަން ޕްލާން

މުނިދު 2- (މަނިދު ނަންބަރު)

| SPECIFICATIONS FOR CAMERA | |
|---|---|
| Camera Details | |
| Item | One-Shot AF, Servo AF |
| AF Point Selection | Spot AF, 1-point AF, Expand AF Area (above/below/left/right or around), Flexible Zone AF 1 / 2 / 3, Whole area AF |
| AF System Points | Up to 651 AF frame zones |
| Continuous Shooting Speed (Shots Per Sec) (Up To) | Mechanical shutter & Electronic 1st curtain: 15 Electronic shutter:30 |
| Effective ISO | Stills: 100–32,000 (H:51,200) Movie: 100–12,800 HDR PQ movies: ISO 100–12,800 |
| Effective Pixels (Megapixels) | Minimum 32 |
| Exposure Compensation | ±3 stops in 1/3-stop or 1/2-stop increments AEB: ±3 stops in 1/3-stop or 1/2-stop increments |
| Eye Detection AF | Human and Animal eye detection (All AF mode) |
| Image Resolution | 6960×4640 (JPEG L/RAW/C-RAW/HEIF) 4800×3200 (HEIF, JPEG M) 3472×2320 (HEIF, JPEG S1) 2400×1600 (HEIF, JPEG S2) |
| Image Stabilizer | In-body 5-axis sensor-shift image stabilization (Still/Movie) |
| Manual Focus | Yes |
| Memory Card Type | Dual Card Slots (SD, SDHC*, SDXC*) *UHS-II cards supported |
| Movie Format | MP4 |
| Optional Power | AC Power (AC Adapter AC-E6N and DC Coupler DR-E6) |
| Peripheral Connections | USB Type-C (SuperSpeed Plus USB (USB 3.2 Gen 2) equivalent), External microphone IN, Headphone terminal, HDMI micro (Type D), Remote control (N3), Infrared remote control |
| Processor Type | DIGIC X |
| Sensor Size | APS-C CMOS |
| Shutter Speed Range (Sec.) (Approve) | Stills: Mechanical / Electronic 1st-curtain: 30 - 1/8000 Electronic shutter: 30 - 1/16000 Movie recording: Auto exposure: 1/25* - 1/4000 Shutter-priority/Manual exposure: 1/8* - 1/4000 |
| Silent Shutter | Yes |
| Still Image Format | JPEG, HEIF, RAW, C-RAW |
| Battery | Rechargeable lithium-ion Number of Battery Packs to be included with the camera x2 |
| Battery Charger | Must be included with battery. Rated input 220 – 240V AC (50/60Hz) |
| Warranty | One Year Service |
| Memory Card | Must provide 256 GB SD Card Class 10 x2 |

| Camera Lense | |
|---|---|
| Focal Length | 18mm to 150mm (35mm Equivalent: 29 to 240mm) |
| Angle of View (Horzntl, Vertl, Diagnl) | A minimum of 74° 20' to 10° 25' |
| Maximum Aperture | f/3.5 to 6.3 |
| Minimum Aperture | f/40 |
| Lens Format Coverage | APS-C |
| Image Stabilizer | Yes |
| Focus Type | Autofocus |
| Accessories | Lens Cap, Lens Hood |
| Warranty | Minimum Six Months Hardware |
| External Speedlite | |
| Compatible Cameras | Must be compatible with the proposed Camera |
| Flash Coverage | Minimum 28 to 105mm, Auto zoom, Manual zoom |
| Exposure control system | E-TTL II auto flash and manual flash |
| Sync mode | High-speed sync (up to 1/8000 seconds), first-curtain sync, and second-curtain sync |
| Wireless flash functions | Transmitter, Receiver, Off |
| Transmission range | Minimum approx. 100m |
| Battery | Li-ion rechargeable battery |
| Must provide carry bag for the Camera, Lens and other camera accessories. | |

***NOTE: Supplier must be an authorized partner/distributor of the proposed product**

ދަނޑު 3- (ހިމާލުގެ ސަލާމަތް)

| ހިމާލު | ނަންބަރު | ދަނޑުގެ ނަންބަރު |
|--------|---|------------------|
| | Camera | 01 |
| | Camera Lens | 01 |
| | External Speed lite | 01 |
| | Memory Card | 01 |
| | މި ދަނޑުގެ ނަންބަރު (މި ދަނޑުގެ ނަންބަރު) | |

| | |
|--|--|
| | މި ދަނޑުގެ ނަންބަރު ސަލާމަތް ދަނޑުގެ ނަންބަރު: |
| | މި ދަނޑުގެ ނަންބަރު ސަލާމަތް ދަނޑުގެ ނަންބަރު (މި ދަނޑުގެ ނަންބަރު): |
| | މި ދަނޑުގެ ނަންބަރު ސަލާމަތް ދަނޑުގެ ނަންބަރު: |

| | |
|--|---|
| | މި ދަނޑުގެ ނަންބަރު ސަލާމަތް ދަނޑުގެ ނަންބަރު |
| | މި ދަނޑުގެ ނަންބަރު ސަލާމަތް ދަނޑުގެ ނަންބަރު |

