



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ



ދިވެހިސަރުކާރުގެ ގެޒެޓް ގައި ބަޔާންކުރި ގޮތުގައި
 ފަންޓްޕްރިންޓްކޮށް ދެނެގަތިދޭ ފޮޓޯ ކޮޕީއެކެވެ.

ސަރުކާރުގެ ގެޒެޓް ގައި ބަޔާންކުރި ގޮތުގައި

ޕީސީ ސަރުކާރުގެ ގެޒެޓް ގައި ބަޔާންކުރި ގޮތުގައި	ސަރުކާރުގެ ގެޒެޓް:
(IUL)240-CA/240/2024/16	ހިލާފުތެރިކަން:
25 ޖުލައި 2024	ހިލާފުތެރިކަން:
PC-240/2024/G-04	ފަންޓްޕްރިންޓްކޮށް ދެނެގަތިދޭ ފޮޓޯ ކޮޕީ:

SPECIFICATIONS	Double Cab 4x4 2.8 High AT
Transmission	6AT with Sequential Shift
Exterior	
Front Grill	Black Metallic and Chromium
Front Bumper	Color Key
Rear Bumper	Chromium
Side Step	Black
Headlight	Bi-Beam LED
Automatic On-Off Headlight Control System with Follow-me-home System	•
Light Adjustable System	Automatic
Taillight	LED Light Guiding
Laminated Safety Glass Front Windscreen	•
Side Mirror	Chromium, Electrical Adjust
Side Mirror with Welcome Light	•
Door Handle	Chromium
Mudguard	Front and Rear
Front Rain Wiper	Interval Timer and Intermittent Timer
Interior and Convenience	
Interior Color	Black
Seat Material	Leather and Synthetic Leather
Seat Color	Black
Adjustable Seat	Power Driver Seat
Adjustable Seat Height (Drive)	Power
Front Seat with Foldable Arm Rest and Glass Holder Only Double Cab Model	•
Adjustable Rear Seat to Increase Storage Space Only Double Cab Model	Split Type 60:40
Front Console Design	Black Metallic and Silver Line with Chromium
Front Air-conditioning Design	Black with Chromium
Door Panel Design	Black Synthetic Leather with Silver Line
Electric Window Control Panel Design	Black Metallic
Door Panel Switch Design	Chromium
Sun Visor (Driver)	With Namecard Holder
Sun Visor (Passenger)	With Mirror and Lid
Interior Handle (Double Cab)	8 Positions
Adjustable Steering Wheel	Tilt & Telescopic
Steering Wheels Material / Design	Leather / Silver
Telephone and Audio Control Switch, TFT Color Screen	•
Gears Material / Knob	Leather / Silver
Gear Base	Silver
Parking Brake	Black with Chromium
Push Start and Smart Entry	•
Remote Control	Smart Key
Optitron Meter	•
MID (Multi Information Display)	TFT 4 Color Display
Illumination System	With Reading Lamp
Anti-Glare Rear-View Mirror	•
Electric Automatic Windows with Jam-protection (Double Cab)	Front and Rear
Central Lock with Speed Auto Lock	•
Drive Mode Switch (Eco/Power) Automatic	•
Air Conditioner	Automatic Independent Adjustment, Left and Right
Rear Air-conditioning (Double Cab)	With Silver Line
Top storage Compartment With Closing Lid	Cool Box
Bottom Storage Compartment With Closing Lid and Key Lock	Intermittent
Console Box With Closing Lid	Synthetic Leather
Door Panel Storage Compartment with Water Bottle Holder For Double Cab	Front and Rear
Glasses Console Box	•
Glass Holder	•
Front Seat Back Pocket	•

Suit Hook at Front Seat Back (Double Cab)	
Utility Bag Hook (Double Cab)	
Power Port DC 12V. Outlet	2 Positions
AC220V (Double Cab)	1 Position
Sound and Connecting System	
USB / AUX Port, FM/AM	8-inch Capacitive Touch Screen, Supports Apple CarPlay
Bluetooth	
T-Connect System	
Speakers	6 Positions
Antenna	Short
Anti-Theft Alarm System	
TDS (Theft Deterrent System)	
Immobilizer	
Safety	
LED Daytime Running Lights	
Front Fog Lamp LED	
LED High Mount Stop Lamp	
Rear Window Defogger	
Rear Distance Warning System and Front-Rear Corner Bumper	
PVM (Panoramic View Monitor)	
BSM (Blind Spot Monitor)	
RCTA (Rear Cross Traffic Alert)	
Seat Belt 3 Points	With Pretensioner & Force Limiter (Front Seat)
Anti-Lock Braking System (ABS)/Electronic Brake Force Distribution (EBD)	
Brake Assist (BA)	
Vehicle Stability Control (VSC)	
Traction Control (TRC)	Active A-TRC
Trailer Sway Control (TSC)	
Hill-start Assist Control (HAC)	
Down Hill Assist Control (DAC)	
Drive Start Control Only AT	
Auto Limited Slip Differential	
Cruise Control	
Crash Body Safety GOA	
Side Bar Protection	
Front SRS Airbag	
Side SRS Airbag	
Dimension	
Overall Length x Width x Height (mm.) (Double Cab)	5,325 x 1,855 x 1,815
Wheelbase (mm.)	3,085
Tread Front (mm.)	1,540
Tread Rear (mm.)	1,550
Min. Ground Clearance (mm.) (Double Cab)	217
Deck Inside Length x Width x Height (mm.) (Double Cab)	1,555 x 1,540 x 480
Engine	
Model	1GD-FTV (High)
Type	4 cyl 16 valve DOHC VN Turbo Intercooler
Displacement (cc.)	2,755
Bore x Stroke (mm.)	92.0 x 103.6
Compression Ratio	15.6 : 1
Max. Power [kW(PS)/rpm]	150 (204) / 3,400
Max. Power AT (Nm/rpm)	500 / 1,600 - 2,800
Fuel Supply System	Direct Injection Common-rail (i-ART)
Fuel Capacity (l.)	80
Fuel Type	Diesel
Transmission and Chassis	

Transmission	4X4 with Differential Lock at Rear Axle
6MT Gear Ratio 1	4.784
6MT Gear Ratio 2	2.423
6MT Gear Ratio 3	1.443
6MT Gear Ratio 4	1
6MT Gear Ratio 5	0.826
6MT Gear Ratio 6	0.643
6MT Reverse Gear Ratio	4.066
6MT Final Gear Ratio	3.583
6AT with Sequential Shift Gear Ratio 1	3.6
6AT with Sequential Shift Gear Ratio 2	2.09
6AT with Sequential Shift Gear Ratio 3	1.488
6AT with Sequential Shift Gear Ratio 4	1
6AT with Sequential Shift Gear Ratio 5	0.687
6AT with Sequential Shift Gear Ratio 6	0.58
6AT with Sequential Shift Reverse Gear Ratio	3.732
6AT with Sequential Shift Final Gear Ratio	3.909
Front Suspension	Double Wishbone with Stabilizer
Rear Suspension	Rigid Type
Front Brake	Disc Brake / Ventilated Disc
Rear Brake	Drum Brake
Steering System	Rack & Pinion with Power Steering (VFC)
Min. Turning Radius (m.)	6.4
Tyre (Double Cab)	265/60R18
Wheel (Double Cab)	Alloy 18"
Spare Tyre (Double Cab)	Steel Wheel 265/60R18

3.2 ڈائریکٲ رڊسٲو سٲرٲو.

3.3 ڀرٲو ڈسٲرٲو اٲر اٲٲو ٲسٲرٲو ڈائریکٲو سٲرٲو.

3.4 اٲٲو سٲرٲو سٲرٲو.

3.5 سٲرٲو سٲرٲو ڈائریکٲو سٲرٲو سٲرٲو.

3.6 ٲورٲو سٲرٲو سٲرٲو سٲرٲو سٲرٲو سٲرٲو.

3.7 ٲورٲو سٲرٲو سٲرٲو سٲرٲو.

3.8 ٲورٲو سٲرٲو سٲرٲو سٲرٲو: 2023

