



ބަލަންދު 1 - ފުލުހުގެ ބަލަންދު

**DETAILS OF THE VEHICLE**

0.2, Ton Power Gate Truck Specification			
<b>Brand</b>	Isuzu/Toyota/Mitsubishi/ (or) Equivalent Japanese make		
<b>Quantity</b>	One (1)		
<b>Capacity</b>	02 Ton		
<b>Year of Manufacture</b>	2019 or later		
<b>Condition</b>	Brand New / Japan recondition		
<b>Warranty Period</b>	Minimum Twelve (12) Months, and 24 Months for Engine		
<b>Accessories and Manual</b>	Standard toolkit		
	Operations Manual in English		
	Spare Parts Catalogue		
<b>Workshop manual in English</b>	Workshop manual in English		
	Should be locally available or available within the south Asian Region.		
<b><u>ENGINE</u></b>			
<b>Type</b>	4 Cycle, In-Line, Direct Fuel Injection, Water-Cooled & Naturally aspirated (or) 4 Cycle, In-Line, Fuel Rail Electronic Controlled Injection, Water-cooled and intercooled Turbo Charged)		
<b>No. of Cylinder</b>	Four (4)		
<b>Power Source / Engine Type</b>	Diesel		
<b>Emission Control</b>	Euro standard tier 5 or up		
<b><u>CHASSIS</u></b>			
<b>Transmission</b>	<b>Type</b>	Automatic	
<b>Brakes</b>	<b>Service</b>	Hydraulic with vacuum servo assistance, dual circuit	
	<b>Front</b>	Drum (or) Disc	
	<b>Rear</b>	Drum	
	<b>Parking</b>	Internal expanding type on propeller shaft at rear of transmission ASSY	
<b>Steering</b>	<b>Type</b>	2-spoke, Ball-nut type, tilt & telescopic steering column	
<b>Drive</b>	<b>Right Hand</b>	4x4, 4WD	
<b>Axle</b>	<b>Front</b>	<b>Type</b>	Reverse Elliot I-beam
	<b>Rear</b>	<b>Type</b>	Banjo, Fully Floating
<b>Suspension</b>	<b>Front</b>	Semi-Floating, Leaf-type suspension with shock absorber	
	<b>Rear</b>	Semi-Floating, Leaf-type suspension with shock absorber	
<b>Frame</b>	<b>Type</b>	Heat-treated steel frame with cross members and bolt type fasteners	



<b>Cargo flat deck</b>	<b>Type</b>	-Steel or Stainless steel cargo flat deck -Steel or Stainless steel cargo deck side board
<b>Wheels &amp; Tires</b>	<b>Single Front</b>	195 / 85 R16 preferable
	<b>Dual Rear</b>	
<b>Electrical System</b>	<b>Battery</b>	24V-90AH
	<b>Alternator</b>	24V-90A
<b>Cab</b>	<b>Type</b>	Standard Tilt type Cab
	<b>Capacity</b>	1 Driver & 2 Passengers
<b>Standard Equipment</b>	Standard Silicone-fitted cab Mount, A/C, Power Windows, Central Door Lock and Power steering	
<b><u>POWER GATE</u></b>		
<b>Type</b>	Conventional Tail lift (MBB PTC 750L or Equivalent)	
<b>Lifting capacity</b>	500kg	
<b>Lifting gear hydraulics</b>	1 lifting cylinder/ 1 tiling cylinder	
<b>Operations standards</b>	Slim control panel (standard)	
<b>Load center, longitudinal</b>	900mm	
<b>Load center, across center</b>	Central, 50% of rated load on one side	
<b>Lift arm pitch/lift arm length</b>	Depend on vehicle, to be specified on proposal	
<b>Inclination angle of platform</b>	+90° to -10°	











ބަދަހުގެ ސަރުކާރުގެ ސިޔާސަތު ދެކޮޅަށް ހިލާފުވަމެވެ - 4

...Name or Letterhead of The Business Entity: (Sole Proprietorship / Partnership / Corporative Society / etc).....

**Income Statement**  
**For the Year Ended December 31, 2021**

	MVR	MVR
<b>Revenues:</b>		
Category 1		
Category 2	-	
<i>*add more categories if required</i>	-	
<b>Total Revenues</b>		
<b>Expenses:</b>		
Category 1		
Category 2	-	
<i>*add more categories if required</i>	-	
<b>Total Expenses</b>		
<b>NET INCOME (Total Revenues subtracted from Total Expenses)</b>		

Name of the Authorized Signatory:  
Authorized Signature:

*Note: This Income Statement must be completed and submitted by Bidders except the Companies registered under the Companies Act (10/96). Companies are required to submit the Financial Statements as indicated in part 16.2.2 of this document.*

*Handwritten signatures and initials in blue ink*