



SITE PLAN
Scale 1:100




NOTE:
RAMP SIZE DEPENDS ON
THE SITE GROUND LEVEL


GROUND FLOOR PLAN
Scale 1:100




ROOF PLAN
Scale 1:100




FRONT ELEVATION
Scale 1:100




SIDE ELEVATION
Scale 1:100




①	ALUMINUM DOOR	QTY	AREA
LOCATION	ENTRANCE	02	2.30 sqm
REMARKS	WHITE POWDER COATED WITH SS GRILL ALUMINIUM FRAME DOOR WITH FIXED TINTED GLASS		




②	SOLID TIMBER DOOR	QTY	AREA
LOCATION		7	1.89 sqm
REMARKS	BORDER IN FRAME		




③	ALUMINIUM DOOR	QTY	AREA
LOCATION		01	1.89 sqm
REMARKS	WHITE POWDER COATED ALUMINIUM FRAME DOOR WITH FIXED CLADDING		




④	ALUMINIUM DOOR	QTY	AREA
LOCATION	TOILETS	01	1.47 sqm
REMARKS	WHITE POWDER COATED ALUMINIUM FRAME DOOR WITH FIXED CLADDING		



⑤		QTY	AREA
LOCATION	SIDE HUNG - 2 PANEL	3	2.01 sqm
REMARKS	WHITE POWDER COATED ALUMINIUM FRAME WINDOW WITH TINTED GLASS		




⑥		QTY	AREA
LOCATION	SIDE HUNG - 2 PANEL	2	2.63 sqm
REMARKS	WHITE POWDER COATED ALUMINIUM FRAME WINDOW WITH TINTED GLASS		




⑦	TOP HUNG WINDOW	QTY	AREA
LOCATION	TOILETS	1	0.42 sqm
REMARKS	WHITE POWDER COATED ALUMINIUM FRAME WINDOW WITH FROSTED GLASS		


DOOR/WINDOW SCHEDULE
Scale 1:100




COLUMN LOCATION PLAN
Scale 1:100




FOUNDATION PLAN - TB
 Scale 1:100



ROOF PLAN
Scale 1:100



ROOF PLAN
Scale 1:100




LEGEND	
⊙	DOWN LIGHTS C/W 20W ENERGY SAVERS
⊙	WALL LIGHT BULB (WEATHERPROOF)
⊙	CEILING FAN (1.3M DIAMETER)
⊙	ONE GANG SWITCH
⊙	TWO GANG SWITCH
⊙	THREE GANG SWITCH
⊙	FOUR GANG SWITCH
⊙	FAN DIMMER
⊙	PHOTOCELL SWITCH
⊙	LIGHTING ROD

NOTE: ALL SWITCHES @ 1.2 FROM FFL
 ALL THE OUTDOOR LIGHTS ARE CONTROL BY PHOTOCELL SWITCH
 ALL GATE LIGHTS ARE CONTROL BY PHOTOCELL SWITCH


ELECTRICAL LIGHTING LAYOUT




Scale 1:100







LEGEND 3 PHASE DISTRIBUTION BOARD	
	Main panel board. (3phase Meter) with Water Proof Box
	DISTRIBUTION BOARD
	NETWORK SWITCH LOCATION
	1 x 13A SOCKET OUTLET
	2 x 13A SOCKET OUTLET
	NETWORK OUTLET
	NETWORK TO DOOR ACCESS
	NETWORK TO CCTV
	EMERGENCY LIGHT TWO HOUR WITH 13A SOCKET OUTLET
	1 x 15A SOCKET OUTLET
	VENTILATION FAN


ELECTRICAL POWER LAYOUT
Scale 1:100




LEGEND	
	CEILING MOUNT AC INDOOR UNIT
	OUTDOOR UNIT
	WALL MOUNT AC INDOOR UNIT

AIR CONDITION LAYOUT
Scale 1:100

LEGEND	
	100mm \varnothing PVC PIPE
	75mm \varnothing PVC PIPE
	INSPECTION CHAMBER
	FLOOR DRAIN




WASTE WATER PIPE LINE
Scale 1:100




WELL WATER & FRESH WATER PIPE LINE

Scale 1:100

FROM FRESH WATER MAIN




RECEPTION COUNTER PLAN
SCALE 1:20



RECEPTION COUNTER FRONT ELEVATION
SCALE 1:20


NOTE:
ALL TIMBERS WHICH ARE USED FOR THE STANDARD EXTERNAL FRAMEWORK TO BE APPLIED WITH SOLIDUM TIMBER TREATMENT CHEMICAL OR EQUIVALENT, 24 HOURS BEFORE USING ON THE FRAMEWORK.

ALL SIDES TO BE FINISHED WITH NATURAL VENER OF THE SAME WOOD USED ON THE RESPECTIVE PART OF THE FURNITURE.




RECEPTION COUNTER REAR ELEVATION
SCALE 1:20


RECEPTION COUNTER SECTION
SCALE 1:20




GROUND WATER WELL
1800mm DIA, 100mm THK.
T10@200 BW SINGLE LAYER
DEPTH DECIDED ON SITE




COURT ROOM BACK PANELS & STAGE DETAILS
SCALE 1:20




**FLAG POST DETAIL
(SECTION)**
SCALE 1:50





**FLAG POST DETAIL
(PLAN)**
SCALE 1:50




RIDGE RAFTER SUPPORTING DETAILS




STRUCTURAL DETAILS





ENTRANCE GATE DETAIL (ELEVATION)




PLAN VIEW



SECTION



FRONT ELEVATION



REAR ELEVATION


NOTE:

ALL TIMBERS WHICH ARE USED FOR THE STANDARD EXTERNAL FRAMEWORK TO BE APPLIED WITH SOLIGNUM TIMBER TREATMENT CHEMICAL OR EQUIVALENT, 24 HOURS BEFORE USING ON THE FRAMEWORK.


ALL SIDES TO BE FINISHED WITH NATURAL VENEER OF THE SAME WOOD USED ON THE RESPECTIVE PART OF THE FURNITURE.

REGISTRARS'/LAWYER'S/WITNESS' TABLE


TABLE DETAILS




SECTION




PLAN VIEW




REFER TO BLOW-UP DETAIL 'C'



LEFT SIDE ELEVATION



FRONT ELEVATION




RIGHT SIDE ELEVATION

NOTE:


ALL TIMBERS WHICH ARE USED FOR THE STANDARD EXTERNAL FRAMEWORK TO BE APPLIED WITH SOLIGNUM TIMBER TREATMENT CHEMICAL OR EQUIVALENT, 24 HOURS BEFORE USING ON THE FRAMEWORK.

ALL SIDES TO BE FINISHED WITH NATURAL VENEER OF THE SAME WOOD USED ON THE RESPECTIVE PART OF THE FURNITURE.


JUDGE PANEL TABLE
TABLE DETAILS



PLAN VIEW



DETAIL "D"



SECTION

JUDGE PANEL TABLE
BENCH DETAILS