

1

1

	<p>1</p>
<p>1.1</p>	<p>1.1</p>
<p>8.1</p> <p>https://forms-office.com/r/guXQ9jRivL</p> <p>14:00</p> <p>2024</p> <p>12</p>	<p>8.1</p>
<p>9.1</p>	<p>9.1</p>
<p>9.2</p> <p>info@nellaidhoo.gov.mv</p>	<p>9.2</p>
<p>13.1</p>	<p>13.1</p>
<p>18.1</p> <p>2024</p> <p>19</p> <p>10:00</p>	<p>18.1</p>
<p>20.1</p>	<p>20.1</p>

<p>گومبرگ: 19 آگست 2024</p> <p>قروٹ: 0</p> <p>کے: 10:00</p>	
<p>سوسائٹی کے اجلاس کے لیے 6 کے اجلاس کی تاریخیں.</p>	24.1
<p>0 کے اجلاس کی تاریخیں</p>	28.1
<p>0 کے اجلاس کی تاریخیں</p>	30.1

3.3.1 3.3.1 .3.3

...
"...

3.3.2 3.3.2

...
"..."

3.3.2 3.3.2

...
"..."

3.3.4 3.3.4

...
"..."

3.3.5 3.3.5

...
"..."

4.1 4.1 4.1

...
"..."

5.1 5.1 5.1

...
"..."

6.1 6.1 6.1

...
"..."

(...) ...

7.1. 7. 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6

7.1.1 (1-)

7.1.2 (2-)

7.1.3 (3-)

7.1.4 (4 -)

7.1.5 (5 -)

7.1.6 (6 -)

8.1 8. 8.1 8.2

8.2 8.2

()

()

()

8.3 8.3

9.1 9. 9.1 9.2

9.2 9.2

9.3 9.3

10.1 10. 10.1

()

29.1.29.1

29.1.29.1

29.1.29.1. 250,000/- (29.1.29.1) 250,000/- (29.1.29.1)

29.2.29.2

29.2.29.2

29.2.29.2. 250,000/- (29.1.29.1) 250,000/- (29.1.29.1)

29.3.29.3

29.3.29.3

29.3.29.3. 250,000/- (29.1.29.1) 250,000/- (29.1.29.1)

29.4.29.4

29.4.29.4

29.4.29.4. 250,000/- (29.1.29.1) 250,000/- (29.1.29.1)

29.5.29.5

29.5.29.5

29.5.29.5. 250,000/- (29.1.29.1) 250,000/- (29.1.29.1)

30.1.30.1

30.1.30.1

30.1.30.1. 250,000/- (29.1.29.1) 250,000/- (29.1.29.1)

30.2.30.2

30.2.30.2

30.2.30.2. 250,000/- (29.1.29.1) 250,000/- (29.1.29.1)

30.3.30.3

30.3.30.3

30.3.30.3. 250,000/- (29.1.29.1) 250,000/- (29.1.29.1)

30.4. ገጽ 30 ላይ የተገለጸውን ግንኙነት ለማረጋገጥ የተደረገው ጥናት ይገልጻል።

31.1. ገጽ 31 ላይ የተገለጸውን ግንኙነት ለማረጋገጥ የተደረገው ጥናት ይገልጻል።
13-K/CIR/2018/01 ላይ በታሪክ 17 ይገለጻል።

31.2. ገጽ 32 ላይ የተገለጸውን ግንኙነት ለማረጋገጥ የተደረገው ጥናት ይገልጻል።
13-K/CIR/2018/01 ላይ በታሪክ 18 ይገለጻል።

31.3. ገጽ 33 ላይ የተገለጸውን ግንኙነት ለማረጋገጥ የተደረገው ጥናት ይገልጻል።
13-K/CIR/2018/01 ላይ በታሪክ 19 ይገለጻል።

31.4. ገጽ 34 ላይ የተገለጸውን ግንኙነት ለማረጋገጥ የተደረገው ጥናት ይገልጻል።

32.1. ገጽ 32 ላይ የተገለጸውን ግንኙነት ለማረጋገጥ የተደረገው ጥናት ይገልጻል።
13-K/CIR/2018/01 ላይ በታሪክ 21 ይገለጻል።

44.2. كذا يمتد إلى تلك الأجزاء من الأرض الواقعة في نطاق المشروع وتحتلها
 أو لا تقبلها أو غيرها. من أجل ذلك، يرجى إكمال الجدول التالي مع مراعاة ما يلي:
 - يرجى إكمال الجدول التالي مع مراعاة ما يلي:

4 - المساحة

جداول

1 - جدول

جدول المساحة المملوكة والمترتبة على الأرض المراد إجرائها

الرقم	الاسم	المساحة المملوكة والمترتبة على الأرض المراد إجرائها	#
المساحة المملوكة للمؤسسات والهيئات والمنظمات العامة والخاصة:			
	✓	المساحة المملوكة للمؤسسة العامة (الجدول 2)	1
	✓	المساحة المملوكة للمؤسسات العامة / المساحة المملوكة للمؤسسات الخاصة / المساحة المملوكة للمؤسسات الأجنبية (الجدول 3)	2
	✓	المساحة المملوكة للمؤسسات العامة / المساحة المملوكة للمؤسسات الخاصة / المساحة المملوكة للمؤسسات الأجنبية (الجدول 3)	3
	✓	المساحة المملوكة للمؤسسات العامة (الجدول 3)	4
	✓	المساحة المملوكة للمؤسسات العامة (الجدول 3)	5
	✓	المساحة المملوكة للمؤسسات العامة (الجدول 3)	6
	✓	6.1 مساحات الأرض الواقعة في نطاق المشروع والمساحة المملوكة للمؤسسات العامة.	7
	✗	مساحات الأرض الواقعة في نطاق المشروع والمساحة المملوكة للمؤسسات العامة.	8
	✓	"المساحة المملوكة للمؤسسات العامة" والمساحة المملوكة للمؤسسات الخاصة والمساحة المملوكة للمؤسسات الأجنبية (الجدول 3)	9
	✓	المساحة المملوكة للمؤسسات العامة والمساحة المملوكة للمؤسسات الخاصة والمساحة المملوكة للمؤسسات الأجنبية (الجدول 3)	10
المساحة المملوكة للمؤسسات والهيئات والمنظمات العامة والخاصة:			
	✓	المساحة المملوكة للمؤسسات العامة والمساحة المملوكة للمؤسسات الخاصة والمساحة المملوكة للمؤسسات الأجنبية (الجدول 3)	11
	✓	المساحة المملوكة للمؤسسات العامة والمساحة المملوكة للمؤسسات الخاصة والمساحة المملوكة للمؤسسات الأجنبية (الجدول 3)	12
المساحة المملوكة للمؤسسات والهيئات والمنظمات العامة والخاصة:			
المساحة المملوكة للمؤسسات العامة والمساحة المملوكة للمؤسسات الخاصة والمساحة المملوكة للمؤسسات الأجنبية (الجدول 3)			

✓	13	רטרואקטיביות של תוכנית הלימודים וקביעת מטרות לימודיות
✓	14	בחינת סיועם של רגלי (למשל בחינת מטרות, בחינת מטרות, בחינת מטרות)
✓	15	בחינת מטרות של תוכנית הלימודים
✓	16	הערכת יעילותם של תוכניות הלימודים / בחינת מטרות
הערכת יעילותם של תוכניות הלימודים		
✓	17	הערכת יעילותם של תוכניות הלימודים (למשל בחינת מטרות, בחינת מטרות, בחינת מטרות)
*	18	הערכת יעילותם של תוכניות הלימודים (למשל בחינת מטרות, בחינת מטרות, בחינת מטרות)

2 - תוכנית

תוכנית הלימודים

1. תוכנית הלימודים	
1.1	מטרות
1.2	אמצעים
2. תוכנית הלימודים	
2.1	תוכנית הלימודים
2.2	היקף תוכנית הלימודים
3. תוכנית הלימודים	
3.1	תוכנית הלימודים
	תוכנית הלימודים
	תוכנית הלימודים
3.2	תוכנית הלימודים (למשל בחינת מטרות)
3.3	תוכנית הלימודים (למשל בחינת מטרות)
4. תוכנית הלימודים	
4.1	תוכנית הלימודים / תוכנית הלימודים, תוכנית הלימודים, תוכנית הלימודים / תוכנית הלימודים, תוכנית הלימודים, תוכנית הלימודים

3. اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ	

بَعْدُ - 4

بَعْدُ اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ

اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ				
#	اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ	اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ	اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ (بَعْدُ)	
بَعْدُ				
اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ				
#	اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ	اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ	اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ	اِسْتِزْهَاتِ اَلْمَدْرَسَةِ اَلْمَدْرَسَةِ (بَعْدُ)
بَعْدُ				

بچے کی فہرست - 5

گروہ نمبر 3 (بہنیں) اعلیٰ تعلیمی اور ترقیاتی ڈیپارٹمنٹ کے اسکولوں کے

بچوں کی فہرست اور تعلیمی ڈیپارٹمنٹ کے اسکولوں کے				
#	اسکول کا نام	اسکول کا پتہ	اسکول کا نام	اسکول کا نام (گروہ نمبر کے ساتھ)
	جمعہ			

7 - ްލަވަލު
ޖަހަންނަ ސަބަބު

Form of Bid Security (Bank Guarantee)

WHEREAS,[*name of Bidder*] (hereinafter called “the Bidder”) has submitted his Bid for the Project no.....issued by the Ministry of Finance and Treasury onfor construction of[*name of Contract*] (hereinafter called “the Bid”).

KNOW ALL PEOPLE by these presents that We [*name of Bank*] of [*name of country*] having our registered office at (hereinafter called “the Bank”) are bound unto[*name of Purchaser*] (hereinafter called “the Purchaser”) in the sum of * for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
- or
- (2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
 - (c) does not accept the correction of the Bid Price pursuant to Clause 27,

* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 16.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser’s having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS SEAL

[*signature, name, and address*]

8 - ބަލަވާ ބަލަވާ
ބަލަވާ ބަލަވާ

Form of Performance Bank Guarantee (Unconditional)

To:
[name & address of Purchaser]
.....
.....

WHEREAS [name and address of Supplier] (hereinafter called “the Supplier”) has undertaken, in pursuance of Contract No. dated to execute [name of Contract and brief description of Works] (hereinafter called “the Contract”);

AND WHEREAS it has been stipulated by you in the said Contract that the Supplier shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Supplier such a Bank Guarantee;

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Supplier, up to a total of *..... [amount of Guarantee] [amount in words], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of Guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

*An amount is to be inserted by the Guarantor, representing the percentage of the Contract Price specified in the Contract, in Maldivian Rufiyaa.

We hereby waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Supplier shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

This Guarantee shall be valid until the date of issue of the Defects Correction Certificate.

SIGNATURE AND SEAL OF THE GUARANTOR
Name of Bank
Address
.....
Date

9 - ބަލަވާފަ 9

ފޯމް ޖެނެރަލް ޕްރޮވިޒިއަން ފޯ ޕްރޮސެކިއުޝަން

Form of Bank Guarantee for Advance Payment

To:
[name & address of Purchaser]
.....
.....
[name of Contract]

Gentlemen:

In accordance with the provisions of the Conditions of Contract, of the above-mentioned Contract, [name and address of Supplier] (hereinafter called "the Supplier") shall deposit with [name of Purchaser] a Bank Guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of [amount of Guarantee] [amount in words].

We, the [Bank or Financial Institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to [name of Purchaser] on his first demand without whatsoever right of objection on our part and without his first claim to the Supplier, in the amount not exceeding * [amount of Guarantee] [amount in words].

We further agree that no change or addition to or other modification of the terms of the Contract or of Works to be performed there under or of any of the Contract documents which may be made between [name of Purchaser] and the Supplier, shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

* An amount is to be inserted by the Bank or Financial Institution representing the amount of the Advance Payment, in Maldivian Rufiyaa.

This Guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until [name of Purchaser] receives full repayment of the same amount from the Supplier.

Yours truly,
SIGNATURE AND SEAL:
NAME & ADDRESS OF BANK/INSTITUTION

سۆزسۆز - 5

تارىخىمىزدا ۋە بۇگۈنكى تارىخىمىزدا	
بىر قىسىم نومۇرى	تارىخىمىزدا ۋە بۇگۈنكى تارىخىمىزدا
33.1	بۇ قىسىمدا بىر قىسىم تارىخىمىزدا ۋە بۇگۈنكى تارىخىمىزدا مەزمۇنى: بۇ قىسىمدا بىر قىسىم تارىخىمىزدا ۋە بۇگۈنكى تارىخىمىزدا مەزمۇنى: بۇ قىسىمدا بىر قىسىم تارىخىمىزدا ۋە بۇگۈنكى تارىخىمىزدا
33.2	بۇ قىسىمدا بىر قىسىم تارىخىمىزدا ۋە بۇگۈنكى تارىخىمىزدا مەزمۇنى: مەزمۇنى:
33.3	بۇ قىسىمدا بىر قىسىم تارىخىمىزدا ۋە بۇگۈنكى تارىخىمىزدا
33.4	بۇ قىسىمدا بىر قىسىم تارىخىمىزدا ۋە بۇگۈنكى تارىخىمىزدا
37	بۇ قىسىمدا بىر قىسىم تارىخىمىزدا ۋە بۇگۈنكى تارىخىمىزدا

6 - سہولتیں

دستخطوں کے ذریعے

دستخطوں کے ذریعے	سہولتیں
<p>1.1 <u>ڈیپارٹمنٹ آف ایگریکلچر، سہولتوں کے ذریعے، ڈیپارٹمنٹ آف ایگریکلچر، ڈیپارٹمنٹ آف ایگریکلچر</u></p>	1
<p>1.1.1 <u>ڈیپارٹمنٹ آف ایگریکلچر، سہولتوں کے ذریعے، ڈیپارٹمنٹ آف ایگریکلچر، ڈیپارٹمنٹ آف ایگریکلچر</u></p>	1
<p>1.1.2 <u>ڈیپارٹمنٹ آف ایگریکلچر، سہولتوں کے ذریعے، ڈیپارٹمنٹ آف ایگریکلچر، ڈیپارٹمنٹ آف ایگریکلچر</u></p>	1
<p>1.1.3 <u>ڈیپارٹمنٹ آف ایگریکلچر، سہولتوں کے ذریعے، ڈیپارٹمنٹ آف ایگریکلچر، ڈیپارٹمنٹ آف ایگریکلچر</u></p>	1

Specifications

Software

Survey Master

Compatible with most of Android devices
 Easier survey workflow via Wizard function
 Support up to 60° IMU tilt compensation
 Support all survey modes, including Static, PPK and RTK
 Support Surface Stake, Mapping Survey and etc. to serve various survey tasks
 Support CAD import and directly use for stake out operations
 Support Convert function from ComNavBinary raw file to RINEX



Post-processing Software

SinoGNSS Compass solution software

Provide the complete GPS/GLONASS/BeiDou/GALILEO post-processing solution
 Support GNSS observation data in RINEX and ComNav Raw Binary Data format
 Support different post-processing in static and kinematic modes
 Output analysis reports in various formats (web format, DXF, TXT, KML)
 Supports DJI's P4R data format. Processing results can be imported into photogrammetry and 3D modeling software directly



Mars Laser RTK

GNSS Surveying System
 Ver. 2023.07.13

Signal Tracking

Channel: 1500
 GPS: L1C/A, L1C, L2P, L2C, L5
 BDS: B1I, B3I, B3I, B1C, B2a, B2b
 GLONASS: G1, G2, G3
 Galileo: E1, E5a, E5b, E5c, E5 AltBOC
 QZSS: L1C/A, L2C, L5, L1C
 IRNSS: L5
 SBAS: L1C/A

Performance Specification

Signal Re-acquisition: 51s
 Cold Start: 545s
 Hot Start: 515s
 RTK Initialization Time: <10s (Baselines 10km)
 Initialization reliability: 99.9%
 Data Update Rate: 1Hz, 5Hz, 10Hz, 20Hz

Mode	Accuracy
Static and Fast Static	Horizontal 2.5 mm + 0.5 ppm-RMS Vertical 5mm + 0.5 ppm-RMS
Long Observations	Horizontal 3.0 mm + 0.1 ppm-RMS Vertical 3.5 mm + 0.4 ppm-RMS
Static	Horizontal 8mm + 1ppm RMS Vertical 15mm + 1ppm RMS
Signal Baseline RTK	Horizontal 8mm + 1ppm RMS Vertical 15mm + 1ppm RMS
DGPS	<0.4m RMS
SBAS	Horizontal 0.5m RMS Vertical 0.8m RMS
Standalone	1.5m 3D RMS
Laser Tilt Measurement	±5.5cm (5m range, 450°Tilt in laser mode)

Data Format

Connection data I/O: RTCM3.X, 3 X COM (GPS/Static), COM2+(GPS/Static)
 Position data output: ASCII: NMEA-0183 GSV, RMC, HDG, GGA, GSA, ZDA, VTG, GST, PTHL, PJK, PTHL, AVR, PTHL, GKG
 ComNav Binary update to 20 Hz

Electrical and Battery

Voltage: 7.2V/7.4V
 Power Consumption: 1.7W*
 Li-ion battery capacity: 2 x 3400 mAh
 Working Time: >20h
 Memory: 8GB

1. UHF modem is default configuration and it can be removed according to your specific needs.
 2. Integrated UHF ranges from 410 to 470 MHz.
 3. Working distance of internal UHF varies in different environments, the maximum distance is 15 Km in ideal situation.
 4. Power consumption will increase if forwarding corrections via internal UHF.

Communication

1 Serial port (7 pin Lemo)
 * Baud rates up to 921,600 bps
 Enhanced UHF modem¹
 * Tx/Rx with full frequency range from 410-470 MHz²
 * Transmit power: 0.5-2 W adjustable
 * Range: 15 km³
 WiFi/G modem
 - LTE-FDD
 B1/B2/B3/B4/B5/B7/B8/B12/B13/B18/B19/B20/B25/B26/B28
 - LTE-TDD: B39/B40/B41
 - WCDMA: B1/B2/B4/B5/B6/B8/B19
 GSM: G23/G5/G8
 Position data output rates: 1 Hz, 2 Hz, 5 Hz, 10 Hz, 20 Hz
 5 LEDs (indicating Satellites Tracking, RTK Corrections data, GPSRS Status and Power)
 2 Function buttons for Power and Static Data Record
 Bluetooth: v4.0 protocols, compatible with Windows OS and Android OS
 Calibration free IMU integrated for Tilt Survey
 Up to 60° tilt with 2.5 cm accuracy

Environmental Specification

Working Temperature: -40 C ~ +65 C
 Storage Temperature: -40 C ~ +85 C
 Humidity: 100% non-condensing
 Water & Dustproof: IP67
 Shock: Survive a 2m drop onto the concrete
 Vibration: MIL-STD-810G Method 514.6 procedure I

Physical Specification

Dimension: 46.15.50mm x 7.30m
 Weight: 1.2kg with two batteries

Laser Specification

Range: 10m
 Accuracy (room temperature): (3.5mm + 1ppm
 Measuring Frequency: Classic Value: 3Hz
 Maximum Value: 5Hz
 Laser Injection Power: 0.9mW-1.5mW
 Working Temperature: -20 C ~ +50 C
 Storage Temperature: -30 C ~ +60 C



Mars Laser RTK

Universe Series GNSS Receiver

LASER RTK - INNOVATION MAKES THE DIFFERENCE



ComNav Technology Ltd.
 Building 2, No. 618 Chengshu Middle Road,
 201801 Shanghai, China
 Tel: +86 21 64056795
 Fax: +86 21 54309582
 Email: sales@comnavtech.com
 www.comnavtech.com



© 2022, ComNav Technology Ltd. All rights reserved. SinoGNSS is the official trade mark of ComNav Technology Ltd., registered in People's Republic of China, EU, USA and Canada. All other trademarks are the property of their respective owners. (Nov. 2022).

Features

DISCOVER A NEW ERA OF SURVEY WITH MARS LASER RTK RECEIVER

With cutting-edge laser technology, Mars Laser RTK revolutionizes your measurements, enabling you to tackle diverse surveying scenarios with ease. Explore new horizons, simplify your workflow, and embrace innovation with Mars Laser RTK.

SATELLITE TRACKING			SATELLITE TRACKING		
	GPS	L1C/A, L1C, L2P, L2C, L5		QZSS	L1C/A, L2C, L5, L1C
	BDS	B1I, B2I, B3I, B1C, B2a, B2b		IRNSS	L5
	GLONASS	G1, G2, G3		SBAS	L1C/A
	Galileo	E1, E5a, E5b, E6c, E5 AltBOC			

Laser Technology

The combination of the conventional GNSS receiver and the laser module reduces the difficulty of working in special cases, and fit the usage habits of surveyors.



Longer Working Range

The built-in transceiver datalink module has a super long working distance of up to 15KM. Mars can be switched as a rover or base at will.



Full-Constellation Multi-Frequency

With 1590 channels and 60+ satellite tracking capabilities, Mars also supports PPP service. Getting fixed in seconds boosts your productivity.



Third Generation IMU Improves 30% Efficiency

Mars features a 3rd generation IMU, which significantly enhances initialization speed and simplifies surveying operations in the field. It can still support 60° compensation in the laser mode.



Robust Design

A shock-resistant, dustproof, and waterproof aluminum magnesium alloy body ensures uninterrupted performance wherever you are.



Mars Laser RTK

The Mars Laser RTK is an innovative GNSS receiver that integrates the latest GNSS, IMU, and laser technologies, resulting in a stunning experience. In previously hard-to-reach, signal-obstructed, and dangerous fields, the millimeter-level laser distance meter on Mars's back makes surveying and stakeout easier and more stable. Mars is equipped with the latest K8 platform, and tracks 1590 channels for all running and existing satellite constellations. The built-in IMU sensor supports up to 60° tilt compensation, ensuring high-precision results.



LASER TECHNOLOGY

K8 MODULE

FULL CONSTELLATION MULTI-FREQUENCY

IMU
Up to 60° Tilt

PPP

IP67

15 KM
LONGER WORKING RANGE

R60 Data Collector



Qualcomm

1080P Resolution

5.5" Display

Full QWERTY

Android 12

LARGE CAPACITY

IP67