

May 20, 2019

سند شماره 2 - معجزات زندانیان و شکنجه‌های غیرانسانی و غیرقانونی

		(ا) مورد ذکر شده
1.1	1. معجزات زندانیان	<p>در زندان، جسمانی و روحی زندانیان در شرایط غیرانسانی و غیرقانونی قرار می‌گیرد. زندانیان در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کنند. زندانیان در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کنند. زندانیان در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کنند.</p>
2.1	2. معجزات زندانیان شکنجه‌شده	<p>معجزات زندانیان شکنجه‌شده، و افرادی که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کنند. زندانیان در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کنند.</p>
		2.1.1 فرد شکنجه‌شده‌ای که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کند.
		2.1.2 فرد شکنجه‌شده‌ای که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کند.
		2.1.3 فرد شکنجه‌شده‌ای که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کند.
		2.1.4 فرد شکنجه‌شده‌ای که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کند.
2.2		2.2.1 فرد شکنجه‌شده‌ای که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کند.
3.1	3. معجزات زندانیان شکنجه‌شده	<p>معجزات زندانیان شکنجه‌شده، و افرادی که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کنند. زندانیان در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کنند.</p>
3.2	1. معجزات زندانیان شکنجه‌شده	<p>معجزات زندانیان شکنجه‌شده، و افرادی که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کنند. زندانیان در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کنند.</p>
3.3		3.3.1 فرد شکنجه‌شده‌ای که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کند.
		3.3.2 فرد شکنجه‌شده‌ای که در زندان‌ها و مراکز بازداشتی دیگر، شکنجه‌های جسمانی و روحی را تجربه می‌کند.

May 20, 2019

9. مقررات ذى الصلة بالمقارنات المقررات	9.2	مقررات ذى الصلة بالمقارنات المقررات
9.3	مقررات ذى الصلة بالمقارنات المقررات	
10. مقررات ذى الصلة	10.1	مقررات ذى الصلة
10.2	مقررات ذى الصلة بالمقارنات المقررات	
(س) مقررات ذى الصلة		
11. مقررات ذى الصلة	11.1	مقررات ذى الصلة
12. مقررات ذى الصلة	12.1	مقررات ذى الصلة
13. مقررات ذى الصلة	13.1	مقررات ذى الصلة
13.2	مقررات ذى الصلة بالمقارنات المقررات	
14. مقررات	14.1	مقررات
15. مقررات ذى الصلة	15.1	مقررات ذى الصلة
16. مقررات ذى الصلة بالمقارنات	16.1	مقررات ذى الصلة بالمقارنات
	16.1.1	مقررات ذى الصلة بالمقارنات المقررات (ذى الصلة)
	16.1.2	مقررات ذى الصلة بالمقارنات المقررات
	16.1.3	مقررات ذى الصلة بالمقارنات المقررات (ذى الصلة)
	16.1.4	مقررات ذى الصلة بالمقارنات المقررات (ذى الصلة)
	16.1.5	مقررات ذى الصلة بالمقارنات المقررات (ذى الصلة)

<p>29.3. این پرونده در تاریخ 05 (پنج) اردیبهشت 1398 در دادگاه کیفری اول تهران رسیدگی و در تاریخ 1398/05/05 در دادگاه تجدیدنظر تهران تجدیدنظرخواهی صورت گرفته است.</p>	
<p>29.4. این پرونده در تاریخ 1398/05/05 در دادگاه کیفری اول تهران رسیدگی و در تاریخ 1398/05/05 در دادگاه تجدیدنظر تهران تجدیدنظرخواهی صورت گرفته است.</p>	
<p>29.5. این پرونده در تاریخ 15% (پانزده درصد) از مبلغ محکوم‌به در تاریخ 1398/05/05 در دادگاه کیفری اول تهران رسیدگی و در تاریخ 1398/05/05 در دادگاه تجدیدنظر تهران تجدیدنظرخواهی صورت گرفته است.</p>	
<p>30.1. این پرونده در تاریخ 250,000/- ریال در تاریخ 1398/05/05 در دادگاه کیفری اول تهران رسیدگی و در تاریخ 1398/05/05 در دادگاه تجدیدنظر تهران تجدیدنظرخواهی صورت گرفته است.</p>	<p>30. مجازات حبس و جزای نقدی</p>
<p>30.2. این پرونده در تاریخ 1398/05/05 در دادگاه کیفری اول تهران رسیدگی و در تاریخ 1398/05/05 در دادگاه تجدیدنظر تهران تجدیدنظرخواهی صورت گرفته است.</p>	
<p>30.3. این پرونده در تاریخ 1398/05/05 در دادگاه کیفری اول تهران رسیدگی و در تاریخ 1398/05/05 در دادگاه تجدیدنظر تهران تجدیدنظرخواهی صورت گرفته است.</p>	
<p>31.1. این پرونده در تاریخ 5 (پنج) درصد از مبلغ محکوم‌به در تاریخ 1398/05/05 در دادگاه کیفری اول تهران رسیدگی و در تاریخ 1398/05/05 در دادگاه تجدیدنظر تهران تجدیدنظرخواهی صورت گرفته است.</p>	<p>31. مجازات حبس</p>
<p>32.1. این پرونده در تاریخ 17-09 در تاریخ 1398/05/05 در دادگاه کیفری اول تهران رسیدگی و در تاریخ 1398/05/05 در دادگاه تجدیدنظر تهران تجدیدنظرخواهی صورت گرفته است.</p>	<p>32. دادخواست تجدیدنظرخواهی</p>
<p>32.2. این پرونده در تاریخ 18 در تاریخ 1398/05/05 در دادگاه کیفری اول تهران رسیدگی و در تاریخ 1398/05/05 در دادگاه تجدیدنظر تهران تجدیدنظرخواهی صورت گرفته است.</p>	

May 20, 2019

سومین شماره - 3

بخش تخصصی

بخش 1 - 1

موسسه تخصصی فناوری اطلاعات و ارتباطات ایران

#	موسسه تخصصی فناوری اطلاعات و ارتباطات ایران
1	<input type="checkbox"/> موسسه تخصصی فناوری اطلاعات و ارتباطات ایران (بخش 1)
موسسه تخصصی فناوری اطلاعات و ارتباطات ایران در زمینه‌های زیر فعالیت می‌کند:	
2	<input type="checkbox"/> موسسه تخصصی فناوری اطلاعات و ارتباطات ایران (بخش 2)
3	<input type="checkbox"/> مشاوره/تحقیق/آموزش/توسعه/سازماندهی/ارزیابی/تولید محتوا/تولید محتوا/تولید محتوا
4	<input type="checkbox"/> تخصصی فناوری اطلاعات (سومین شماره 4.1، 4.2، 4.3، 4.4)
5	<input type="checkbox"/> تخصصی فناوری اطلاعات (بخش 3)
6	<input type="checkbox"/> تولید محتوا/تحقیق/آموزش/توسعه/سازماندهی/ارزیابی/تولید محتوا/تولید محتوا/تولید محتوا
7	<input type="checkbox"/> تولید محتوا/تحقیق/آموزش/توسعه/سازماندهی/ارزیابی/تولید محتوا/تولید محتوا/تولید محتوا (2 دوره)
8	<input type="checkbox"/> هزینه تولید محتوا/تحقیق/آموزش/توسعه/سازماندهی/ارزیابی/تولید محتوا/تولید محتوا/تولید محتوا 3000.00 (مهره رسته برقرار نمی‌باشد)
موسسه تخصصی فناوری اطلاعات و ارتباطات ایران در زمینه‌های زیر فعالیت می‌کند:	
9	<input type="checkbox"/> موسسه تخصصی فناوری اطلاعات و ارتباطات ایران در زمینه‌های زیر فعالیت می‌کند: 5 تخصصی فناوری اطلاعات و ارتباطات (موسسه تخصصی 16.2.1 و تخصصی)
10	<input type="checkbox"/> تخصصی فناوری اطلاعات و ارتباطات ایران در زمینه‌های زیر فعالیت می‌کند: 2 تخصصی فناوری اطلاعات و ارتباطات (موسسه تخصصی 16.2.2 و تخصصی)
11	<input type="checkbox"/> تخصصی فناوری اطلاعات و ارتباطات ایران در زمینه‌های زیر فعالیت می‌کند: 3 تخصصی فناوری اطلاعات و ارتباطات (موسسه تخصصی 16.2.3 و تخصصی)
موسسه تخصصی فناوری اطلاعات و ارتباطات ایران در زمینه‌های زیر فعالیت می‌کند:	
13	<input type="checkbox"/> تخصصی فناوری اطلاعات و ارتباطات ایران در زمینه‌های زیر فعالیت می‌کند:
14	<input type="checkbox"/> مشاوره/تحقیق/آموزش/توسعه/سازماندهی/ارزیابی/تولید محتوا/تولید محتوا/تولید محتوا
15	<input type="checkbox"/> مشاوره/تحقیق/آموزش/توسعه/سازماندهی/ارزیابی/تولید محتوا/تولید محتوا/تولید محتوا
16	<input type="checkbox"/> تولید محتوا/تحقیق/آموزش/توسعه/سازماندهی/ارزیابی/تولید محتوا/تولید محتوا/تولید محتوا

May 20, 2019

עמוד 2 -

חשבון הכנסות

1. חשבון הכנסות	
1.1	כנסות
1.2	הכנסות
2. חשבון הכנסות	
2.1	הכנסות
2.2	הכנסות
3. חשבון הכנסות	
3.1	הכנסות
	הכנסות
	הכנסות
3.2	הכנסות
3.3	הכנסות (הכנסות)
4. חשבון הכנסות	
4.1	הכנסות
4.2	הכנסות
4.3	הכנסות
5. חשבון הכנסות	
	הכנסות
	הכנסות
	הכנסות
	הכנסות

May 20, 2019

4 - ضمیمہ

پاکستان کے لیے سرمایہ کاری کی سہولتوں کی فراہمی کے لیے

....Name or Letterhead of The Business Entity: (Sole Proprietorship / Partnership / Corporative Society / etc).....

**Income Statement
For the Year Ended December 31, 20..**

	MVR	MVR
Revenues:		
Category 1	-	
Category 2	-	
<i>*add more categories if required</i>	-	
Total Revenues		-
Expenses:		
Category 1	-	
Category 2	-	
<i>*add more categories if required</i>	-	
Total Expenses		-
NET INCOME (Total Revenues subtracted from Total Expenses)		-

Name of the Authorized Signatory:

Authorized Signature:

Note: This Income Statement must be completed and submitted by Bidders except the Companies registered under the Companies Act (10/96). Companies are required to submit the Financial Statements as indicated in part 16.2.2 of this document.

May 20, 2019

අංක 4 - වැඩපිටි ප්‍රකාශන

අංක 4.1: වැඩපිටි ප්‍රකාශන

UPGRADING ISLAND WASTE MANAGEMENT CENTER - AA. MATHIVERI
Bill of Quantities

No	Item	Unit	Quantity	Rate	Amount
1	Preliminaries				
1.1	Mobilization to site	LS	1		-
1.2	Site management cost including set up of temporary services for contractor's services as maybe necessary	LS	1		-
1.3	Setup sign board on site	LS	1		-
1.4	Clean up site upon completion of works	LS	1		-
1.5	Demobilization	LS	1		-
2	Demolition				
2.1	Demolition and disposal of boundary wall for construction of full height wall as shown in drawing (note:- foundation of boundary wall to be kept intact)	LS	1		-
3	Earth works				
	Allow for all excavation work for foundations as follows				
3.1	Foundation pads F1	m3	0.22		-
3.2	Levelling and compaction of ground for RC slab	m2	11.80		-
3.3	Levelling and compaction of ground for sorting slab	m2	75.00		-
4	Concrete works				
4.1	Casting of F1	m3	0.22		-
4.2	Casting of 75 thk RC slab	m3	0.89		-
4.5	50 mm lean concrete below F1	m3	0.03		-
	Outdoor concrete sorting slab	m3	7.5		-
	Casting of indoor sorting platform	m3	0.8		-
5	Reinforcement				
	Rate shall include all cuts, laps and tying rebars with binding wires				
5.1	Ground slab - R6 bars	tons	0.05		-

May 20, 2019

5.2	Outdoor sorting slab	ton s	0.50		-
5.3	Indoor sorting platform - T10 bars	ton s	0.10		-
6	Formwork				
	Rate shall include all cuts, joints, trims fixing timber framing members				
6.1	Footings F1	m2	4.32		-
6.2	75thk RC slab	m2	1.50		-
6.3	Outdoor sorting slab	m2	5.25		-
6.4	Indoor sorting platform	m2	9.20		-
7	Masonry works				
	150mm thick walls				
7.1	Sorting area	m	7.18		-
7.2	Proposed new machine room	m	7.21		-
8	Plastering works				
	150mm thick walls				
8.1	25mm plastering on walls of Sorting area	m2	55.78		-
8.2	25mm plastering on walls of proposed new machine room	m2	32.76		-
9	Structural steel works				
9.1	Provide 76.2 x 3.2 CHS pipes to fix roof of sorting area. Rate shall include all cuts, welds and applying of protective coating for welded joints and setting up of the pipes	m	15.4		-
9.2	Provide 48.3 x 3.2 CHS pipes as shown on drawing. Rate shall include all cuts, welds and applying protective coating on welded joints	m	14.19		-
10	Painting works				
10.1	Applying primer and 2 paint coats on walls of sorting area - GREY colour	m2	55.78		-
10.1	Applying primer and 2 paint coats on walls of proposed new machine room - GREY colour	m2	32.76		-
10.2	Applying epoxy paint coating on all metal surfaces - GREY colour	LS	1		-
11	Electrical works				

May 20, 2019

16.1.4	Concrete works					-
16.1.5	Reinforcement					-
16.1.6	Formwork					-
16.1.7	Masonry works					-
16.1.8	Plastering works					-
16.1.9	Structural steel works					-
16.1.1 0	Painting works					-
16.1.1 1	Electrical works					-
16.1.1 2	Doors and windows					-
16.1.1 3	Roofing					-
16.1.1 4	Others					-
16.2	<u>Omissions</u>					
16.2.1	Preliminaries					-
16.2.2	Site clearance					-
16.2.3	Eathworks					-
16.2.4	Concrete works					-
16.2.5	Reinforcement					-
16.2.6	Formwork					-
16.2.7	Masonry works					-
16.2.8	Plastering works					-
16.2.9	Structural steel works					-
16.2.1 0	Painting works					-
16.2.1 1	Electrical works					-
16.2.1 2	Doors and windows					-
16.2.1 3	Roofing					-
16.2.1 4	Others					-

TOTAL
L

-

May 20, 2019

අංක 4.2 : ප්‍රධාන කාර්ය සඳහා නිර්දේශිත මුදල් ප්‍රතිපත්ති

UPGRADING ISLAND WASTE MANAGEMENT CENTER - AA. MATHIVERI

Bill of Quantities
SUMMARY SHEET

Bill No	Item	Amount
1	Preliminaries	
2	Site clearance	
3	Earth works	
4	Concrete works	
5	Reinforcement	
6	Formwork	
7	Masonry works	
8	Plastering works	
9	Structural steel works	
10	Painting works	
11	Electrical works	
12	Doors and windows	
13	Roofing works	
14	Others	
15	Additions and omissions	
Sub Total		-
GST 6%		-

May 20, 2019

ඡායාරූප 4.5: පර්යේෂණ මධ්‍යස්ථානයේ පර්යේෂණ වාර්තාව



ඡායාරූප 4.6: පර්යේෂණ මධ්‍යස්ථානයේ පර්යේෂණ වාර්තාව

May 20, 2019

Working Site

The site should be kept clean during the construction work period and should be thoroughly cleaned once the works are completed. Works should be carried out on site in a safe manner to all the workers on site and the people living in the vicinity of site. Disturbance to the neighborhood should be kept to a minimum. Electricity and water supply to the site, during construction period, should be provided by the contractor

Concrete

Cement conforming to BS12 standards should be used for all concrete, masonry and plastering works. The cement intended for use should be fresh and should not have any traces of hardened cement in the bag.

1. All concrete works should be done using one brand of cement
2. Sand and aggregate used for concrete works should be well graded.
3. Concrete should be mixed in the ratio 1:2:3 which are 1 part cement, 2 parts sand and 3 parts aggregate.
4. All foundations should be cast on a lean concrete layer. The lean concrete should be placed on well compacted ground.
5. Concrete should be mixed using a concrete mixer. Concrete should not be mixed by hand. When pouring concrete into the formwork, the mix should be compacted using a mechanical vibrator.
6. Aggregate used for concrete works should not be larger than 20mm.
7. Sand and aggregate used for concrete works should be clear from dust, mud and other debris.
8. All reinforcement bars used for the concrete works should be free from rust and grease that could weaken the bonding between the reinforcement bar and the concrete. Care should be taken to use continuous bars rather than short segments joined by laps.

Masonry Works

1. All masonry work should be done using Cement confirming to BS12 standards.
2. Masonry blocks should be made from imported sand or local white sand sourced from a permitted sand borrow area. The sand should be free from organic matter and other debris.
3. Masonry blocks should be made from mortar mixed at 1:5 ratio with 1 part cement to 5 part sand.
4. Average size of sand particles should not exceed 5mm.

Plastering Works

1. All plastering work should be done using Cement confirming to BS12 standards.
2. Plaster mix should be made from imported or local sand white sand sourced from a permitted borrow area. The sand should be free from organic matter and other debris.
3. Plaster mix should be made by mixing Cement and Sand at a ratio of 1:3 with 1 part Cement to 3 part Sand.
4. Average size of sand particles should not exceed 5mm.

Structural Steel work

1. All steel pipes obtained for the work should be new pipes and free from rust.
2. Thickness of pipes should not be less than 2.5mm

Electrical works

All materials used for electrical wiring should comply with MEA standards.

Roofing works

1. All materials used for roofing work should be newly purchased for the project.
2. All screws or bolts used for roof fixing should be G-I or Zinc finish screws.