



ދަލުދަލު 2: ބަލުދަލު ބަލުދަލު (ބަލުދަލު ބަލުދަލު) ބަލުދަލު

WHEREAS,[name of Bidder] (hereinafter called “the Bidder”) has submitted his Bid for the Project no.....issued by the Maldives Inland Revenue Authority onfor construction of[name of Contract] (hereinafter called “the Bid”).

KNOW ALL PEOPLE by these presents that We [name of Bank] of [name of country] having our registered office at (hereinafter called “the Bank”) are bound unto[name of Purchaser] (hereinafter called “the Purchaser”) in the sum of * for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of20.....

THE CONDITIONS of this obligation are:

- (1) If, after Bid opening, the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid; or
- (2) If the Bidder having been notified of the acceptance of his Bid by the Purchaser during the period of Bid validity:
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instruction to Bidders; or
 - (c) does not accept the correction of the Bid Price pursuant to Clause 27,

* The Bidder should insert the amount of the Guarantee in words and figures denominated in Maldivian Rufiyaa. This figure should be the same as shown in Clause 16.1 of the Instructions to Bidders.

we undertake to pay to the Purchaser up to the above amount upon receipt of his first written demand, without the Purchaser’s having to substantiate his demand, provided that in his demand the Purchaser will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE..... SIGNATURE OF THE BANK

WITNESS SEAL

[signature, name, and address]



ޔަދުވަވުމުގެ 3: ސަސާރަ ސަޖަދުގެ ބަލަވާ

LOT 1: DSLR Camera (Canon EOS R5)	
Required Items	DSLR Camera (Canon EOS R5)
Quantity	1
Details	
AF Modes	Stills: One-Shot AF, Servo AF, AI Focus AF (with Scene Intelligent Auto), Manual Movie recording: One-Shot AF, Movie Servo AF, Manual
AF Point Selection	Automatic selection, Manual selection
AF System Points	Stills: Max. 5,940 selectable AF point positions / Up to 1,053 AF areas (auto selection) Movie recording: Max. 4,500 selectable AF point positions / Up to 819 AF areas (auto selection)
Continuous Shooting Speed (Shots Per Sec) (Up To)	Mechanical shutter & Electronic 1st curtain: 12 Electronic shutter*: 20 *Lenses other than EF-S
Effective ISO	Stills: 100–51,200 (L:50, H:102,400) Movie: 100–25,600 (H:51,200) RAW & HDR PQ movies: 100–25,600 Canon Log movies: ISO 400–25,600 (H:51,200)
Exposure Compensation	±3 stops in 1/3-stop or 1/2-stop increments AEB: ±3 stops in 1/3-stop or 1/2-stop increments
Flash Modes	E-TTL II , Manual, Multi, Ext A, Ext M, CSP
Image Resolution	8192×5464 (JPEG L/RAW/C-RAW/HEIF), 5808×3872 (HEIF, JPEG M), 4176×2784 (HEIF, JPEG S1), 2400×1600 (HEIF, JPEG S2)
Movie Format	MP4, CRM
Shooting Modes	Stills: Scene Intelligent Auto, Flexible-priority AE, Program AE, Shutter-priority AE, Aperture-priority AE, Manual exposure, Bulb, Custom 1-3 Movie recording: Scene Intelligent Auto, Program AE,



	Shutter-priority AE, Aperture-priority AE, Manual exposure, Custom 1-3
Shutter Speed Range (Sec.)	Stills: Mechanical / Electronic 1st-curtain: 30 – 1/8000, Bulb Electronic: 0.5 – 1/8000 Movie recording: 1/8 – 1/4000
Silent Shutter	Available: Single / Continuous Shot
Still Image Format	JPEG, HEIF, RAW, C-RAW, RAW + JPEG, C-RAW + JPEG, RAW + HEIF, C-RAW + HEIF
Warranty	Minimum One Year Service (Manufacturing Faults)

Evaluation Criteria	
Price:	60%
Delivery	40%



LOT 2: Camera Lens	
Required Items	Camera Lens
Quantity	1
Details	
Focal Length	24-105 mm
Maximum and Minimum Aperture	f/2.8 - f/22
Lens Mount Type	RF Mount
Compatible Cameras	Canon EOS R-series, full-frame and APS-C (focal length equivalent to approx. 38.4-168mm when used on an APS-C camera)
Minimum Focusing Distance	0.45 m/1.48 ft. (at 24 mm), 0.45 m/1.48 ft. (at 105 mm)
Maximum Magnification	0.08x (at 24 mm), 0.29x (at 105 mm)
Field of View	24mm: approx. 16.0 x 10.7 in. (408 x 272mm); 105mm: approx. 4.8 x 3.2 in. (121 x 80mm)
Angle of View (Diagonal)	Approx. 84° - 23° 20'
Warranty	Minimum One Year Service (Manufacturing Faults)

Evaluation Criteria	
Price:	60%
Delivery	40%