


DOORS AND WINDOWS SCHEDULE

Scale 1:50

		W1		
				
E	LOCATION	GROUND FLOOR	LOCATION	GROUND FLOOR
	FRAME	ALUMINUM FRAME DOOR	Q	
	PANEL	ALUMINUM 60-80 MICRON POWDER COATING	FRAME	ALUMINIUM FRAME DOOR
	FINISH	ALUMINUM IN 60-80 MICRON POWDER COATING	PANEL	ALUMINUM IN 60-80 MICRON POWDER COATING
	HINGE	STAINLESS STEEL	FINISH	ALUMINUM IN 60-80 MICRON POWDER COATING
	LOCK	STATE MAKE	HINGE	STAINLESS STEEL
		NOTE		
		ALL MEASURMENTS TO BE CHECKED ON SITE	NOTE	3MM THICK SS KICK PLATE & PUSH PLATE ON BOTH SIDE,

NOTE:

ALL MEASUREMENTS TO BE CHECKED ON SITE BEFORE FABRICATION

GL = 4MM FROSTED GLASS

NOTE:

ALL MEASUREMENTS TO BE CHECKED ON SITE BEFORE FABRICATION
PROVIDE RC LINTEL ABOVE ALL DOOR/WINDOW UNITS NOT FIXED TO BEAMS
AND PROVIDE RC SILL BEAMS UNDER ALL WINDOW UNITS
ALL UNITS TO BE MADE OF TIMBER, PUTTY SMOOTHED AND FINISHED WITH ENAMEL PAINT AS SPECIFIED
(THE SLIDING PANEL FRAMES OF W2 TO BE MADE OF NATURAL ANODISED ALUMINIUM)