





2. ދަރަޚަވާލުގެ ގުޅުމުގެ ދަށުން / ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

• ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން:

35% ■ ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

60% ■ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

05% ■ ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގުޅުމުގެ ދަށުން

3. ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

3.1 10:45 ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

3.2 35% (ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން)

For Price: Lowest price ÷ Price on the proposal x percentage = Total % in price

3.3 60% (ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން)

For Duration: Shortest Duration ÷ Duration on the proposal x percentage = Total % in duration

3.4 05% (ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން)

2019 ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން 5 ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން 5 ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން 1 ގަޑިއަދުގެ ފަދަ ގުޅުމުގެ ދަށުން

(ގަޑި)







# ފުވިހާ 1



Ameene Magu, Maafannu, Male', 20392, Republic of Maldives

މަޖިލިސް ފުވިހާ، ފުވިހާ، 20392، ދިވެހިރާއްޖެ.



+ (960) 4004-700

+ (960) 4004-701

secretariat@planning.gov.mv



www.planning.gov.mv



www.facebook.com/PlanningMV

www.twitter.com/PlanningMV

## 150 VoIP Phone's Minimum Specifications

<b>Brand</b>	Grandstream (GXP)
<b>Gigabit Network Ports</b>	Dual-switched auto-sensing 10/100/1000mbps network ports
<b>POE</b>	Built-in PoE to power the device and give it a network connection
<b>HD Audio</b>	Yes, HD handset and speakerphone with support for wideband audio
<b>Zero Config</b>	Use with Grandstream's UCM series of IP PBXs for Zero Config provisioning
<b>Conference Call</b>	Audio conferencing for easy conference calls
<b>Protocols/Standards</b>	SIP RFC3261, TCP/IP/UDP, RTP/RTCP, HTTP/HTTPS, ARP/RARP, ICMP, DNS (A record, SRV, NAPTR), DHCP, PPPoE, SSH, TFTP, NTP, STUN, SIMPLE, LLDP-MED, LDAP, TR-069, 802.1x, TLS, SRTP
<b>LCD Display</b>	Yes
<b>Feature Keys</b>	3 line and 3 SIP accounts, 3 XML programmable context sensitive soft keys, 5 (navigation, menu) keys, 8 BLF keys, 13 dedicated function keys for MUTE, HEADSET, TRANSFER, CONFERENCE, SEND and REDIAL, SPEAKERPHONE, VOLUME, PHONEBOOK, MESSAGE, HOLD, PAGE/INTERCOM, RECORD, HOME
<b>Voice Codecs</b>	Support for G.711μ/a, G.722 (wide-band), G.723(pending), G.726-32, G.729 A/B, inband and out-of-band DTMF (In audio, RFC2833, SIP INFO)
<b>Telephony Features</b>	Hold, transfer, forward (unconditional/no-answer/busy), call park/pickup, conference, downloadable phone book (XML, LDAP, more than 100 records), call waiting, call history (more than 100 records), off-hook auto dial, auto answer, click-to-dial, flexible dial plan, personalized music ringtones, server redundancy & fail-over
<b>Headset Jack</b>	RJ9 headset jack (allowing EHS with Plantronics headsets)
<b>Base Stand</b>	Yes, 2 angled positions available, wall mountable
<b>Security Encryptions</b>	User and administrator level access control, HTTPS, TLS and SRTP security encryption technology to protect calls and accounts
<b>Multi-language</b>	Yes
<b>Upgrade/Provisioning</b>	Firmware upgrade via TFTP / HTTP / HTTPS, mass provisioning using TR-069 or AES encrypted XML configuration file
<b>Power</b>	Universal Power Supply Input 100-240VAC 50-60Hz; Output +5VDC, 600mAPoE: IEEE802.3 af Class 2, 3.84W-6.49W

