DETAILS R/C

SCALE: 1 : 25



F1



TIE BEAN (TB)



COLUMN (C1)



COLUMN (C2)



ROOF BEAM (RB)



LINTEL BEAM



SILL BEAM



MINIMUM 50MM COVER BELOW GROUND LEVEL	ALL BAR BENDING & OVERLAPS AS PER ACTUAL BS STANDARD.
MINIMUN 30MM COVER ABOVE GROUND LEVEL	

NOTE:
LINTEL BEAMS TO BE LAID ABOVE AND BELOW ALL WINDOWS AND ALL DOORS.

SHEET CONTENTS :

REVISION NOTES:

REVISED ON 14 OCT 2019.

PROJECT:
CONSTRUCTION OF HA. BAARAH HEALTH CENTER EXTENSION

CLIENT:
MINISTRY OF HEALTH

LOCATION:
HDH. HA. BAARAH

CONTENTS: *AS GIVEN*

PROJECT MANAGER:

DESIGNER: *ARIZ*

CIV/STR. ENGINEER:

SURVEYED BY: -

DRAWN BY: *ARIZ*

CHECKED BY:

DATE : *OCTOBER 2019*

SHEET NO. : /

ADMIN DIVISON
Ministry of Health
Roshanee Building
Sosun Magu'
Tel: 332 8887, Fax: 3328889