







PROPOSED  
CONSULTATION ROOM



# FOUNDATION PLAN




# ROOF BEAM PLAN



MINIMUM 50MM COVER BELOW GROUND LEVEL	ALL BAR BENDING & OVERLAPS AS PER ACTUAL BS STANDARD.
MINIMUM 30MM COVER ABOVE GROUND LEVEL	




# ROOF FRAMING PLAN



**ROOF PLAN**


4114.8



4114.8



3657.6




3657.6

CEILING PLAN



**ELECTRICAL LAYOUT**



SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION
	CEILING MOUNT LED LIGHT		WATER PROOF OUT DOOR WALL MOUNT LIGHT( with BW Light)
	1 x 13 AMP SOCKET OUTLET (200MM BELOW CEILING)		CEILING FAN
	4 x 13 AMP SOCKET OUTLET (1200MM ABOVE FFL)		
	1 x 15 AMP AC SOCKET OUTLET ( 300MM BLW, CEILING)		
	TWO GANG SWITCH		
	FAN DIMMER		
	EMERGENCY LIGHT		
	Data Network Socket		

NOTE: ALL ELECTRICAL WORKS SHALL BE CARRIED IN ACCORDANCE WITH MEC REGULATIONS AND USING CERTIFIED FITTINGS & FIXTURES.



IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE ACTUAL DIMENSIONS IN SITE BEFORE STARTING ANY WORKS. ANY DISCREPANCIES SHOULD BE REPORTED TO THE ENGINEER.

ALL WIRING SHALL BE DONE IN CONDUITS INSIDE WALLS.



# DOORS AND WINDOWS SCHEDULE

Scale 1:50

SYMBOL	D1	SYMBOL	W1
ELEVATION		ELEVATION	
LOCATION	GROUND FLOOR	LOCATION	GROUND FLOOR
QUANTITY	01 NOS	QUANTITY	01 NOS SLIDE DOOR
FRAME	TIMBER FRAME DOOR	FRAME	ALUMINIUM FRAME
PANEL	PLAN TIMBER PANNEL	PANEL	ALUMINIUM 60 MICRON POWDER COATING
FINISH	EMULSION PAINT FINISH	FINISH	ALUMINIUM IN 60 MICRON POWDER COATING
HINGE	STAINLESS STEEL	HINGE	STAINLESS STEEL
LOCK	STATE MAKE	LOCK	STATE MAKE
NOTE	ALL MEASUREMENTS TO BE CHECKED ON SITE	NOTE	ALL MEASUREMENTS TO BE CHECKED ON SITE

KEY: G.L. GLASS 5MM THICK FROSTED GLASS

NOTE:  
 ALL MEASUREMENTS TO BE CHECKED ON SITE BEFORE FABRICATION  
 PROVIDE RC LINTEL ABOVE ALL DOOR/WINDOW UNITS NOT FIXED TO BEAMS  
 AND PROVIDE RC SILL BEAMS UNDER ALL WINDOW UNITS  
 ALL UNITS TO BE MADE OF TIMBER, PUTTY SMOOTHED AND FINISHED WITH ENAMEL PAINT AS SPECIFIED  
 (THE SLIDING PANEL FRAMES OF W2 TO BE MADE OF NATURAL ANODISED ALUMINIUM)



