



މުޢާމާލާތަކުގެ ނަންބަރު

ސ.ލަޢަދު ތަޢާރުގެ ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި

06 ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި، 2026 ލަޢަދު، 12:00

މުޢާމާލާތަކުގެ ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި:

(I)288/2026/035 ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި

މުޢާމާލާތަކުގެ ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި:

13 ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި، 2026 ލަޢަދު، 13:00

28 ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި

ބަންދު ނަންބަރު 1

މި ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި ސ.ލަޢަދު ތަޢާރުގެ ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި

2026 ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި 28 ވަނަ ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި (I)288/2026/035 ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި

މަޢުލޫމާތު.

ބަންދު ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި 2

2.1 ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި ސ.ލަޢަދު ތަޢާރުގެ ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި، ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި

ސ.ލަޢަދު ތަޢާރުގެ ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި، ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި

ނަންބަރު ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި.

2.2 ޖެނެރަލް ޕްރޮސެކިއުޓަރުގެ އޮފީހުގެ ސަރުކާރުގެ ގެޒެޓް ގައި

(ސަފްޙާ 2 ވަނަ)





سرکار پنجاب کے لیے سولہ سو تیس ہزار روپے کی قیمت پر دو سو تیس ہزار لیٹر کی گنجائش والے ڈیزل ٹینک کی خریداری کی منظوری۔

Category	Specifications
General	
Type	Excavator
Recommended Brand/Model	Kobelco, JCB
Condition	Brand New
Year and Manufacture	2022 or later
Tonnage (Tons)	7-8 Tons
Working weight (Kg)	7,820 - 8,950 kg
Bucket Capacity (m ³)	0.28 - 0.35 m ³
Bucket Type	Backhoe Bucket
Dozer blade	Must include
Gradeability	58% (30°)
Shoe Width	≥ 450 mm
Tail Swing	≥ Short Radius (SR)
Engine	
Engine Fuel Type	Diesel
Rated power (kW/rpm)	52.3-53.7 kW (70-72 hp) @ 2,100 rpm
Cooling method	Water cooling
Number of cylinders	4 - 6
Displacement (L)	2 - 2.5L
Type	Direct injection, turbocharges, built-in intercooling
Maxium torque	200 N-m/1,600 min-1 or higher
Speed	





Travel Speed (km/h)	$\geq 2.7 / 5.0$ km/h
Hydraulic System	
Pump type & Pump info:	One variable displacement pump + gear pump
Cab & Control	
Cab features	All-weather, sound-suppressed steel cab mounted on the silicon-sealed viscous mounts and equipped with a heavy, insulated floor mat or similar
Control	Two hand levers and two-foot pedals for travel, Electric rotary-type engine throttle or similar
Oil/Fuel Capacity	
Fuel Tank (L)	120 L
Hydraulic Tank (L)	60 - 80
Engine Oil change (L)	10 - 20
Coolant (L)	8 - 15
Hydraulic system	Twin Variable Displacement Axial Piston Pumps
Dimensions	
Length (mm)	≥ 6.1 m
Width (mm)	≥ 2.3 m
Height (mm)	≥ 2.7 m
Track Gauge	≥ 1.85 m
Ground Clearance	≥ 350 mm
Working Ranges	



Max-digging reach (m)	≥ 6.35 m
Max-digging depth (m)	≥ 4.16 m (standard arm)
Max-digging height (m)	≥ 5.34 m
Min-swing radius (m)	≥ 11.5 rpm
Digging Force	
Arm length	1.5m - 2.0m
Bucket digging force	≥ 60.2 kN
Arm crowding	≥ 39.4 kN

Additional Spare/Tool Kit to be Delivered with the Vehicle (Standard Kit which comes with Excavator)

#	Descriptions	Quantity
	Parts Catalog	1
	Operator Manual	1
	Standard Tool kit	1
	2-3kg Grease pump	1

Key Features

- Rear, right, and left cameras with Eagle Eye View.
- Auto idle stop for fuel savings.
- Air-conditioned ROPS/FOPS cab.
- MERiT telematics monitoring system.

Suitable Applications

- Harbor and jetty construction
- Utility trenching
- Island infrastructure projects
- Road works
- Material handling
- Landscaping and dredging support



