



سندھ حکومت

گورنمنٹ آف سندھ: ڈسٹرکٹ پبلک ہیلتھ آفیسر، سندھ  
گورنمنٹ آف سندھ: 22PU-2026-G-17  
گورنمنٹ آف سندھ: (IUL)22-PU/22/2026/152  
گورنمنٹ آف سندھ: 02 جے ایچ 2026

ڈسٹرکٹ پبلک ہیلتھ آفیسر، سندھ، سندھ گورنمنٹ آف سندھ، سندھ گورنمنٹ آف سندھ  
ڈسٹرکٹ پبلک ہیلتھ آفیسر، سندھ







2. هغه څه چې د ښارونو او ولسوالۍ د پرمختګ لپاره دي

3. د ښارونو او ولسوالۍ د پرمختګ لپاره دي

4. د ښارونو او ولسوالۍ د پرمختګ لپاره دي

10. (ا) د ښارونو او ولسوالۍ د پرمختګ لپاره دي  
د ښارونو او ولسوالۍ د پرمختګ لپاره دي

(ب) د ښارونو او ولسوالۍ د پرمختګ لپاره دي  
د ښارونو او ولسوالۍ د پرمختګ لپاره دي

(س) د ښارونو او ولسوالۍ د پرمختګ لپاره دي  
د ښارونو او ولسوالۍ د پرمختګ لپاره دي

11. (ا) د ښارونو او ولسوالۍ د پرمختګ لپاره دي  
د ښارونو او ولسوالۍ د پرمختګ لپاره دي

(ب) د ښارونو او ولسوالۍ د پرمختګ لپاره دي  
د ښارونو او ولسوالۍ د پرمختګ لپاره دي

(س) د ښارونو او ولسوالۍ د پرمختګ لپاره دي  
د ښارونو او ولسوالۍ د پرمختګ لپاره دي

12. (ا) د ښارونو او ولسوالۍ د پرمختګ لپاره دي  
د ښارونو او ولسوالۍ د پرمختګ لپاره دي

(ب) د ښارونو او ولسوالۍ د پرمختګ لپاره دي  
د ښارونو او ولسوالۍ د پرمختګ لپاره دي

13. (ا) د ښارونو او ولسوالۍ د پرمختګ لپاره دي  
د ښارونو او ولسوالۍ د پرمختګ لپاره دي















### Specification for Attendance Machine

Item	Specification
<b>Brand:</b>	<b>Vendor must specify:</b>
<b>Model:</b>	<b>Vendor must specify:</b>
<b>User Capacity:</b>	1,500 users
<b>Face Capacity:</b>	1,500 faces
<b>Fingerprint Capacity:</b>	3,000 fingerprints
<b>Card Capacity:</b>	3,000 cards
<b>Record Capacity:</b>	150,000 logs
<b>Authentication:</b>	Face, Fingerprint, RFID Card (125 kHz)
<b>Display:</b>	4.3" LCD touch screen
<b>Recognition Speed:</b>	(≤ 0.2 sec per user)
<b>Recognition Distance:</b>	0.3 – 1.5 m
<b>Network:</b>	Ethernet (10/100 Mbps) and Wi-Fi
<b>Ports &amp; Interfaces:</b>	USB, Ethernet (RJ45), RS-485
<b>Power Supply:</b>	12 V DC
<b>Software:</b>	Software package with license must be included for managing attendance and access control
<b>License:</b>	License must be included and provided with the machine  - Users: Minimum 500
<b>Installation Type:</b>	Wall mounting
<b>Delivery and Installation:</b>	<ul style="list-style-type: none"> <li>- Site Surveying</li> <li>- Supply and installation of attendance machine (The attendance device should be configured to directly control the existing door lock installed)</li> <li>- Laying of required CAT6 cables</li> </ul>
<b>Warranty:</b>	1 year parts 1 year service









بیانات - 5		
پیشگی اخراجات کی رقمیں اور ان کے ساتھ ساتھ		
پیشگی اخراجات	پیشگی اخراجات کی رقمیں	پیشگی اخراجات کی رقمیں
75	$\frac{75}{75}$	75
10	$10 \times \frac{10}{10}$	10
5	$\frac{5}{5}$	5
10	20 ایجنڈے سے وابستہ ریسرچ کے ساتھ ساتھ 2 ایجنڈے سے	10
100		100

6 - قارئین

سروسز پرائیویٹ لمیٹڈ

Item	Specification
<b>Brand:</b>	<b>Vendor must specify:</b>
<b>Model:</b>	<b>Vendor must specify:</b>
<b>User Capacity:</b>	1,500 users
<b>Face Capacity:</b>	1,500 faces
<b>Fingerprint Capacity:</b>	3,000 fingerprints
<b>Card Capacity:</b>	3,000 cards
<b>Record Capacity:</b>	150,000 logs
<b>Authentication:</b>	Face, Fingerprint, RFID Card (125 kHz)
<b>Display:</b>	4.3" LCD touch screen
<b>Recognition Speed:</b>	(≤ 0.2 sec per user)
<b>Recognition Distance:</b>	0.3 – 1.5 m
<b>Network:</b>	Ethernet (10/100 Mbps) and Wi-Fi
<b>Ports &amp; Interfaces:</b>	USB, Ethernet (RJ45), RS-485
<b>Power Supply:</b>	12 V DC
<b>Software:</b>	Software package with license must be included for managing attendance and access control
<b>License:</b>	License must be included and provided with the machine  - Users: Minimum 500
<b>Installation Type:</b>	Wall mounting
<b>Delivery and Installation:</b>	<ul style="list-style-type: none"> <li>- Site Surveying</li> <li>- Supply and installation of attendance machine (The attendance device should be configured to directly control the existing door lock installed)</li> <li>- Laying of required CAT6 cables</li> </ul>
<b>Warranty:</b>	1 year parts 1 year service