




THINADHOO SCHOOL
GDH.Thinadhoo
Republic of Maldives

(ނަފުސު ތަލްވަތުގެ ފެންވަރު ފުރިހަމަކުރުމަށް ފޯމު ފުރިހަމަކުރުމަށް)

(IUL)GS-216/GS-216/2026/4 ދިވެހިސަރުކާރުގެ ގެޒެޓް

ތަޢާރު: 06 ޖުލައި 2026

ދިވެހިސަރުކާރުގެ ގެޒެޓް
ފޯމު ފުރިހަމަކުރުމަށް

1

1

1		1
1	1	1
	1.1	1
	1.1	1
	1.1	1
3	3.1	3
10	10.1	10
11	11.1	11
11	11.2	11
20	20.1	20
22	22.1	22

وَجَاءَ الْوَحْيُ بِأَنَّ الْوَحْيَ

- 2 of 17 سورة التوبة

سٺو سٺو - 3

ڪنٽرولر/ڊيڪلوريٽر/ڊيڪلوريٽر/ڊيڪلوريٽر

ڊيڪلوريٽر/ڊيڪلوريٽر

1. ٽائيمسٽوئر ڪنٽرولر BTU12000 ۽ 12 ٽائيمسٽوئر سٽو (ڪوئل ڊيڪلوريٽر) ٻنهي ٽائيمسٽوئر ٽائيمسٽوئر.

2. ٽائيمسٽوئر ڪنٽرولر ٽائيمسٽوئر ٽائيمسٽوئر ٽائيمسٽوئر ٽائيمسٽوئر.

Split AC Installation Guidelines

Split systems require separate indoor and outdoor units connected by refrigerant and electrical lines.

- **Indoor Unit Placement:**

- Maintain a minimum clearance of 6–8 inches (15–20 cm) from the ceiling to allow for proper airflow.
- Maintain a minimum clearance of 4.75 inches (12 cm) from the side walls to allow for proper airflow.
- Ensure the mounting bracket is slightly tilted (about 2–3 degrees) toward the drainpipe side to prevent indoor water leakage.
- It is not recommended to drill any structural elements (columns or beams) to install bracket. However, if drilling is unavoidable, drilling depth shall not exceed 25mm.

- **Outdoor Unit Placement:**

- Place the unit on a flat, stable surface (like a concrete pad or manufacturer recommended bracket) to minimize vibrations that can damage the compressor.
- Ensure a clearance of at least 12 inches (30 cm) from the back wall and 6.5 feet (2 meters) of open space in front of the air outlet.
- Maintain a minimum clearance of 24 inches (60cm) from the side walls to allow for proper airflow.
- Keep the unit in a shaded area away from direct sunlight to prevent overheating and maintain efficiency.

- **Connection & Sealing:**

- Drill the wall hole for lines at a downward angle toward the outside to facilitate water drainage.
- Vacuum the system for 15–40 minutes before operation to remove air and moisture from the copper tubes, which is critical for performance.

- **Power connection:**

- All sockets shall be of 15Amp and MCBs shall be upgraded accordingly. Electrical network to be upgrade if necessary or separate energy meter to be provided to cater for additional electrical loads
- All electrical wires and piping from indoor to outdoor units shall be routed through 4"x4" casing.

- **Plumbing:**

- All drains for ACs shall be connected to PVC down pipe routing all the way to ground or connected to rainwater down pipe to soak pits.

Note: All manufacturers' specifications for specific brand to be installed shall be followed.

2 - حُرُوفُ

وَمِنْهُمْ مَّنْ يَّسْتَفِیْهِمْ لَئِنْ أُتُوا بِهِ لَا يَصُدُّوهُ إِلَّا فَسَادًا ۚ وَكَذَٰلِكَ یُفْسَدُ أَكْثَرُ قَوْمٍ ۖ

[illegible]

زمرہ اولیٰ زمرہ دوم زمرہ سوم

2026 - ۱۴۰۷ هجری قمری

دې مکتوبونو ته د "مکتوبات" نوم ورکړل شوی دی.

2026 - ۱۴۰۷ هجری قمری

5 - **عَمْرُو**

تۆۋەنچۈ 36 (مەھسۇس رەنەم) دۆلەت ئىقتىسادىيەت تەتقىقاتى ئورگانى ئۆز ئىچىگە ئالغان دېھقانچىلىق ۋە ئاۋىياتسىيە تۆۋەنچۈ 36 (مەھسۇس رەنەم) دۆلەت ئىقتىسادىيەت تەتقىقاتى ئورگانى ئۆز ئىچىگە ئالغان دېھقانچىلىق ۋە ئاۋىياتسىيە (31 دېكابر 2026 ئى سېتىش)						
#	دۆلەت ئىقتىسادىيەت تەتقىقاتى ئورگانى	دۆلەت ئىقتىسادىيەت تەتقىقاتى ئورگانى	دۆلەت ئىقتىسادىيەت تەتقىقاتى ئورگانى	دۆلەت ئىقتىسادىيەت تەتقىقاتى ئورگانى	دۆلەت ئىقتىسادىيەت تەتقىقاتى ئورگانى	دۆلەت ئىقتىسادىيەت تەتقىقاتى ئورگانى

سرفہ:

- [illegible]

[illegible]16 of 17 سورة التوبة

Form of Bank Guarantee for Advance Payment

To:
[name & address of Purchaser]
.....
.....

[name of Contract]

Gentlemen:

In accordance with the provisions of the Conditions of Contract, of the above-mentioned Contract,[name and address of Supplier] (hereinafter called "the Supplier") shall deposit with [name of Purchaser] a Bank Guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of[amount of Guarantee][amount in words].

We, the
[Bank or Financial Institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to [name of Purchaser] on his first demand without whatsoever right of objection on our part and without his first claim to the Supplier, in the amount not exceeding * [amount of Guarantee] [amount in words].

We further agree that no change or addition to or other modification of the terms of the Contract or of Works to be performed there under or of any of the Contract documents which may be made between[name of Purchaser] and the Supplier, shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

* An amount is to be inserted by the Bank or Financial Institution representing the amount of the Advance Payment, in Maldivian Rufiyaa.

This Guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until[name of Purchaser] receives full repayment of the same amount from the Supplier.

Yours truly,

SIGNATURE AND SEAL:

NAME & ADDRESS OF BANK/INSTITUTION

