



سندھ حکومت

سربراہانِ سندھ و سربراہانِ سندھ کے محکمات اور اداروں کے سربراہان کے ناموں پر

سربراہانِ سندھ کے سربراہان: GS63-2026-VS-02

سربراہانِ سندھ کے سربراہان: (IUL)GS-63-AD/GS-63/2026/12

6 جنوری 2026

سربراہانِ سندھ

سربراہانِ سندھ، سربراہانِ سندھ

2026 ވަނަ އަހަރު

1- ސަރުކާރުގެ

ބޭނުން

| <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު</p> |
|---|--|---|
| <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: (IUL)GS-63-AD/GS-63/2026/12</p> | <p>1</p> |
| <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: GS63-2026-VS-02</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 23 ވަނަ އަހަރު 2026</p> | <p>(-)</p> |
| <p>1- ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>3</p> |
| <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>9</p> |
| <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>10</p> |
| <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>10</p> |
| <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>19</p> |
| <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>ބޭނުންކުރާ ފަރާތްތަކުގެ ނަންބަރު: 2026 ވަނަ އަހަރު ގައި ބަޔާންކޮށްފައިވާ ގޮތުން</p> | <p>21</p> |

רעזערווירט פאר די יארן 2026 פאר די יארן 2026.

(ס) ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

30. (א) ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

(ב) ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

(ג) ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

(ד) ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

(ה) ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

(ו) ארבעטסגעבער פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

31. (א) "אויסגעבער פאר די יארן 2026 פאר די יארן 2026."

פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

פאר די יארן 2026 פאר די יארן 2026.

- Ensure a clearance of at least **12 inches (30 cm)** from the back wall and **6-5 feet (2 meters)** of open space in front of the air outlet.
- Maintain a minimum clearance of **24 inches (60cm)** from the side walls to allow for proper airflow.
- Keep the unit in a **shaded area** away from direct sunlight to prevent overheating and maintain efficiency.

Connection & Sealing:

- Drill the wall hole for lines at a **downward angle** toward the outside to facilitate water drainage.
- **Vacuum the system for 15–40 minutes** before operation to remove air and moisture from the copper tubes, which is critical for performance.

Power connection:


- All sockets shall be of **15Amp** and MCBs shall be upgraded accordingly.
- Separate energy meter to be provided to cater for additional electrical loads.
- All electrical wires and piping from indoor to outdoor units shall be routed through **4"x4" casing**.
- For all AC installations, a new cable must be laid separately for AC works instead of upgrading the existing electrical network.
- 16mm foco cable should be used for New meter connection from outer box to meter.
- 10mm foco Cable should be used from the meter to the D-board.
- 2.5mm threeco cable should be used to from D-board to Classroom sockets.

Plumbing::

- All drains for ACs shall be connected to PVC down pipe routing all the way to ground or connected to rainwater down pipe to soak pits.

VEYMANDOO SCHOOL CHART

7/11/2025



6 - ބަލަވާ

އަދި ބަލަވާ ދެއްވާ ބޭނުންކުރާ ބަލަވާ

Form of Bank Guarantee for Advance Payment

To:
[name & address of Purchaser]
.....
.....

[name of Contract]

Gentlemen:

In accordance with the provisions of the Conditions of Contract, of the above-mentioned Contract,[name and address of Supplier] (hereinafter called “the Supplier”) shall deposit with [name of Purchaser] a Bank Guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of[amount of Guarantee][amount in words].

We, the [Bank or Financial Institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to [name of Purchaser] on his first demand without whatsoever right of objection on our part and without his first claim to the Supplier, in the amount not exceeding *..... [amount of Guarantee]..... [amount in words].

We further agree that no change or addition to or other modification of the terms of the Contract or of Works to be performed there under or of any of the Contract documents which may be made between[name of Purchaser] and the Supplier, shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any such change, addition, or modification.

* An amount is to be inserted by the Bank or Financial Institution representing the amount of the Advance Payment, in Maldivian Rufiyaa.

This Guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until[name of Purchaser] receives full repayment of the same amount from the Supplier.

Yours truly,

SIGNATURE AND SEAL:

NAME & ADDRESS OF BANK/INSTITUTION