

admin@mnu.edu.mv

سُوْرَةُ سُوْرَةِ - 1: هُوَ الَّذِي يُدْعَى الرَّسُوْدُ هُوَ الَّذِي

2026 03 03 40 12 12:00 17 10:00 3 2%	2026 03 03 40 12 12:00 17 10:00 3 2%	2026 03 03 40 12 12:00 17 10:00 3 2%	2026 03 03 40 12 12:00 17 10:00 3 2%
--	--	--	--

[illegible]

- [illegible]



10 وَفِي الْمَدِينَةِ بَنَاءٌ يُدْعَى الْحَرَامَ وَالْحَرَامُ الْبَيْتُ الْحَرَامُ

وَمِنْهُمْ مَّنْ يَّوْعِدُ غَيْرَ نَفْسِهِ إِذْ هُوَ قِوَامٌ عِندَ رَبِّهِ ۚ فَإِنَّ يَوْمَ يَكْفُلُ كُلُّ نَفْسٍ نَّفْسَهَا لَا يَتَذَكَّرُ لَهَا مَلَأَتْهُ مِنَ غَيْثٍ مِّنْ عَذَابٍ ۚ إِنَّ يَوْمَ تَكْفُلُ كُلُّ نَفْسٍ نَّفْسَهَا لَهَا يَوْمَ لَا يُخَفَّفُ عَنْهُمُ الْعَذَابُ فَذَرْهُمْ حَتَّىٰ يَبْعَثَ رَبِّي إِلَٰهًا مَّوْعِدًا ۚ

11 وَجَعَلَ سُلَيْمَانُ مِثْرًا لِّأَسَدٍ مِّثْرًا لِّأَسَدٍ

(۴)

(ع)

(f)

 (∞)

(ع)



اِنَّ قَوْلَهُمْ قَوْلًا مَّعْرُوفًا
 اِنَّ قَوْلَهُمْ قَوْلًا مَّعْرُوفًا
 اِنَّ قَوْلَهُمْ قَوْلًا مَّعْرُوفًا

25 (۱) اے قوسوں کو قرآن میں تہذیب کے رشتہ دار قرار دیا گیا ہے، ان کی قوسیں
قرآن میں ان کے لئے لکھی گئی ہیں۔ ان کے لئے لکھی گئی ہیں۔ ان کے لئے لکھی گئی ہیں۔
ان کے لئے لکھی گئی ہیں۔ ان کے لئے لکھی گئی ہیں۔

(د) ۲۵۰,۰۰۰ (تخړۍ)

(س) دىڭ قوشنىمە ئېرىش ئورۇنلىرى، دىڭ تۈزۈلۈشى، دىڭ ساقلاش يولى

45 (ئۆيىنىڭ ئورۇنلىرى) ئورۇنلىرى، دىڭ قوشنىمە ئېرىش ئورۇنلىرى، دىڭ تۈزۈلۈشى.

[illegible][illegible]

(۲) د دې سټوډنټونو د نومونو لړۍ په لاندې ډول ده: 18 کورنۍ

[illegible][illegible]

1

()

#	مۆھرىم	مۆھرىم مۆھرىم مۆھرىم مۆھرىم	مۆھرىم
1	مۆھرىم		
2	مۆھرىم		
3	مۆھرىم		
4	مۆھرىم		
5	مۆھرىم		
6	مۆھرىم		
7	مۆھرىم		
8	مۆھرىم		
9	مۆھرىم		
10	مۆھرىم		
11	مۆھرىم		
12	مۆھرىم		
13	مۆھرىم		
14	مۆھرىم		
15	مۆھرىم		
16	مۆھرىم		
17	مۆھرىم		

مۆھرىم

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

دەستخەت رەسمىي نەقشە قىلىنىدىغان ۋاقىت، ئىشلىتىش ۋاقتى، ۋە باشقا مەلۇماتلار

دەستخەت رەسمىي نەقشە قىلىنىدىغان ۋاقىت، ئىشلىتىش ۋاقتى، ۋە باشقا مەلۇماتلار		
ۋەقە نامى: _____ ۋەقە ئورنى: _____ ۋەقە ۋاقتى: _____		
مەلۇمات	مەلۇمات	مەلۇمات
مەلۇمات	مەلۇمات	مەلۇمات
20	1. (بۇ نەقشە قىلىنىدىغان ۋاقىت) 10 مىنۇت ئىچىدە تەييارلىنىشى كېرەك. (مەلۇمات ۋاقتى 02 مىنۇت)	
20	نەقشە قىلىنىدىغان ۋاقىت	
دەستخەت رەسمىي نەقشە قىلىنىدىغان ۋاقىت، ئىشلىتىش ۋاقتى، ۋە باشقا مەلۇماتلار سەھىپە: سەھىپە: سەھىپە: سەھىپە:		

دەستخەت رەسمىي نەقشە قىلىنىدىغان ۋاقىت، ئىشلىتىش ۋاقتى، ۋە باشقا مەلۇماتلار		
مەلۇمات	مەلۇمات	مەلۇمات
مەلۇمات	مەلۇمات	مەلۇمات
10	2- نەقشە رەسمىي نەقشە قىلىنىدىغان ۋاقىت، ئىشلىتىش ۋاقتى، ۋە باشقا مەلۇماتلار	
20	3- نەقشە رەسمىي نەقشە قىلىنىدىغان ۋاقىت، ئىشلىتىش ۋاقتى، ۋە باشقا مەلۇماتلار	
30	نەقشە قىلىنىدىغان ۋاقىت	

تصنيفات التقييم			
ملاحظات التقييم	ملاحظات التقييم	ملاحظات التقييم	ملاحظات التقييم

ملاحظات التقييم	ملاحظات التقييم
.....	
.....	
.....	

تصنيف التقييم

تصنيف التقييم 3 (ملاحظات التقييم) (ملاحظات التقييم) (ملاحظات التقييم) (05 تقييم)

20	20	20	20
تصنيف التقييم 3 (ملاحظات التقييم) (ملاحظات التقييم) (ملاحظات التقييم) (05 تقييم)			

تصنيف التقييم 15 (ملاحظات التقييم)

تصنيف التقييم 50% (ملاحظات التقييم)

تصنيف التقييم			
#	ملاحظات التقييم	ملاحظات التقييم	ملاحظات التقييم

تاریخ و وقت	تعداد و نام	تعداد و نام	تعداد و نام	تعداد و نام
(تاریخ و وقت)				
				1
				2
				3
				4
				5
				6
	جمع			
تعداد و نام (تعداد و نام) تعداد و نام (تعداد و نام)				
تعداد و نام (تعداد و نام) تعداد و نام (تعداد و نام)				

سُرَتِ رَکْعَتِ	دَسَکَرِ رَکْعَتِ مَوْسِمِ	رَکْعَتِ (مَرْکُزِ رَکْعَتِ)	دُورِ رَکْعَتِ (مَرْکُزِ رَکْعَتِ)	مَرْکُزِ رَکْعَتِ مَوْسِمِ
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

[illegible]

		مکتبہ:
تاریخ:		مکتبہ:
		مکتبہ:
		مکتبہ:

BID SECURITY FORMAT

The Issuing Bank shall fill in this Bank Guarantee Form in accordance with the instructions indicated.

_____ [Bank's Name, and Address of Issuing Branch or Office]

Beneficiary: _____ [Name and Address of Procuring Entity]

Date: _____

BID GUARANTEE No.: _____

We have been informed that [name of the Bidder] (hereinafter called "the Bidder") has submitted to you its bid dated (hereinafter called "the Bid") for the execution of [name of contract] under Invitation for Bids No. [Procurement Reference number] ("the IFB").

Furthermore, we understand that, according to your conditions, bids must be supported by a bid guarantee.

At the request of the Bidder, we [name of Bank] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [amount in figures] ([amount in words]) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder:

- (a) has withdrawn its Bid during the period of bid validity specified by the Bidder in the Form of Bid; or
- (b) having been notified of the acceptance of its Bid by the Procuring Entity during the period of bid validity, (i) fails or refuses to execute the Contract Form; or (ii) fails or refuses to furnish the performance security, if required, in accordance with the Instructions to Bidders.

This guarantee will expire: (a) if the Bidder is the successful Bidder, upon our receipt of copies of the contract signed by the Bidder and the performance security issued to you upon the instruction of the Bidder; or (b) if the Bidder is not the successful Bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of the Bidder's Bid.

Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 758.

[signature(s)]

PERFORMANCE GUARANTEE FORMAT

[The issuing bank, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated]

Date: *[insert date (as day, month, and year)]*

Title of the procurement: *[Insert general title of the procurement]*

Procurement Reference No: *[insert reference]*

Bank's Branch or Office: *[insert complete name of Guarantor]*

Beneficiary: *[insert complete name of Procuring Entity]*

PERFORMANCE GUARANTEE No.: *[insert Performance Guarantee number]*

We have been informed that *[insert complete name of Supplier]* (hereinafter called "the Supplier") has entered into Contract No. *[insert number]* dated *[insert day and month]*, *[insert year]* with you, for the supply of *[description of Goods and related Services]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a Performance Guarantee is required.

At the request of the Supplier, we hereby irrevocably undertake to pay you any sum(s) not exceeding *[insert amount(s)¹ in figures and words]* upon receipt by us of your first demand in writing declaring the Supplier to be in default under the Contract, without cavil or argument, or your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This Guarantee shall expire no later than the *[insert number]* day of *[insert month]* *[insert year]*,² and any demand for payment under it must be received by us at this office on or before that date. We agree to a one-time extension of this Guarantee for a period not to exceed *[six months]* *[one year]*, in response to the Procuring Entity's written request for such extension, such request to be presented to us before the expiry of the Guarantee.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded.

.....

[signatures of authorized representatives of the bank]

¹ The Bank shall insert the amount(s) specified in the SCC and denominated, as specified in the SCC, either in the currency(ies) of the Contract or a freely convertible currency acceptable to the Procuring Entity.

² Dates established in accordance with Clause 18.4 of the General Conditions of Contract ("GCC"), taking into account any warranty obligations of the Supplier under Clause 16.2 of the GCC intended to be secured by a partial Performance Guarantee.

BANK GUARANTEE FOR ADVANCE PAYMENT

[The bank, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated.]

Date: *[insert date (as day, month, and year)]*

Title of the procurement: *[Insert general title of the procurement]*

Procurement Reference No: *[insert reference]*

[Issuing bank's letterhead]

Beneficiary: *[insert legal name and address of Procuring Entity]*

ADVANCE PAYMENT GUARANTEE No.: *[insert Advance Payment Guarantee no.]*

We, *[insert legal name and address of bank]*, have been informed that *[insert complete name and address of Supplier]* (hereinafter called "the Supplier") has entered into Contract No. *[insert number]* dated *[insert date of Agreement]* with you, for the supply of *[insert types of Goods to be delivered]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, an advance is to be made against an advance payment guarantee.

At the request of the Supplier, we hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[insert amount(s)³ in figures and words]* upon receipt by us of your first demand in writing declaring that the Supplier is in breach of its obligation under the Contract because the Supplier used the advance payment for purposes other than toward delivery of the Goods.

It is a condition for any claim and payment under this Guarantee to be made that the advance payment referred to above must have been received by the Supplier on its account *[insert number and domicile of the account]*

This Guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until *[insert date⁴]*. We agree to a one-time extension of this Guarantee for a period not to exceed *[six months][one year]*, in response to the Procuring Entity's written request for such extension, such request to be presented to us before the expiry of the Guarantee.


This Guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458.

[signature(s) of authorized representative(s) of the bank]

³ The issuing bank shall insert the amount(s) specified in the SCC and denominated, as specified in the SCC, either in the currency(ies) of the Contract or a freely convertible currency acceptable to the Procuring Entity.

⁴ Insert the Delivery date stipulated in the Contract Delivery Schedule.

EQUIPMENT REQUIRED FOR NURSING ART LAB
including
MODELS & SIMULATORS

#	Item	Qty	Minimum requirement / specifications	Sample image	Other requirements
1	Laerdal Deluxe Difficult Airway Trainer Manikin	01	Oropharyngeal and nasopharyngeal airway insertion Endotracheal and right mainstem intubation Fiberoptic and lightwand intubation Needle or surgical cricothyrotomy Retrograde intubation Percutaneous transtracheal jet ventilation Bag-valve-mask ventilation Tracheal suctioning Airway Trainer Features: Manually inflatable tongue Simulates an obstructed airway and tongue edema Anatomically correct internal anatomy Can use manual maneuvers and mechanical devices Adult size Preferred brand:- laerdal		Installation and training is required

2	Laerdal Head Airway Section model	1	An easy-to-use model to demonstrate how a correct head tilt / chin lift opens the airway.		
3	Female Pelvis	1	Weight 1.11 kg Dimensions 26 x 18 x 25 cm Brand 3B Scientific		
4	complete intramuscular injection training set	1	This kit has the entire 3B Scientific suite of intramuscular injection simulators. Train how to locate the correct site for IM injections using realistic and anatomically accurate upper arm, buttock, and upper leg simulators. Feel and visualize the correct needle depth for IM injections to prevent bone contact in real patients. Brand 3B scientific		Installation and training is required

5	Blood pressure simulator	1	* Adjust pulse rate Select systolic and diastolic settings Adjust volume Turn auscultatory gap on or off Easily calibrate unit for use with any sphygmomanometer *Auscultate Korotkoff sounds with any stethoscope through a speaker in the arm Check palpable pulse at the radial site Pressures are activated at release valve Pump cuff Read pressures on sphygmomanometer Use normal procedure to place cuff on arm Weight 3.519 kg Dimensions 58.4 x 10.2 x 10.2 cm Brand 3B scientific		Installation and training is required
6	SUPER CHLOE™ S222.100 - Nursing Care Patient Simulator	2	SUPER CHLOE™ S222.100 is a fullbody, adult patient simulator/ designed for general nursing clinical skills training including IV/training, CPR, heart/lung auscultation, blood pressure reading,/ostomy care, catheterization, GYN exam, and more. The package includes our VS100 smart stethoscope and OMNI realtime CPR. brand-gaumard		

7	Life/form® Complete Ostomy Care Simulator [SKU: LF00895]	4	Life/form® Complete Ostomy Care Simulator [SKU: LF00895] The Life/form® Complete Ostomy Care Simulator is ideal for demonstration and practice of ostomy care procedures. The anatomy of the ostomies are carefully reproduced to provide lifelike functions and appearance. The skin is made of realistic, flesh-like material, and a soft, pliable material is used for the stomas in order to achieve the most realistic tactile sensation. Dilation of the stomas can be demonstrated and practiced, along with application of postoperative and permanent ostomy bags. Practice fitting, cleaning, and changing the pouching system. The simulator consists of three locations to place the interchangeable stomas (healthy stoma, double barrel stoma, prolapsed stoma, and necrotic stoma). The healthy and necrotic stomas can be irrigated and simulated stool can be pumped to provide drainage and excretion at the ostomy. There is a permanent, retracted stoma to practice ostomy care procedures on stomas sunk below skin level. Includes simulator, four stomas, simulated stools, adult ostomy bag, lubricant, syringe with tubing, base, gloves, and infected tissue roll.	 The image displays the components of the Life/form® Complete Ostomy Care Simulator. It includes a main flesh-colored simulator base with three stoma locations. Accompanying items are four interchangeable stoma models (one healthy, one double barrel, one prolapsed, and one necrotic), a roll of infected tissue, a pair of white gloves, an adult ostomy bag, a syringe with tubing, and a base for the simulator.	
---	--	---	---	---	--

8	Pregnancy examination model with heartbeat simulation	1	This fantastic model allows practice of examination using the 4 Leopold gestures, external pelvic measurement, auscultation of the foetal heartbeats and breast care. The abdominal wall consists of a special synthetic material, which conveys an entirely natural feel and reproduces the skin and underlying tissue very naturally. By adding or releasing air, the simulated quantity of amniotic fluid can be adapted to the desired conditions. Any modification of foetal position is possible. The simulated heartbeats can be modified in both rate and intensity. By means of exchangeable inserts, it is possible to simulate a smaller or larger birth canal. Brand-laedral		
9	Newborn Care- and Emergency Manikin	1	Full body manikin of a four week old newborn Basic neonatal care Positioning, hygiene (not for bathing practice) Palpation of the anterior fontanel Clamping, tying and cutting of the umbilical cord and care. Functional umbilical cord for catheterization and blood sampling Tube feeding (nasal and oral), confirmation of position by auscultation		

10	Super OB Susie	1	Execute cephalic deliveries Perform Ritgen's maneuver Practice breech deliveries (complete, frank, and footling) Perform Pinard's maneuver Simulate shoulder dystocia Practice emergency interventions including McRobert's maneuver, suprapubic pressure, posterior arm sweep, and Wood's Screw Perform placental and umbilical exercises (placental delivery, partial placenta previa, nuchal cord, cord prolapse, and many others) Practice Umbilical cord procedures like clamping and cutting Demonstrate internal rotation, expulsion, and external rotation Birthing Baby Perform operative deliveries with real instruments like vacuum suction delivery and forceps assisted delivery Simulate nasal and oral suctioning.		
11	Arterial Arm Stick Kit	6			

12	Basic Venipuncture Arm	7	The Basic Venipuncture Arm in light skin tone offers a simplified vein structure and skin-locking system for training in venipuncture, IV cannulation, and IV infusion. It features an anatomically correct male right arm, realistic skin, and a vein gripping mechanism, enabling training in blood flashback and digital pressure techniques. The skin locking mechanism ensures easy maintenance, while the palpable veins and a gravity-based blood supply system support effective learning.		
13	Dental Teeth Model	01	One model of the oral cavity Twenty-eight plastic teeth with metal screws. One crosshead mini screwdriver Preferred Brand: 3B scientific		

14	12-Lead Arrhythmia Simulator on Overlay System for Large Manikins, Zoll	1 2-Lead Arrhythmia Simulator on Overlay System for Large Manikins, Zoll Use on any medium- or large-sized manikin or simulator to change it into a 12-lead trainer. Pace and defibrillate directly on the overlay system connected to the interactive 12-lead ECG simulator, included with the overlay. You may purchase optional defibrillation training cables that allow you to have hands-free defibrillation simulation, with up to 360 joules, as well as electrical capture with your external pacer. The simulator capture key is used to select one of four preset pacing capture levels: 70, 80, 90 or 100mA. When the pacer current is greater than the selected capture level, paced beats will appear on your monitor. Waveforms for pacing include: Sinus Brady (two), 1st degree A-V block, 2nd degree type I A-V block, 2nd degree type II A-V block, 2nd degree type II A-V block with PVCs, and 3rd degree A-V block. Simulate cardioversion with your manual, semiautomatic, or automatic defibrillator. Waveforms for defibrillator training include: V. Fib, V. Tach (high rate), V. Tach (low rate), Torsade, A. Fib, A. Flutter, zPSVT, Sinus Tach, Sinus rhythm, Sinus rhythm with PVCs, and Asystole. Generate ST segment and T wave of abnormalities, including: Anterior MI, Inferior MI, Antero-Septal ST elevation, Anterior ST depression, Lateral ST elevation, and Inferior ST elevation. LEDs indicate: pacer pulse detection, defib discharge detection, and low battery. Defibrillation cables not included. Three-year warranty.		
----	--	---	---	--

•••••

•••••		
80	• ••••	•••••
20	• •••• • ••••	•••••
100	•••••	