

مَرَرْتُ بِمَقْبَرَتِهِ دَخِلْتُهَا وَنَظَرْتُ فِيهَا فَبَدَلْتُهَا
وَأُخْرَى، فَتَرَفُّوا بِمَقْبَرَتَيْهِ

	በዚህ መግቢያ ውስጥ የተገለጹት ስራዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡
3	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች
3.1	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡
3.2	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡
3.3	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡
3.4	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡
3.5	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡
3.6	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡
3.7	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡
3.8	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡
3.9	የሀገሪቱ ውስጥ የሚኖሩ ሰዎች በሀገሪቱ ውስጥ በሚኖሩ ሰዎች ላይ ብቻ የሚደረግ ሲሆን በሀገሪቱ ውጭ የሚኖሩ ሰዎች ላይ አይደረግም፡፡

[illegible]

6.3	ወጪዎች ለገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች 7 (ሰባት) ዓመታት ውስጥ ማግኘት ይገባል፡፡
6.4	ወጪዎች ለገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
6.5	ወጪዎች ለገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
6.6	ወጪዎች ለገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
6.7	ወጪዎች ለገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
7	ገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
7.1	ገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
8	ገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
8.1	ገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
8.2	ገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
8.3	ገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
9	ገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡
9.1	ገንዘብ ምንጭ ለመገኘት ለሚያስፈልጉት ስጦታዎች ውስጥ ማግኘት ይገባል፡፡

ክፍል 3 - የፍቃድ ደረጃ

3.1	የፍቃድ ደረጃ ፍቃድ ሰነድ ለፍቃድ ደረጃው የሚገባውን የፍቃድ ደረጃ 90 ቀን ውስጥ ለማሳካት ይገባል፡፡ የፍቃድ ደረጃው ለፍቃድ ደረጃው የሚገባውን የፍቃድ ደረጃ 90 ቀን ውስጥ ለማሳካት ይገባል፡፡ የፍቃድ ደረጃው ለፍቃድ ደረጃው የሚገባውን የፍቃድ ደረጃ 90 ቀን ውስጥ ለማሳካት ይገባል፡፡
3.2	የፍቃድ ደረጃ ፍቃድ ሰነድ ለፍቃድ ደረጃው የሚገባውን የፍቃድ ደረጃ 90 ቀን ውስጥ ለማሳካት ይገባል፡፡ የፍቃድ ደረጃው ለፍቃድ ደረጃው የሚገባውን የፍቃድ ደረጃ 90 ቀን ውስጥ ለማሳካት ይገባል፡፡ የፍቃድ ደረጃው ለፍቃድ ደረጃው የሚገባውን የፍቃድ ደረጃ 90 ቀን ውስጥ ለማሳካት ይገባል፡፡

፩ - 4 - ጥናት

ጥናት 1 - ለጥናትና ለጥናት

ለጥናትና ለጥናት ጥናትና ጥናት 10.46 ን (ወ) ለጥናትና ለጥናት ጥናትና ጥናት.

1. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
2. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
3. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
4. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
5. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
6. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
7. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
8. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
9. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
10. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
11. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
12. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
13. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
14. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.
15. ለጥናትና ለጥናት ጥናትና ጥናት ጥናትና ጥናት ጥናትና ጥናት.

نموذج 2 - ضمان ائتمان/ضمان ائتمان

Form of Tender Security (Bank Guarantee)

The Issuing Bank shall fill in this Bank Guarantee Form in accordance with the instructions indicated.

..... {Bank's Name, and Address of Issuing Branch or Office}

Beneficiary: {Name and Address of Employer}

Date:

TENDER GUARANTEE No.: _____

We have been informed that _____ {name of the Tenderer} (hereinafter called "the Tenderer") has submitted to you its Tender dated _____ (hereinafter called "the Tender") for the execution of _____ {name of contract} under Invitation for Tenders No. _____ ("the IFB").

Furthermore, we understand that, according to your conditions, Tenders must be supported by a Tender guarantee.

At the request of the Tenderer, we _____ {name of Bank} hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of _____ [amount in figures] (_____) [amount in words] upon receipt by us of your first demand in writing accompanied by a written statement stating that the Tenderer is in breach of its obligation(s) under the Tender conditions, because the Tenderer:

- (a) has withdrawn its Tender during the period of Tender validity specified by the Tenderer in the Form of Tender; or
- (b) having been notified of the acceptance of its Tender by the Employer during the period of Tender validity, (i) fails or refuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the performance security, in accordance with the ITB.

This guarantee will expire: (a) if the Tenderer is the successful Tenderer, upon our receipt of copies of the contract signed by the Tenderer and the performance security issued to you upon the instruction of the Tenderer; and (b) if the Tenderer is not the successful Tenderer, upon the earlier of (i) our receipt of a copy your notification to the Tenderer of the name of the successful Tenderer; or (ii) {insert date} twenty-eight days after the expiration of the Tenderer's Tender.

Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458

[Signature(s)]

مقدمه 3 - ضمانت اجرای عملکرد

Performance Security

[The issuing bank, as requested by the successful Contractor, shall fill in this form in accordance with the instructions indicated]

Date: [insert date (as day, month, and year)]

Title of the procurement: [Insert general title of the procurement]

Procurement Reference No: [insert reference]

Bank's Branch or Office: [insert complete name of Guarantor]

Beneficiary: [insert complete name of Employer/Procuring Entity]

Performance Guarantee No:

We have been informed that [name of the Contractor], (hereinafter called "the Contractor") has entered into Contract No. [procurement reference number of the Contract], dated [insert day and month], [insert year], with you, for the execution of [name of contract and brief description of Works] (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Contractor, we [name of the Bank] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [name of the currency and amount in figures] ¹.... (. . . . [amount in words]) such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or to show grounds for your demand or the sum specified therein.

This guarantee shall expire, no later than the day of , ², and any demand for payment under it must be received by us at this office on or before that date. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed[six months][one year], in response to the Employer's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded.

.....
[Seal of Bank and Signature(s)]

Note –

All italicized text is for guidance on how to prepare this demand guarantee and shall be deleted from the final document.

¹ The Guarantor shall insert an amount representing the percentage of the Contract Price specified in the Contract and denominated either in the currency (ies) of the Contract or a freely convertible currency acceptable to the Employer.

² Insert the date twenty-eight days after the expected completion date. The Employer should note that in the event of an extension of the time for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

ضمان الدفع مقدماً - 4 -

Advance Payment Security

[The bank, as requested by the successful Contractor, shall fill in this form in accordance with the instructions indicated.]

Date: [insert date (as day, month, and year)]

Title of the Procurement: [Insert general title of the procurement]

Procurement Reference No: [insert reference]

[Issuing bank's letterhead]

Beneficiary: [insert legal name and address of Procuring Entity]

ADVANCE PAYMENT GUARANTEE No.: [insert Advance Payment Guarantee no.]

Advance Payment Guarantee No:

We have been informed that [name of the Contractor] (hereinafter called "the Contractor") has entered into Contract No..... [procurement reference number of the Contract], dated [insert day and month], [insert year] with you, for the execution of [name of contract and brief description of Works] (hereinafter called "the Contract").

Furthermore, we understand that, according to the Conditions of the Contract, an advance payment in the sum [name of the currency and amount in figures] ¹ (..... [amount in words]) is to be made against an advance payment guarantee.

At the request of the Contractor, we [name of the Bank]. hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [name of the currency and amount in figures]* (..... [amount in words]) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation under the Contract because the Contractor used the advance payment for purposes other than the costs of mobilization in respect of the Works.

It is a condition for any claim and payment under this guarantee to be made that the advance payment referred to above must have been received by the Contractor on its account number[Contractor's account number]. at [name and address of the Contractor's Bank].

The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as indicated in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that eighty (80) percent of the Contract Price has been certified for payment, or on the day of ², whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months][one year], in response to the Employer's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458.

..... [Seal of Bank and Signature(s)].

Note

All italicized text is for guidance in preparing this demand guarantee and shall be deleted from the final document.

¹ The Guarantor shall insert an amount representing the amount of the advance payment denominated either in the currency(ies) of the advance payment as specified in the Contract, or in a freely convertible currency acceptable to the Employer.

² Insert the expected expiration date of the Time for Completion. The Employer should note that in the event of an extension of the time for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee

تجربہ فرم - 5 - ذیل سے پیش کردہ (2 - 2) کے لئے

Annex:5					
Company Name:					
Experience Form: Announcement- 57-T/U/2026/33					
Scope:	Supply of UPS, Network and IT Equipments				
#	Project Name	Client Name	Project cost	Project Date	For Official Use
1					
2					
3					
4					
5					
6					
7					
....					

Note: Copy of reference letters should be attached

عَمْرُو 6 - سَمْعَانُ بْنُ سُلَيْمَانَ بْنِ سُلَيْمَانَ (سَمْعَانُ - 3) عَمْرُو

Procurement of High-Rate VRLA Batteries

BIDDER DETAILS

BUSINESS NAME:

CONTACT NO:

EMAIL ADDRESS:

SIGNATURE / STAMP:

BATTERY REQUIREMENTS		QTY	PROPOSED SPECIFICATION
Model	CSB UPS12460 F2FR		
Application	High-rate discharge for online UPS / standby float service		
Chemistry	Valve-regulated lead-acid, AGM, sealed and maintenance-free		
Nominal voltage	12 VDC per battery		
5-minute power rating	Minimum 460 W per battery to 9.60 V at 25°C		
5-minute watts/cell	Minimum 74.00 W/cell to 1.67 VPC at 25°C		
15-minute watts/cell	Minimum 36.83 W/cell to 1.67 VPC at 25°C		
Dimensions (L x W x H)	150.9 ± 2.0 x 64.8 ± 1.0 x 98.6 ± 1.0 mm		
Terminal	F2 / Faston Tab 250, 6.35 mm top terminal; identical polarity and layout		
Approximate weight	2.50 kg per battery; the bidder shall state the actual weight		
Internal resistance	Approximately 16.60 mΩ or lower when new and fully charged		
Maximum discharge current	At least 130 A for 5 seconds		
Maximum charge current	3.80 A or manufacturer-approved equivalent compatible with UPS charging		
Float charging voltage	13.5–13.8 VDC per battery at 25°C		
Equalization/cycle voltage	14.4–15.0 VDC per battery at 25°C		
Container material	Flame-retardant ABS meeting UL 94 V-0; FR version is mandatory		
Design life	Up to 5 years standby service at 25°C; EUROBAT 3–5 years or better		
Operating temperature	Discharge: –15 to 50°C; charge/storage: –15 to 40°C, or wider		
Standards	IEC 61056-1/2:2012 and UL 1989 recognition, or current equivalent evidence		
Warranty	The supplier shall provide a minimum 12-month replacement warranty from the date of delivery, or the manufacturer’s standard warranty if longer.		

UNIT PRICE

TOTAL

GST

GRAND TOTAL



UPS Series

UPS 12460 Datasheet

12V Top Terminal VRLA-AGM

Specifications

Voltage (Vdc)	12
Nominal Capacity (9.60V per PCS @ 25°C)	460W @5min-rate
Watts Per Cell (30-Sec 1.67 VPC @ 25°C)	--
Watts Per Cell (5-Min 1.67 VPC @ 25°)	74.00
Watts Per Cell (15-Min 1.67 VPC @ 25°)	36.83
Max Charge Current (A)	3.80
Max Discharge Current (A)	130
Short Circuit Current (A)	450
Internal Resistance (mΩ)	Approx. 16.60
Terminal Type	F2 terminal -Faston Tab 250
Terminal Torque	--
Container Material	ABS (UL 94-HB) & Flame Retardant (94-V0) available upon request
Weight (kg. / lb., Approx.)	2.50 / 5.51
Length (L) (mm / in)	150.9±2.0 / 5.94±0.08
Width (W) (mm / in)	64.8±1.0 / 2.55±0.04
Height (H) (mm / in)	98.6±1.0 / 3.88±0.04
Design Life	Up to 5 Years in Standby Service at 25°C Eurobat (20°C): 3-5 Years Standard Commercial Nominal: 25°C (77°F) Discharge: -15°C - 50°C (5°F-122°F) Charge/Storage: -15°C - 40°C (5°F - 104°F)
Operating Temperature	
Float Charging Voltage	13.5 - 13.8 Vdc/battery 25°C (77°F)
Eq. Charging Voltage	14.4 - 15.0 Vdc/battery 25°C (77°F)
Self-Discharge	Less than 10% after 90 days, can be stored up to 6 months at 25°C (77°F); Fully recharging is required before usage, and charged sooner if stored at higher temperature than 25°C (77°F).



Valve Regulated Lead Acid
(VRLA) Battery

Maintenance-Free, Absorbent
Glass Mat (AGM) Technology for
Efficient Gas Recombination of
up to 99%

Pure Lead Construction and
Proprietary Elements

Designed for High-Rate UPS,
Float Service Standby Power
Applications

Built in Accordance with IEC
61056-1/2:2012 and UL1989
Recognized (MH14533)





UPS Series

UPS 12460 Datasheet


12V Top Terminal VRLA-AGM

Constant Current Discharge Characteristics Unit: A (25°C, 77°F)




F.V/Time	2MIN	4MIN	5MIN	6MIN	8MIN	10MIN	15MIN	20MIN	30MIN	45MIN	60MIN	90MIN
10.02V (1.67 VPC)	69.5	50.0	43.4	38.7	31.7	26.9	19.7	15.7	11.5	8.33	6.63	4.78
10.50V (1.75 VPC)	60.5	45.1	39.9	35.6	29.8	25.4	19.0	15.3	11.3	8.19	6.52	4.72
10.80V (1.80 VPC)	53.8	41.1	36.5	33.0	27.8	24.0	18.2	14.7	11.0	7.98	6.38	4.62

Constant Power Discharge Characteristics Unit: W (25°C, 77°F)

F.V/Time	2MIN	4MIN	5MIN	6MIN	8MIN	10MIN	15MIN	20MIN	30MIN	45MIN	60MIN	90MIN
10.02V (1.67 VPC)	673	500	444	400	338	291	221	178	132	96.3	77.0	56.2
10.50V (1.75 VPC)	605	462	414	378	321	280	215	175	130	95.4	76.4	55.7
10.80V (1.80 VPC)	555	429	387	356	303	266	207	168	128	93.6	75.1	54.7



Detail A Drawing(3:1)



ገጽ 7 - የሚጠየቅ የሥራ ሪፖርት

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



የሕክምናና የህይወት ጥገና ሚኒስቴር

የሪፖርት መለያ: 557-T/IU/2026/33

የሪፖርት ቀን: 04 ጳጉሜ 2026

የሚጠየቅ የሥራ ሪፖርት

የሚጠየቅ የሥራ ሪፖርት ዓላማ:

የሕክምናና የህይወት ጥገና ሚኒስቴር የሥራ ሪፖርት ማረጋገጥና ማረጋገጫ

የሚጠየቅ የሥራ ሪፖርት ዓላማ:

ሪፖርት ማድረግ ያለበት የሥራ ሪፖርት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ

ሪፖርት ማድረግ ያለበት የሥራ ሪፖርት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ

የሥራ ሪፖርት	የሥራ ሪፖርት	የሥራ ሪፖርት	የሥራ ሪፖርት	የሥራ ሪፖርት
(የሥራ ሪፖርት)	(የሥራ ሪፖርት)	የሥራ ሪፖርት	የሥራ ሪፖርት	የሥራ ሪፖርት
		60	90 ሰዓት	High -Rate VRLA UPS Batteries

የሥራ ሪፖርት ማድረግ ያለበት የሥራ ሪፖርት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ

የሥራ ሪፖርት ማድረግ ያለበት የሥራ ሪፖርት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ

የሥራ ሪፖርት ማድረግ ያለበት የሥራ ሪፖርት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ

የሰነድ ዓይነት	የሰነድ ቁጥር	የሰነድ ስም
የሰነድ ዓይነት	(✓)	የሰነድ ስም
		1 የሰነድ ዓይነት ስም (የሰነድ-6)
		2 የሰነድ ዓይነት ስም (የሰነድ-90 የሰነድ ዓይነት ስም)
		3 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		4 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		5 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		6 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		7 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		8 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		9 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		10 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		11 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		12 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		13 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)
		14 የሰነድ ዓይነት ስም (የሰነድ ዓይነት ስም)

የሰነድ ዓይነት ስም:

የሰነድ ዓይነት ስም:

የሰነድ ዓይነት ስም: