



# **INFORMATION SHEET FOR PROCUREMENT OF 2 TON SEWERAGE SUCTION AND WATER JETTING TRUCK**

**Reference No.: FNK-I/IUL/2026/119**

Issued on 13<sup>th</sup> August 2026

Issued by:

Fenaka Corporation Limited

Male', Republic of Maldives

## Section I: Instruction to Bidders

| A. General                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1. Scope of Bid</b>          | <p>1.1 Fenaka Corporation Limited requests quotations of 2 Ton sewerage suction and water jetting truck in accordance with Section III: Bid Document, and all bidders are required to submit quotations in full conformity with these specifications.</p> <p>1.2 Fenaka Corporation Limited reserves the right to cancel this bid invitation, at any stage prior to award, if deemed to be in the best interest of the Company. In such an event, bidders will be formally notified in writing.</p>                                                                                                                                                                                                |
| <b>2. Eligible Participants</b> | <p>2.1 The Participants shall hold a manufacturer's authorization letter or a manufacturer's distributorship certificate for participation in this bid.</p> <p>2.2 Local bidders must be legally registered in the Maldives and shall provide a valid company registration certificate, GST registration certificate, and a current tax clearance certificate.</p> <p>2.3 Foreign bidders must be legally registered in their country of origin and shall provide official company registration documents issued by the relevant government authority. All company registration documents submitted by foreign bidders must be notarized by a licensed Public Notary in the country of origin.</p> |
| B. Preparation of the Bid       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>3. Bid Prices</b>            | <p>3.1 Bidders shall clearly state both the unit price of each item and the overall total price in their quotation.</p> <p>3.2 Bidders must submit quotations for all items listed in Section III: partial or incomplete bids will not be accepted.</p> <p>3.3 All bids shall be quoted on a CIF Male' Port basis, inclusive of all applicable duties, taxes, and charges up to delivery at Male' Port.</p>                                                                                                                                                                                                                                                                                        |
| <b>4. Currency</b>              | <p>4.1 Local bidders shall quote prices entirely in Maldivian Rufiyaa (MVR). Foreign bidders shall quote their prices entirely in United States Dollars (USD). For evaluation purposes, all foreign currency quotations shall be</p> <p>4.2</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                        | converted into Maldivian Rufiyaa (MVR) at the official exchange rate published by the Maldives Monetary Authority (MMA) on the date of bid submission.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>5. Alternative Bids</b>             | 5.1 Each bidder shall submit only one (1) bid in response to this tender. Submission of multiple or alternative bids by the same bidder will not be accepted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>6. Validity of Bids</b>             | 6.1 Each bid shall remain valid for a minimum of sixty (60) days from the date of bid opening.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>7. Technical Compliance</b>         | <p>7.1 For technical evaluation purposes, documents confirming technical compliance as per Section III of this bid information documents must be submitted, and incomplete or missing submissions will result in disqualification.</p> <p>7.2 Any bid failing to demonstrate compliance with Section III: shall be rejected as non-responsive.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>8. Documents Comprising the Bid</b> | <p>8.1 The bid shall include the proposed delivery period and payment terms.</p> <p>8.2 Manufacturer Datasheet with detailed technical specifications of the product offered.</p> <p>8.3 Manufacturer's certificate of Authenticity or Distributorship letter for the offered product.</p> <p>8.4 Bowser truck photo (Color photo)</p> <p>8.5 Company details, which shall include,</p> <ul style="list-style-type: none"> <li>- Company profile and background information</li> <li>- Company registration certificate</li> <li>- Memorandum of Association / Articles of Association</li> <li>- GST registration certificate (for local bidders only)</li> <li>- Valid Tax Clearance Report (issued within the last six months)</li> <li>- Contact details (name, designation, mobile number and e-mail address)</li> <li>- Proof of authority of the signatory:</li> </ul> |

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 | <ul style="list-style-type: none"> <li>• For local bidders: Board Resolution or Power of Attorney signed and stamped by the company.</li> <li>• For foreign bidders: Authorization document notarized by a licensed Public Notary in the country of origin</li> </ul> <p>8.5 Experience letters:</p> <ul style="list-style-type: none"> <li>- Bidders may submit certificates or reference letters from clients covering the past five (5) years, specifying project name, contract value, scope of work/supply, and completion status.</li> <li>- Bidders that have previously supplied goods/services to Fenaka Corporation Limited within the past five (5) years shall provide contract title, reference number, contract value, year of supply, and description of goods/services supplied</li> </ul> <p>8.6 One (1) <b>pen drive</b> with original bid document scanned and written. <b><u>(Compact discs cannot be accepted)</u></b>. The electronic version must be identical to the signed and stamped hard copy. In the event of inconsistency, the hard copy shall prevail.</p> <p>8.7 Any bid failing to comply with the above requirements or lacking any of the mandatory documents listed under Section 7 (Technical Compliance), shall be rejected as non-responsive and excluded from further evaluation.</p> |
| <p><b>9. Format of Bid</b></p>  | <p>9.1 Every page of the bid document shall be signed by the authorized signatory of the company, stamped with the company seal, and sequentially numbered. All required sections and annexes must be clearly indicated and properly arranged. Bids failing to comply with this requirement may be rejected as non-responsive.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <p><b>C. Bid Submission</b></p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>10. Sealing and Marking Bid Document</b> | <p>10.1 Local bidders shall submit two (2) complete sets of the bid document: one (1) original and one (1) copy. Each set shall be enclosed separately in its own sealed envelope, clearly marked as “<b>ORIGINAL</b>” or “<b>COPY.</b>” The sealed envelopes shall then be placed in a single outer envelope, which shall be sealed and clearly marked with the tender reference number (<b>FNK-I/IUL/2026/119</b>) and the name of the bidder. In the event of any discrepancy, the signed and stamped “<b>ORIGINAL</b>” version shall prevail.</p> <p>10.2 Foreign bidders may submit their bids electronically via the official tender email address specified in <u>Section I, Clause 11.4</u>. The bid documents must be encrypted with a password, and the password must be submitted separately within the specified time window on the day of bid opening. The subject line of the submission email shall include the tender reference number (<b>FNK-I/IUL/2026/119</b>). Any bid or password received after the specified time shall not be accepted.</p> |
| <b>11. Bid Submission and Opening</b>       | <p>11.1 All bids will be opened on <b><u>20th August 2026 (Thursday) at 11:00hrs</u></b> (Maldivian Time) at: <b>Fenaka Corporation Limited, 7th Floor Meeting Room, Port Complex Building, Hilaalee Magu, Malé 20207.</b></p> <p>11.2 Only foreign bidders shall have the option of submitting their Bids electronically. Bids submitted electronically by a company registered in the Maldives will be rejected as non-responsive.</p> <p>11.3 <b>Physical Bid Submission - Local Bidders</b><br/> Submission Address:</p> <ul style="list-style-type: none"> <li>• Fenaka Corporation Limited,</li> <li>• 7th Floor Meeting Room, Port Complex Building,</li> <li>• Hilaalee Magu, Male’ 20207</li> </ul> <p>Submission Deadline: <b><u>20th August 2026 (Thursday) at 11:00hrs</u></b> (Maldivian Time)</p> <ul style="list-style-type: none"> <li>- A representative for each local bidder shall attend the bid opening session. Failure to attend the bid opening session will render</li> </ul>                                                               |

disqualification. The local bidder's representatives who are present shall sign a register evidencing their attendance.

#### 11.4 Electronic Bid Submission –Foreign Bidders

Submission Email: [tender.registration@fenaka.mv](mailto:tender.registration@fenaka.mv)

Subject Line: Tender Reference Number

Bid Submission Deadline: **Encrypted bid documents must be emailed on the same day as the bid opening 30 minutes before 11:00hrs (Maldivian time).**

Password Submission Deadline: **Passwords must be emailed between 11:00hrs to 11:15hrs.**

The electronic bids and the passwords received after **11:15hrs** will be rejected.

- Foreign bidders are required to be present via online video call during the bid opening (**Camera is a must**).
- The link for the bid opening session will be provided to foreign bidders 15 minutes before the bid opening.
- Foreign Bidders shall be online in the bid opening meeting at **11:00hrs (Maldivian time)**.
- Failure to attend the bid opening session virtually at the Mentioned time will result in the rejection of the bid.
- **Each Bid shall have different passwords.**
- Foreign bidders submitting electronically shall dispatch the original physical bid documents to Fenaka Corporation Limited Head Office within seven (7) calendar days from the date of opening.
- Bidders shall provide verifiable tracking details (e.g., courier or postal service tracking number) by email at the time of dispatch, as proof of timely submission of the original documents.

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>12. Bid Rejection</b>       | <p>12.1 Bids received after the submission deadline shall not be accepted or opened.</p> <p>12.2 Bidders that fail to complete the mandatory registration process for this tender shall not be eligible to participate.</p> <p>12.3 Bids lacking any of the mandatory documents listed under Section 8 (Documents Comprising the Bid) or not prepared in accordance with Section 9 (Format of Bid), shall be rejected as non-responsive.</p> |
| <b>D. Awarding of Contract</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>13. Payment Terms</b>       | <p>13.1 No advance payment shall be made under this contract.</p> <p>13.2 Vehicles should be in alliance with Ministry of Transport and Civil Aviation vehicle registration regulations.</p>                                                                                                                                                                                                                                                 |
|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Section II: Evaluation Criteria

**Proposal Cost:** 75 points for the lowest price

- $(\text{Lowest price} / \text{proposed price}) \times 85$

**Delivery:** 10 points for the lowest delivery period

- $(\text{Lowest delivery period} / \text{proposed delivery period}) \times 10$
- Full marks for up to 75days delivery

**Credit Period:** 15 points for the maximum credit period

- $(\text{Proposed credit period} / \text{longest credit period}) \times 05$

**Note:** Any discrepancy in technical details specified in quotation with technical specification document, the specification shall prevail



## Section III: Requirements

| Description                                   | Quantity |
|-----------------------------------------------|----------|
| 2Ton sewerage suction and water jetting truck | 01       |

### TECHNICAL SPECIFICATION FOR SEWAGE SUCTION AND WATER JETTING TRUCK

| Type                           |                                                                |
|--------------------------------|----------------------------------------------------------------|
| Combined Jetting/Suction Truck |                                                                |
| General                        |                                                                |
| Vehicle Brand                  | Supplier's Choice (Should be durable and long lasting)         |
| Vehicle Type                   | Truck                                                          |
| Chassis Brand                  | Supplier's Choice (Should be durable and long lasting)         |
| Overall Dimensions             | Overall Maximum<br>Length = 6.5m, Width = 2.5m, Height, = 3.0m |
| Kerb Weight                    | 1500 – 3500 kg                                                 |
| Cab                            | Minimum – 2 seats                                              |
| Engine                         |                                                                |
| Fuel Type                      | Diesel                                                         |
| Condition                      | New                                                            |
| Drive                          | Electronic Starting System                                     |
| Engine Brand                   | Supplier's Choice (Should be durable and long lasting)         |
| Power                          | 60 kW or greater                                               |
| Displacement                   | 3 L or greater                                                 |
| Chassis                        |                                                                |
| Drive Type                     | 4x2, right hand drive                                          |
| Transmission                   | 6 forwards and 1 reverse                                       |
| Wheelbase                      | 2500mm – 4000mm                                                |
| Number of Tyres                | 6 Pieces with 1 Spare                                          |
| Paint                          | Metallic paint – white with FENAKA Logo                        |

| Sewage (Suction Tank)        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tank Capacity                | 2.0 cbm / 2000 liters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Tank Material                | Carbon Steel – Hot-dip galvanized inside and out / Stainless Steel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Thickness                    | Greater than or equal to 5 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Discharge                    | Pump or hydraulic tilting with an outlet greater than 100 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Sewage Suction Pump          | Minimum flow of 2000 L/min                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Vacuum System                | Thrust jetter / Vacuum Pump adequate for minimum 80% vacuum                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Vacuum Pressure              | 0.6 – 0.90 bar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Water (Jetting Tank)         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Tank Capacity                | 1.0-1.5 cbm / 1000-1500 liters                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Tank Material                | Carbon Steel / Stainless Steel / Similar rust resistant material of similar Strength                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Thickness                    | Greater than 5 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| High Pressure Water Pump     | Minimum flowrate of 250 L/min, capable of running dry                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Cleaning Pressure            | 100 – 200 bar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| High Pressure Hose and Winch |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Hose Length                  | 80 – 150 m 1/2" (DN 13)<br>80 – 150 m 5/8" (DN 13)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Material                     | Durable, flexible PVC material                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Nozzle                       | 5 – 10 different size nozzles for cleaning sludge, dirt, debris and sand                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Hose Reel                    | Variable speed hydraulic rewind hose reel with 80 – 150m high pressure hose capacity.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Safety                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Safety Devices               | <ol style="list-style-type: none"> <li>1. Revolving Warning Light</li> <li>2. Signal Light at rear</li> <li>3. Pressure Release Valve</li> <li>4. Vacuum Pressure Gauge</li> <li>5. Water/Sewage Level Indicator</li> <li>6. Four-way valve</li> <li>7. Safety valve</li> <li>8. Anti-overflow valve</li> <li>9. Anti-overflow warning device</li> <li>10. Jetting Helmet Set</li> <li>11. Jetting Safety Boots (sizes 6 – 10)</li> <li>12. Waterproof suits (sizes S-XL) Including Safety goggles</li> <li>13. Gauntlet Gloves</li> <li>14. Safety Burst Discs (White - 4000 psi)</li> <li>15. Safety Burst Discs (Black - 5000 psi)</li> </ol> |

Note\*: Contractor/Supplier can propose a jetting/suction vehicle of similar or better specifications, but in that case, it should be approved by FENAKA Corporation Limited.