

Canvas Printing and Installation

1. Canvas 7ft X 4ft

Canvas Printing	
Item Name	Printing on canvas
Size of the Canvas	7ft X 4ft
Quantity	3
Colour	Multicoloured
Material	High-quality, durable canvas suitable for large-format display.
Details	• Printed on portrait layout • All artwork, content, text, images, logos, and final design will be provided • High-quality colour reproduction with good contrast and accurate tones. • Use high-resolution digital printing suitable for large-format display.

Canvas Installation	
Item Name	Standalone Frame to Install Canvas
Size of the Frame	7ft X 4ft
Quantity	3
Material	Hardwood, should be sanded smoothly
Details	Orientation: Portrait (Vertical) Frame depth/foot projection: approximately 2ft- 2.5ft Frame should be level, square, rigid, and stable when assembled. Frame consists of: • 2 × vertical side members • 1 × top horizontal member • 1 × bottom horizontal member • 1 × central vertical support • Foot support on both sides Feet should provide sufficient stability against forward/backward movement. Canvas should be installed after the frame is completed. Canvas should be secured either with staples or other suitable adhesive.



FRONT VIEW



SIDE VIEW



BACK VIEW

2. Canvas 10ft X 4ft

Canvas Printing	
Item Name	Printing on canvas
Size of the Canvas	10ft X 4ft
Quantity	5
Colour	Multicoloured
Material	High-quality, durable canvas suitable for large-format display.
Details	• Printed on portrait layout (Vertical) • All artwork, content, text, images, logos, and final design will be provided • High-quality colour reproduction with good contrast and accurate tones. • Use high-resolution digital printing suitable for large-format display.

Canvas Installation	
Item Name	Standalone Frame to Install Canvas
Size of the Frame	10ft X 4ft
Quantity	5
Material	Hardwood, should be sanded smoothly
Details	Orientation: Portrait (Vertical) Frame depth/foot projection: approximately 2.5ft – 3ft Frame should be level, square, rigid, and stable when assembled. Frame consists of: • 2 × vertical side members • 1 × top horizontal member • 1 × bottom horizontal member • 1 × central vertical support • Foot support on both sides Feet should provide sufficient stability against forward/backward movement. Canvas should be installed after the frame is completed. Canvas should be secured either with staples or other suitable adhesive.



FRONT VIEW



SIDE VIEW



BACK VIEW


3. Canvas 4ft X 4ft

Canvas Printing	
Item Name	Printing on canvas
Size of the Canvas	4ft X 4ft
Quantity	2
Colour	Multicoloured
Material	High-quality, durable canvas suitable for large-format display.
Details	• Printed on portrait layout • All artwork, content, text, images, logos, and final design will be provided • High-quality colour reproduction with good contrast and accurate tones. • Use high-resolution digital printing suitable for large-format display.

Canvas Installation	
Item Name	Standalone Frame to Install Canvas
Size of the Frame	4ft X 4ft
Quantity	2
Material	Hardwood, should be sanded smoothly
Details	Length of the Foot support: 1ft Frame should be level, square, rigid, and stable when assembled. Frame consists of: • 2 × vertical side members • 1 × top horizontal member • 1 × bottom horizontal member • 1 × central vertical support • Foot support on both sides Feet should provide sufficient stability against forward/backward movement. Canvas should be installed after the frame is completed. Canvas should be secured either with staples or other suitable adhesive.



ISOMETRIC VIEW



FRONT VIEW


4. Canvas 6ft X 4ft

Canvas Printing	
Item Name	Printing on canvas
Size of the Canvas	6ft X 4ft
Quantity	1
Colour	Multicoloured
Material	High-quality, durable canvas suitable for large-format display.
Details	• Printed on portrait (Horizontal) layout • All artwork, content, text, images, logos, and final design will be provided • High-quality colour reproduction with good contrast and accurate tones. • Use high-resolution digital printing suitable for large-format display.

Canvas Installation	
Item Name	Standalone Frame to Install Canvas
Size of the Frame	6ft X 4ft
Quantity	1
Material	Hardwood, should be sanded smoothly
Details	Orientation: landscape Length of the Foot support: 2ft – 2.5ft Frame should be level, square, rigid, and stable when assembled. Frame consists of: • 2 × vertical side members • 1 × top horizontal member • 1 × bottom horizontal member • 1 × central vertical support • Foot support on both sides Feet should provide sufficient stability against forward/backward movement. Canvas should be installed after the frame is completed. Canvas should be secured either with staples or other suitable adhesive.



ISOMETRIC VIEW




FRONT VIEW


5. Backdrop Canvas

Canvas Printing	
Item Name	Printing on canvas (Backdrop)
Size of the Canvas	16ft X 10ft
Quantity	1
Colour	Multicoloured
Material	High-quality, durable canvas suitable for large-format display.
Details	- Printed on portrait layout - All artwork, content, text, images, logos, and final design will be provided - High-quality colour reproduction with good contrast and accurate tones. - Use high-resolution digital printing suitable for large-format display.

Canvas Installation	
Item Name	Standalone Frame to Install Canvas
Size of the Frame	16ft X 10ft
Quantity	1
Material	Hardwood, should be sanded smoothly
Details	Orientation: Landscape (Horizontal) Frame depth/foot projection: approximately 3 – 4 ft Frame should be level, square, rigid, and stable when assembled. Frame consists of: 2 × vertical side members 1 × top horizontal member 1 × bottom horizontal member 2 × central vertical support - Foot support on both sides Feet should provide sufficient stability against forward/backward movement. Canvas should be installed after the frame is completed. Canvas should be secured either with staples or other suitable adhesive.



ISOMETRIC VIEW



FRONT VIEW




SIDE VIEW


6. Registration Area Canvas

Canvas Printing	
Item Name	Printing on canvas (Registration Area)
Size of the Canvas	10ft X 4ft
Quantity	1
Colour	Multicoloured
Material	High-quality, durable canvas suitable for large-format display.
Details	- Printed on portrait layout - All artwork, content, text, images, logos, and final design will be provided - High-quality colour reproduction with good contrast and accurate tones. - Use high-resolution digital printing suitable for large-format display.

Canvas Installation	
Item Name	Standalone Frame to Install Canvas
Size of the Frame	10ft X 4ft
Quantity	1
Material	Hardwood, should be sanded smoothly
Details	Orientation: Landscape Frame depth/foot projection: approximately 2.5ft – 3ft Frame should be level, square, rigid, and stable when assembled. Frame consists of: 2 × vertical side members 1 × top horizontal member 1 × bottom horizontal member 2 × central vertical support - Foot support on both sides Feet should provide sufficient stability against forward/backward movement. Canvas should be installed after the frame is completed. Canvas should be secured either with staples or other suitable adhesive.



ISOMETRIC VIEW



FRONT VIEW



SIDE VIEW

Printing Flags and Banners

7. Printing Flag

(The Pictures are for reference purpose only (only for demonstrating color scheme and concept))

Item Name	Vertical Drape Flags
Size of the Flag	6ft X 2ft
Quantity	20 (10 of each type described below)
Colour	Type 1 – White Flag (Qty 10) • Base colour: White • Logo: Shades of Blue • Design/graphics: Shades of blue Blue • High-contrast and clearly visible from a distance. Type 2 – Blue Flag (Qty 10) • Base colour: Blue / shades of blue • Logo: White • Design/graphics: White • Blue shades should follow the colours specified in the supplied artwork.
Material	• High-quality flag-grade fabric, preferably nylon. • Lightweight but durable material suitable for outdoor and indoor display. • Fabric should allow the flag to drape/hang naturally when attached to the pole. • Material should have good colour retention and resistance to fading.
Details	• One-sided full-colour printing. • 4-5 heavy-duty metal grommets per flag. • All logos, text, colours, graphics and final design will be provided by us.

Picture



8. Printing Hanging Banner

(The Pictures are for reference purpose only (only for demonstrating color scheme and concept))

Item Name	Hanging Banner (Vertical)
Size of the Flag	6ft X 2ft
Quantity	8 (4 of each type described below)
Colour	Type 1 – White Flag (Qty 4) • Base colour: White • Logo: Shades of Blue • Design/graphics: Shades of blue Blue • High-contrast and clearly visible from a distance. Tye 2 – Blue Flag (Qty 4) • Base colour: Blue / shades of blue • Logo: White • Design/graphics: White • Blue shades should follow the colours specified in the supplied artwork.
Material	• Use high-quality, durable banner/fabric material suitable for hanging displays. • Material should be lightweight enough to hang vertically while maintaining a neat, professional appearance. • Preferably use high-quality polyester fabric or suitable flag/banner fabric.
Details	• Full-colour, one-sided printing. • High-resolution digital printing. • All logos, text, colours, graphics and final design will be provided by us. The banner must be supplied complete with rods at both the top and bottom. • 1 × top horizontal rod • 1 × bottom horizontal rod • Rods should run across the full width of the banner. • Recommended rod material: lightweight metal or durable PVC/fiberglass. • Rods should provide sufficient rigidity to keep the banner straight and prevent curling. • Rods should be securely inserted into sewn rod pockets Rod pockets: • Provide a continuous horizontal pocket/sleeving along the top and bottom edge for inserting the top rod. • Pockets must be securely stitched and reinforced. • Rods should be easily removable for transportation and storage.

Picture



8 ft
(Height)



8 ft
(Height)

WELCOME KIT FOR OCCUPATIONAL SAFETY AND HEALTH CONFERENCE

**All pictures are for reference purposes only. The designs provided are intended to give an indication of the colours and overall concept to be used in the final design. Therefore, changes will be made to the final designs*


1.

Item Name	Customized Canvas Tote Bag
Item Quantity	150
Dimension	Bag size: W 30 – 40cm X H 30 – 40cm Logo Dimension: L 5cm
Color	Solid color: Off white or Ivory Logo: Shades of blue
Material	Durable Fabric
Details	• Two shoulder straps • Closure, preferably zipped or Velcro • Conference logo to be printed in full color (one side) using the artwork provided. Suitable for carrying conference materials.
Picture	

2.

Item Name	Customized Notebook
Item Quantity	150
Dimension	Book size: W 10 – 15 cm X H 15 – 20cm Logo Dimension: 3cm
Color	Solid color: Black, Dark Blue Logo: White
Material	Cover material: hardcover (Durable paper or synthetic leather) which can be customized with the provided logo (
Details	• No of pages: Minimum 80 pages • Inner Page layout: Single ruled lines • 100 – 120 GSM • Good-quality binding, preferably perfect bound, or case bound.
Picture	

3.

Item Name	Customized Ballpoint Pen
Item Quantity	150
Dimension	H 12 – 16cm
Color	Solid color: White body with blue logo OR Black body with white logo
Material	Plastic
Details	• Black or blue ink • Click action ballpoint pen • Logo placement must ensure visibility when the pen is in normal use.
Picture	

4.

Item Name	Conference Pin
Item Quantity	200
Dimension	Diameter 3-4cm
Material	Metal base with printed design
Details	- Conference design to be reproduced according to the artwork provided. - Pin must have a secure metal clip or pin fastening at the back. Smooth edges and glossy finish
Picture	 

5.

Item Name	Customized Conference Lanyard
Item Quantity	150
Dimension	W 2cm, L 90cm total length
Material	Polyester or similar durable fabric
Details	• Full-color printing of the provided design on the lanyard. • Must include a durable metal clip/hook at the bottom for attaching the conference pass. • Comfortable to wear and suitable for repeated use during the conference.
Picture	

6.

Item Name	Rigid PVC Printed Event Pass Cards
Item Quantity	150
Dimension	W 4-inch, H 5 inch
Material	Waterproof PVC material
Details	• portrait with rounded corners • Printing: Full-color, high-resolution printing • Finish: Shiny / glossy finish • Lanyard Attachment: The pass must include a designated space/opening at the top for attaching a lanyard clip. The opening should be properly positioned and reinforced to prevent damage during use. • Design & Content: All artwork, design, logos, text, and other content will be provided by us. • Quality: The final passes should have clean, sharp printing, accurate colours, smooth edges, and a professional finished appearance.
Picture	

7.

Item Name	Keynote speaker profile
Item Quantity	150
Dimension	A5
Material	High-quality hard/thick paper or cardstock, recommended minimum 200–250 gsm
Details	• The complete design and print-ready artwork will be provided. • Printing must be clear, sharp, and color-accurate, with professional finish.
Picture	