

| LAPAROSCOPY SYSTEM AND BASIC INSTRUMENTS |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |     |          |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|
| #                                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 | UOM | Quantity |
| 1.                                       | <b>Medical monitor 32"</b> with ultra-high-definition resolution 3840x2160. <ul style="list-style-type: none"> <li>• 16:9 Aspect ratio</li> <li>• HDMI/DVI Input/Output terminals</li> </ul>                                                                                                                                                                                                                                                                | EA  | 1        |
| 2.                                       | <b>Equipment trolley</b> with <ul style="list-style-type: none"> <li>• Twin swivel casters</li> <li>• 5 shelves and drawer</li> <li>• Provision for CO2 cylinder should be available.</li> </ul>                                                                                                                                                                                                                                                            | EA  | 1        |
| 3.                                       | <b>Camera head</b> 3CMOS technology 1/3" full HD with integrated 15 - 35 mm HD zoom coupler                                                                                                                                                                                                                                                                                                                                                                 | EA  | 1        |
| 4.                                       | <b>Ultra HD 4k video image processor unit</b> <ul style="list-style-type: none"> <li>• should have a native resolution of 3840 x 2160 pixels system.</li> <li>• Video processor &amp; Monitor having BT 2020 video format to display true 4K color format.</li> </ul>                                                                                                                                                                                       | EA  | 1        |
| 5.                                       | <b>Image and Video recording and data archiving management system</b> <ul style="list-style-type: none"> <li>• Digital storage of both still images and video sequences</li> <li>• Recording media: Internal HDD (1 TB), External USB, and DVD-R</li> <li>• Should have a simultaneous recording and playback feature.</li> <li>• Input / recording resolution: 4K UHD: 3840x2160p, 50/60 Hz HD: 1080p, 1080i, 720p</li> </ul> Still file format: JPEG, PNG | EA  | 1        |
| 6.                                       | <b>LED Light source</b> - 300W equivalent with <ul style="list-style-type: none"> <li>• High performance cold light cable of length 3.0m, Ø 4.8mm.</li> <li>• Universal adaptor for the scope and light source side.</li> </ul>                                                                                                                                                                                                                             | EA  | 1        |
| 7.                                       | <b>HD Laparoscope</b> , Ø 10,0mm, 30°, 330mm                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | 1        |
| 8.                                       | <b>HD Laparoscope</b> , Ø 5,0mm, 30°, 300mm                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | 1        |
| 9.                                       | <b>HD Laparoscope</b> , Ø 10,0mm, 0°, 330mm                                                                                                                                                                                                                                                                                                                                                                                                                 | EA  | 1        |
| 10.                                      | <b>4k UHD Laparoscope</b> 5.0 mm, 0°, 300 mm                                                                                                                                                                                                                                                                                                                                                                                                                | EA  | 1        |
| 11.                                      | <b>Electronic insufflator</b> , 45L, with all accessories for operation and cylinder connection                                                                                                                                                                                                                                                                                                                                                             | EA  | 1        |

|     |                                                                                                                                                                                                                                                                                                                                                                                                                          |    |   |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|
|     | <b>Suction and Irrigation System</b> <ul style="list-style-type: none"> <li>• Compact suction and irrigation unit having irrigation pressure not less than 400mmHg &amp; Suction pressure not less than (-0.75mmHg).</li> <li>• The unit shall be supplied with a 1.5L bottle with bottle cap and stand.</li> <li>• The unit should be supplied with reusable irrigation and suction silicon tubing (2x each)</li> </ul> |    |   |
| 12. |                                                                                                                                                                                                                                                                                                                                                                                                                          | EA | 1 |
| 13. | Membrane suction-irrigation pump.                                                                                                                                                                                                                                                                                                                                                                                        | EA | 1 |
| 14. | Trocar with multifunctional valve, dismountable Ø 11,0mm                                                                                                                                                                                                                                                                                                                                                                 | EA | 2 |
| 15. | Trocar with multifunctional valve, dismountable Ø 5,5mm                                                                                                                                                                                                                                                                                                                                                                  | EA | 4 |
| 16. | Obturator, blunt tip, Ø 11,0mm                                                                                                                                                                                                                                                                                                                                                                                           | EA | 1 |
| 17. | Obturator, triangular/pyramidal sharp tip, Ø 11,0mm                                                                                                                                                                                                                                                                                                                                                                      | EA | 1 |
| 18. | Obturator, triangular/pyramidal tip, Ø 5,5mm                                                                                                                                                                                                                                                                                                                                                                             | EA | 4 |
| 19. | Reducer sleeve, Ø 11,0 to 5,5mm                                                                                                                                                                                                                                                                                                                                                                                          | EA | 1 |
| 20. | Flip-on reducer, Ø 11,0 to 5,5mm                                                                                                                                                                                                                                                                                                                                                                                         | EA | 2 |
| 21. | Kelly forceps, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                               | EA | 2 |
| 22. | Sheath, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                                      | EA | 1 |
| 23. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                                                                                                                                                                                                                                                                                                                                                   | EA | 1 |
| 24. | Corce-Olmi grasper, double fenestrated, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                      | EA | 2 |
| 25. | Sheath, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                                      | EA | 2 |
| 26. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                                                                                                                                                                                                                                                                                                                                                   | EA | 3 |
| 27. | Mixer, 90°, cross serrated, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                  | EA | 1 |
| 28. | Sheath, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                                      | EA | 1 |
| 29. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                                                                                                                                                                                                                                                                                                                                                   | EA | 1 |
| 30. | Cobra style grasper, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                         | EA | 2 |
| 31. | Sheath, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                                      | EA | 2 |
| 32. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                                                                                                                                                                                                                                                                                                                                                   | EA | 2 |
| 33. | Johan grasping forceps, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                      | EA | 1 |
| 34. | Sheath, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                                      | EA | 1 |
| 35. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                                                                                                                                                                                                                                                                                                                                                   | EA | 1 |
| 36. | Babcock, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                                     | EA | 1 |
| 37. | Sheath, 330mm, Ø 5,0mm, Xpress Lock                                                                                                                                                                                                                                                                                                                                                                                      | EA | 1 |

|     |                                                                                                    |    |   |
|-----|----------------------------------------------------------------------------------------------------|----|---|
| 38. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                             | EA | 1 |
| 39. | Standard grasper, cross serrated, 330mm, Ø 5,0mm, Xpress Lock                                      | EA | 1 |
| 40. | Sheath, 330mm, Ø 5,0mm, Xpress Lock                                                                | EA | 1 |
| 41. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                             | EA | 1 |
| 42. | Large spoon forceps, 330mm, Ø 10,0mm, Xpress Lock                                                  | EA | 1 |
| 43. | Sheath, 330mm, Ø 10,0mm, Xpress Lock                                                               | EA | 2 |
| 44. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                             | EA | 1 |
| 45. | Claw forceps, 330mm, Ø 10,0mm, Xpress Lock                                                         | EA | 1 |
| 46. | Sheath, 330mm, Ø 10,0mm, Xpress Lock                                                               | EA | 1 |
| 47. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                             | EA | 1 |
| 48. | Metzenbaum, curved, 330mm, Ø 5,0mm, Xpress Lock                                                    | EA | 1 |
| 49. | Sheath, 330mm, Ø 5,0mm, Xpress Lock                                                                | EA | 1 |
| 50. | Reinforced carbon fiber handle without ratchet, black, for Xpress Lock                             | EA | 1 |
| 51. | Electrode, L-hook, 330mm, Ø 5,0mm                                                                  | EA | 2 |
| 52. | Monopolar Cable, Ø 4,0mm socket, Ø 4,0mm plug, 3m, Ackermann, Erbe T, Martin, Berchtold generators | EA | 2 |
| 53. | Bipolar Maryland, 330mm, Ø 5,0mm                                                                   | EA | 1 |
| 54. | Sheath for bipolar detachable instruments, 330 mm, Ø 5,0mm                                         | EA | 1 |
| 55. | Handle for bipolar detachable instruments                                                          | EA | 1 |
| 56. | Bipolar fenestrated grasper, 330mm, Ø 5,0mm                                                        | EA | 1 |
| 57. | Sheath for bipolar detachable instruments, 330 mm, Ø 5,0mm                                         | EA | 1 |
| 58. | Handle for bipolar detachable instruments                                                          | EA | 1 |
| 59. | Bipolar cable, 3,0m, square instrument plug, 29mm generator side                                   | EA | 2 |
| 60. | 5-finger retractor, articulating, 330mm, Ø 10,0mm                                                  | EA | 1 |
| 61. | Snake retractor, straight, 450mm, Ø 5,0mm                                                          | EA | 1 |
| 62. | Suction-irrigation pistol handle with 2-way valve                                                  | EA | 1 |
| 63. | Tube for 11-1276, Ø 5,0mm                                                                          | EA | 1 |
| 64. | Axial Needleholder, angled handle, left curved jaw, 330mm, Ø 5,0mm                                 | EA | 1 |
| 65. | ETH-Romeo Needleholder, left curved, 330mm, Ø 5,0mm                                                | EA | 1 |
| 66. | Endoscopic Clip Applier, dark green (ML), ring handle, 330 mm, Ø10,0 mm, for Europclips            | EA | 1 |

|     |                                                                                             |    |   |
|-----|---------------------------------------------------------------------------------------------|----|---|
| 67. | Injection needle (1,5mm/16 gauge) with luer lock, 330mm, Ø 5,0mm                            | EA | 1 |
| 68. | Fascia closing suture passer with stop, 180mm, Ø 3,0mm                                      | EA | 1 |
| 69. | Medium-large Europclips, 6 pcs. per cartridge, 20 cartridges per box (120 pcs.)             | EA | 5 |
| 70. | Verres needle, 150mm                                                                        | EA | 2 |
| 71. | Hasson-cone, stainless, with suture ties, Ø 11,0mm                                          | EA | 2 |
| 72. | 1/1 Container, bottom non-perforated, silver lid, 580 x 280 x 260mm                         | EA | 1 |
| 73. | 1/1 Container, bottom non-perforated, silver lid, 580 x 280 x 100mm                         | EA | 1 |
| 74. | Plastic sterilization case, for endoscopes, 470 x 100 x 70mm                                | EA | 1 |
| 75. | HASSON cone with suture ties, Ø 11.0 mm, stainless steel                                    | EA | 2 |
| 76. | HASSON cone with suture ties, Ø 11.0 mm, reinforced carbon fiber                            | EA | 2 |
| 77. | Camera head holder, c-mount                                                                 | EA | 1 |
| 78. | Trocar with silicon valve, dismountable, threaded cannula, reinforced carbon fiber, Ø 11mm  | EA | 1 |
| 79. | Trocar with silicon valve, dismountable, threaded cannula, reinforced carbon fiber, Ø 5,5mm | EA | 1 |
| 80. | Sealing cap, Ø 5,5mm                                                                        | EA | 1 |
| 81. | Sealing cap, Ø 11,0mm                                                                       | EA | 1 |
| 82. | Bipolar forceps, fenestrated, 330mm, Ø 5,0mm                                                | EA | 1 |
| 83. | Bipolar insert, Maryland, 330mm, Ø 5,0mm                                                    | EA | 1 |
| 84. | Handle for bipolar modular forceps, 330mm                                                   | EA | 1 |
| 85. | Bipolar cable, 3,0m, round instrument plug, 2-banana generator side                         | EA | 1 |
| 86. | 1/1 Container, bottom non-perforated, silver lid, 580 x 280 x 260mm                         | EA | 1 |
| 87. | 1/1 Container, wire basket, 535 x 250 x 70mm                                                | EA | 1 |
| 88. | 1/1 Container, Silicone mat, blue, 520 x 230mm                                              | EA | 1 |
| 89. | Endoscope Container, perforated, with silicone mounting, 470 x 80 x 74mm                    | EA | 1 |
| 90. | Cone for trocars size 11mm                                                                  | EA | 1 |



| Specifications of Urology sets for Adult and Pediatric                         |                                                                                                                   |          |
|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|----------|
|                                                                                | Description                                                                                                       | Quantity |
| <b>ADULT UROLOGY SETS</b>                                                      |                                                                                                                   |          |
| <b>CYSTOSCOPY SET 17/23Fr 32-9900SET</b>                                       |                                                                                                                   |          |
| 1                                                                              | HD Cystoscope, Ø 4mm, 30°, 300mm                                                                                  | 1        |
| 2                                                                              | Cysto-urethroscope-sheath with obturator, 17Fr., for Ø 4mm scope, color code yellow                               | 1        |
| 3                                                                              | Cysto-urethroscope-sheath with obturator, 23Fr., for Ø 4mm scope, color code blue                                 | 1        |
| 4                                                                              | Telescope bridge with 2 instrument channels, suitable for 17-25Fr. Cysto-sheath                                   | 1        |
| 5                                                                              | Albarran deflector with 2 instrument channels, lockable                                                           | 1        |
| 6                                                                              | Flexible ball electrode, 5Fr., 470mm working length                                                               | 1        |
| 7                                                                              | Flexible ball electrode, 7Fr., 470mm working length                                                               | 1        |
| 8                                                                              | Biospy forceps, flexible, double-action, 7Fr., 400mm working length                                               | 1        |
| 9                                                                              | Grasping forceps, flexible, double action, 7Fr., 400mm working length                                             | 1        |
| 10                                                                             | Scissors, flexible, single-action, 5Fr., 400mm working length                                                     | 1        |
| 11                                                                             | Optical biopsy spoon forceps, double-action                                                                       | 1        |
| 12                                                                             | Dormia stone basket with 4 wires, without handle, 5Fr., 600mm working length                                      | 1        |
| 13                                                                             | Handle for dormia stone baskets 5Fr.,                                                                             | 1        |
| 14                                                                             | Bladder syringe 150ml                                                                                             | 1        |
| 15                                                                             | Ellik evacuator with rubber ball and locking                                                                      | 1        |
| 16                                                                             | Monopolar cable for Resectoscopy, Ø 2.0 mm instrument plug, 3,0 m, Ø 4.0 mm plug for Ackermann, Erbe T generators | 1        |
| <b>RESECTOSCOPY SET 24/26Fr BIPOLAR with 2 stem electrodes 32-9904SET</b>      |                                                                                                                   |          |
| 1                                                                              | HD Cystoscope, Ø 4mm, 30°, 300mm                                                                                  | 1        |
| 2                                                                              | Resectoscopy sheath and obturator, 24/26Fr., rotatable, continuous flow, color code yellow                        | 1        |
| 3                                                                              | Visual obturator with working channel, 24/26Fr., color code yellow                                                | 1        |
| 4                                                                              | Passiv working element, bipolar, closed handle                                                                    | 1        |
| 5                                                                              | Bipolar loop electrode, retrograde, 24Fr.                                                                         | 1        |
| 6                                                                              | Bipolar ball electrode, Ø 3mm, 24Fr.                                                                              | 1        |
| 7                                                                              | Bipolar knife electrode, 24Fr.                                                                                    | 1        |
| 8                                                                              | Protection- and autoclaving tube for electrodes and cold knives                                                   | 1        |
| 9                                                                              | Bipolar cable for bipolar Resectoscopy, round plug, 3,0 m, 29 mm generator plug                                   | 1        |
| <b>RESECTOSCOPY SET 24/26Fr MONOPOLAR/BIPOLAR 1 stem electrodes 32-9905SET</b> |                                                                                                                   |          |
| 1                                                                              | HD Cystoscope, Ø 4mm, 30°, 300mm                                                                                  | 1        |
| 2                                                                              | Resectoscopy sheath and obturator, 24/26Fr., rotatable, continuous flow, color code yellow                        | 1        |
| 3                                                                              | Visual obturator with working channel, 24/26Fr., color code yellow                                                | 1        |
| 4                                                                              | Passiv working element, universal, closed handle                                                                  | 1        |
| 5                                                                              | Universal loop electrode, retrograde, 24Fr.                                                                       | 1        |
| 6                                                                              | Universal ball electrode, Ø 3mm, 24Fr.                                                                            | 1        |
| 7                                                                              | Universal knife electrode, 24Fr.                                                                                  | 1        |
| 8                                                                              | Protection- and autoclaving tube for electrodes and cold knives                                                   | 1        |
| 9                                                                              | Neutral electrode for adults, flat plug, reusable                                                                 | 1        |
| 10                                                                             | Bipolar cable for universal Resectoscopy, dual plug, 3,0 m, 29 mm generator plug                                  | 1        |
| <b>MINI-RESECTOSCOPY SET 17,5/18,5Fr Monopolar/Bipolar 32-9906SET</b>          |                                                                                                                   |          |
| 1                                                                              | HD Cystoscope, Ø 2,9mm, 30°, 300mm                                                                                | 1        |
| 2                                                                              | Resectoscopy sheath and obturator, 17,5/18,5Fr., rotatable, continuous flow, color code green, Quick-Lock         | 1        |
| 3                                                                              | Visual obturator for resecto-sheath 17,5Fr., color code green, Quick-Lock                                         | 1        |
| 4                                                                              | Passiv working element, universal, closed handle, color code green for 17,5/18,5Fr., Quick-Lock                   | 1        |
| 5                                                                              | Universal loop electrode, retrograde, 17,5Fr.                                                                     | 1        |
| 6                                                                              | Universal ball electrode, Ø 3mm, 17,5Fr.                                                                          | 1        |
| 7                                                                              | Universal knife electrode, 17,5Fr.                                                                                | 1        |
| 8                                                                              | Protection- and autoclaving tube for electrodes and cold knives                                                   | 1        |
| 9                                                                              | Neutral electrode for adults, flat plug, reusable                                                                 | 1        |
| 10                                                                             | Bipolar cable for universal Resectoscopy, dual plug, 3,0 m, 29 mm generator plug                                  | 1        |
| <b>RESECTOSCOPY SET 27/28,5Fr MONOPOLAR 32-9907SET</b>                         |                                                                                                                   |          |
| 1                                                                              | HD Cystoscope, Ø 4mm, 30°, 300mm                                                                                  | 1        |
| 2                                                                              | Resectoscopy sheath and obturator, 27/28,5Fr., rotatable, continuous flow, color code black                       | 1        |
| 3                                                                              | Visual obturator, 27/28,5Fr., color code black                                                                    | 1        |
| 4                                                                              | Passiv working element, monopolar, closed handle by spring action                                                 | 1        |
| 5                                                                              | Loop electrode, 90°, 27Fr.                                                                                        | 1        |
| 6                                                                              | Loop electrode, retrograde, 27Fr.                                                                                 | 1        |
| 7                                                                              | Loop electrode, straight, 27Fr.                                                                                   | 1        |
| 8                                                                              | Protection- and autoclaving tube for electrodes and cold knives                                                   | 1        |
| 9                                                                              | Bladder syringe 150ml                                                                                             | 1        |
| 10                                                                             | Ellik evacuator with rubber ball and locking                                                                      | 1        |
| 11                                                                             | Monopolar cable for Resectoscopy, Ø 2.0 mm instrument plug, 3,0 m, Ø 4.0 mm plug for Ackermann, Erbe T generators | 1        |
| <b>RESECTOSCOPY SET 24/26Fr MONOPOLAR 32-9908SET</b>                           |                                                                                                                   |          |
| 1                                                                              | HD Cystoscope, Ø 4mm, 30°, 300mm                                                                                  | 1        |
| 2                                                                              | Resectoscopy sheath and obturator, 24/26Fr., rotatable, continuous flow, color code yellow                        | 1        |
| 3                                                                              | Visual obturator, 24/26Fr., color code yellow                                                                     | 1        |
| 4                                                                              | Passiv working element, monopolar, closed handle by spring action                                                 | 1        |

|                                                                      |                                                                                                                      |   |
|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|---|
| 5                                                                    | Loop electrode, retrograde,24Fr.                                                                                     | 1 |
| 6                                                                    | Ball electrode, Ø 3mm,24Fr.                                                                                          | 1 |
| 7                                                                    | Ball electrode, Ø 5mm,24Fr.                                                                                          | 1 |
| 8                                                                    | Knife electrode,24Fr.                                                                                                | 1 |
| 9                                                                    | Protection- and autoclaving tube for electrodesand cold knives                                                       | 1 |
| 10                                                                   | Bladder syringe 150ml                                                                                                | 1 |
| 11                                                                   | Ellik evacuator with rubber ball and locking                                                                         | 1 |
| 12                                                                   | Monopolar cable for Resectoscopy,Ø 2.0 mm instrument plug, 3,0 m,Ø 4.0 mm plug for Ackermann, Erbe T generators      | 1 |
| <b>MINI- RESECTOSCOPY SET 17/18,5Fr MONOPOLAR 32-9909SET</b>         |                                                                                                                      |   |
| 1                                                                    | HD Cystoscope,Ø 2,9mm, 30°, 300mm                                                                                    | 1 |
| 2                                                                    | Resectoscopy sheath and obturator,17,5/18,5Fr., rotatable, continous flow,color code green, Quick-Lock               | 1 |
| 3                                                                    | Visual obturator for resecto-sheath17,5Fr.,color code green, Quick-Lock                                              | 1 |
| 4                                                                    | Passiv working element, monopolar,closed handlefor 19/22Fr.                                                          | 1 |
| 5                                                                    | #N/A                                                                                                                 | 1 |
| 6                                                                    | #N/A                                                                                                                 | 1 |
| 7                                                                    | #N/A                                                                                                                 | 1 |
| 8                                                                    | Protection- and autoclaving tube for electrodesand cold knives                                                       | 1 |
| 9                                                                    | Bladder syringe 150ml                                                                                                | 1 |
| 10                                                                   | Ellik evacuator with rubber ball and locking                                                                         | 1 |
| 11                                                                   | Monopolar cable for Resectoscopy,Ø 2.0 mm instrument plug, 3,0 m,Ø 4.0 mm plug for Ackermann, Erbe T generators      | 1 |
| <b>UNIVERSAL LASER CYSTOSCOPY SET 23Fr 32-9912SET</b>                |                                                                                                                      |   |
| 1                                                                    | HD Cystoscope,Ø 4mm, 30°, 300mm                                                                                      | 1 |
| 2                                                                    | Laser cysto-urethroscope-sheath,for continuous flow, 23Fr.,color code blue                                           | 1 |
| 3                                                                    | Visual obturator for 32-4600,for 30° scope,color code blue                                                           | 1 |
| 4                                                                    | Telescope bridge with 8Fr. laser channel,color code blue                                                             | 1 |
| <b>LASER RESECTION SET 24/26Fr 32-9913SET</b>                        |                                                                                                                      |   |
| 1                                                                    | HD Cystoscope,Ø 4mm, 30°, 300mm                                                                                      | 1 |
| 2                                                                    | Resectoscopy sheath and obturator,24/26Fr., rotatable, continous flow,color code yellow                              | 1 |
| 3                                                                    | Laser working insert, channel for laserprobes up to 7Fr., for Ø 4mm scope                                            | 1 |
| <b>DEMOUNTABLE LASER RESECTION SET 24/26Fr SET 32-9914SET</b>        |                                                                                                                      |   |
| 1                                                                    | HD Cystoscope,Ø 4mm, 30°, 300mm                                                                                      | 1 |
| 2                                                                    | Resectoscopy sheath and obturator,24/26Fr., rotatable, continous flow,color code yellow                              | 1 |
| 3                                                                    | Laser working element, passive, closedhandle, for exchangeable laser guidingpipes                                    | 1 |
| 4                                                                    | Adapter for insertion of laser probes                                                                                | 1 |
| 5                                                                    | Guiding pipe for laser probes 0,8mm,with retractor, for 32-4609                                                      | 1 |
| 6                                                                    | Guiding pipe for laser probes 1,2mm,with retractor, for 32-4609                                                      | 1 |
| 7                                                                    | Guiding pipe for laser probes 1,4mm,with retractor, for 32-4609                                                      | 1 |
| 8                                                                    | Guiding pipe for laser probes 0,8mm,for 32-4609                                                                      | 1 |
| 9                                                                    | Guiding pipe for laser probes 1,0mm,for 32-4609                                                                      | 1 |
| 10                                                                   | Guiding pipe for laser probes 1,2mm,for 32-4609                                                                      | 1 |
| 11                                                                   | Guiding pipe for laser probes 1,4mmfor 32-4609                                                                       | 1 |
| 12                                                                   | Rubber reducer for 11-1249/70-8000                                                                                   | 1 |
| <b>LASER RESECTOSCOPY SET 24/26Fr 32-9915SET-S/32-9915SET-L</b>      |                                                                                                                      |   |
| 1                                                                    | HD Cystoscope,Ø 4mm, 30°, 300mm                                                                                      | 1 |
| 2                                                                    | Resectoscopy sheath and obturator,24/26Fr., rotatable, continous flow,color code yellow                              | 1 |
| 3                                                                    | Laser working element, passive, closedhandle, laser channel for laser probesup to 0,8mm, for Ø 4mm scope 0° to 30°   | 1 |
| 4                                                                    | Laser working element, passive, closedhandle, laser channel for laser probesup to 1,2mm, for Ø 4mm scope 0° to 30°   | 1 |
| 5                                                                    | Adapter for insertion of laser probes                                                                                | 1 |
| 6                                                                    | Rubber reducer for 11-1249/70-8000                                                                                   | 1 |
| <b>LASER RESECTOSCOPY SET 19/22Fr 32-9916SET-S/32-9916SET-L</b>      |                                                                                                                      |   |
| 1                                                                    | Cystoscope,Ø 2,9mm, 30°, 302mm,color code red                                                                        | 1 |
| 2                                                                    | Resectoscopy sheath and obturator,19/22Fr., rotatable, continous flow,color code white                               | 1 |
| 3                                                                    | Laser working element, passive, closedhandle, laser channel for laser probesup to 0,8mm, for Ø 2,9mm scope 0° to 30° | 1 |
| 4                                                                    | Laser working element, passive, closedhandle, laser channel for laser probesup to 1,8mm, for Ø 2,9mm scope 0° to 30° | 1 |
| 5                                                                    | Adapter for insertion of laser probes                                                                                | 1 |
| 6                                                                    | Rubber reducer for 11-1249/70-8000                                                                                   | 1 |
| <b>LASER RESECTOSCOPY SET 17,5/18,5Fr 32-99167SET-S/32-9917SET-L</b> |                                                                                                                      |   |
| 1                                                                    | Cystoscope,Ø 2,9mm, 30°, 302mm,color code red                                                                        | 1 |
| 2                                                                    | Resectoscopy sheath and obturator,17,5/18,5Fr., rotatable, continous flow,color code green                           | 1 |
| 3                                                                    | Laser working element, passive, closedhandle, laser channel for laser probesup to 0,8mm, for Ø 2,9mm scope 0° to 30° | 1 |
| 4                                                                    | Laser working element, passive, closedhandle, laser channel for laser probesup to 1,8mm, for Ø 2,9mm scope 0° to 30° | 1 |
| 5                                                                    | Adapter for insertion of laser probes                                                                                | 1 |
| 6                                                                    | Rubber reducer for 11-1249/70-8000                                                                                   | 1 |

|                                                           |                                                                                                                  |   |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---|
|                                                           |                                                                                                                  |   |
| <b>VISUAL URETHROTOMY SET 21Fr - NO HF! 32-9918SET</b>    |                                                                                                                  |   |
| 1                                                         | HD Cystoscope, Ø 4mm, 0°, 300mm                                                                                  | 1 |
| 2                                                         | Urethrotome-Sheath with 1 instrument channel, 21Fr., with standard obturator and standard obturator              | 1 |
| 3                                                         | Passiv working element, monopolar, closed handle by spring action                                                | 1 |
| 4                                                         | Cold knife, wave-cut, for visual urethrotome 21Fr., 0° scope, Ø 4mm, 302mm                                       | 1 |
| 5                                                         | Cold knife, half-round shaped, for visual urethrotome 21Fr., with 0° scope in Ø 4mm, 302mm                       | 1 |
| 6                                                         | Cold knife, straight, for visual urethrotome 21Fr., 0° scope, Ø 4mm, 302mm                                       | 1 |
| 7                                                         | Telescope bridge with 1. instrument channel, for 32-4370                                                         | 1 |
| 8                                                         | Urethrotome outer sheath für 32-4370 for balloon catheter                                                        | 1 |
| 9                                                         | Urethrotome outer sheath für 32-4370 for continuous flow                                                         | 1 |
| 10                                                        | Bladder syringe 150ml                                                                                            | 1 |
| 11                                                        | Otis Urethrotome                                                                                                 | 1 |
| 12                                                        | Protection- and autoclaving tube for electrodes and cold knives                                                  | 1 |
| <b>VISUAL URETHROTOMY SET 15Fr - NO HF! 32-9919SET</b>    |                                                                                                                  |   |
| 1                                                         | HD Cystoscope, Ø 2,9mm, 30°, 300mm                                                                               | 1 |
| 2                                                         | Urethrotome-Sheath with 1 instrument channel, 15Fr., with standard obturator                                     | 1 |
| 3                                                         | Working element, passive, wo HF connector, for 15,5 Ch. urethrotome                                              | 1 |
| 4                                                         | Cold knife, wave-cut, for visual urethrotome 15,5Fr., with Ø 2,9mm scope, 302mm                                  | 1 |
| 5                                                         | Cold knife, hook shaped, for visual urethrotome 15,5Fr., with Ø 2,9mm scope, 302mm                               | 1 |
| 6                                                         | Cold knife, straight, for visual urethrotome 15,5Fr., with Ø 2,9mm scope, 302mm                                  | 1 |
| 7                                                         | Telescope bridge for urethrotome-sheath 15,5Fr. with 5Fr. instrument channel                                     | 1 |
| <b>MECHANICAL LITHOTRIPSY SET 32-9922SET</b>              |                                                                                                                  |   |
| 1                                                         | HD Cystoscope, Ø 4mm, 30°, 300mm                                                                                 | 1 |
| 2                                                         | Mauermayer stone punch for small stones and fragments, working element, Quick-Lock                               | 1 |
| 3                                                         | Sheath for 32-4069 with central valve, with obturator, 24Fr., Quick-Lock, color code blue                        | 1 |
| 4                                                         | Visual obturator with 7Fr. instrument channel, Quick-Lock, color code blue                                       | 1 |
| 5                                                         | Optical stone punch, for small stones and stone fragments only                                                   | 1 |
| 6                                                         | Cysto-urethroscope-sheath with obturator, 25Fr., for Ø 4mm scope, color code white                               | 1 |
| 7                                                         | Elik evacuator with rubber ball and locking                                                                      | 1 |
| <b>LONG NEPHROSCOPY 24/26Fr SET 250MM 70-9900SET</b>      |                                                                                                                  |   |
| 1                                                         | Standard nephroscope, 4,8mm working channel, 90° ocular, 6° direction of view, 250mm                             | 1 |
| 2                                                         | Nephroscopy OP-sheath with one stopcock incl. obturator, rotatable, 24Fr., color code yellow                     | 1 |
| 3                                                         | Nephroscopy OP-sheath with one stopcock incl. obturator, rotatable, 26Fr., 250mm w.l. color code green           | 1 |
| 4                                                         | Telescope dilation sheath set, 6 pcs., 9/12/15/18/21/24Fr., 1x rigid and 1x flexible guide wire                  | 1 |
| 5                                                         | Dilator in 27Fr.                                                                                                 | 1 |
| 6                                                         | Dilator in 30Fr.                                                                                                 | 1 |
| 7                                                         | #N/A                                                                                                             | 1 |
| 8                                                         | #N/A                                                                                                             | 1 |
| 9                                                         | #N/A                                                                                                             | 1 |
| <b>STANDARD NEPHROSCOPY 24/26Fr SET 200MM 70-9901SET</b>  |                                                                                                                  |   |
| 1                                                         | Short Nephroscope, 4,8mm working channel, 90° ocular, 6° direction of view, 200mm                                | 1 |
| 2                                                         | Nephroscopy OP-sheath with one stopcock incl. obturator, rotatable, 24Fr., color code red                        | 1 |
| 3                                                         | Nephroscopy OP-sheath with one stopcock incl. obturator, rotatable, 26Fr., color code blue                       | 1 |
| 4                                                         | Telescope dilation sheath set, 6 pcs., 9/12/15/18/21/24Fr., 1x rigid and 1x flexible guide wire                  | 1 |
| 5                                                         | Dilator in 27Fr.                                                                                                 | 1 |
| 6                                                         | Dilator in 30Fr.                                                                                                 | 1 |
| 7                                                         | Stone grasper, flushable, Ø 3mm, 400mm                                                                           | 1 |
| 8                                                         | Biopsy spoon, flushable, rigid, Ø 3mm, 400mm                                                                     | 1 |
| 9                                                         | Serrated grasper, flushable, rigid, Ø 3mm, 400mm                                                                 | 1 |
| <b>COMPACT NEPHROSCOPY 24Fr SET 220MM 70-9902SET</b>      |                                                                                                                  |   |
| 1                                                         | Compact nephroscope, 12,8Fr. working channel, 45° ocular, 6° direction of view, 80° field of view, 220mm         | 1 |
| 2                                                         | Compact-nephroscopy OP-sheath for continuous flow, 24Fr., for Amplatz sheath 70-8209A                            | 1 |
| 3                                                         | Grasper for small stones, semi-rigid, 5Fr., 400mm                                                                | 1 |
| 4                                                         | Biopsy spoon, semi-rigid, 5Fr., 400mm                                                                            | 1 |
| 5                                                         | Grasper for medium sized stones, semi-rigid, 5Fr., 600mm                                                         | 1 |
| <b>MINI NEPHROSCOPY 15/16,5/21Fr SET 220MM 70-9903SET</b> |                                                                                                                  |   |
| 1                                                         | Mini-nephroscope, 6,6Fr. working channel, 45° ocular, 12° direction of view, 80° field of view, 220mm            | 1 |
| 2                                                         | Mini-nephroscopy OP-sheath for continuous flow, 21/24Fr., color code green                                       | 1 |
| 3                                                         | Mini-nephroscopy OP-sheath for continuous flow, 16,5/19,5Fr., color code blue                                    | 1 |
| 4                                                         | Mini-nephroscopy OP-sheath for continuous flow, 15/18Fr., color code red                                         | 1 |
| 5                                                         | Dilator, 2 channels, 21/24 Fr., 300 mm, for 70-8211                                                              | 1 |
| 6                                                         | Dilator, 2 channels, 16,5/19,5 Fr., 300 mm, for 70-8212                                                          | 1 |
| 7                                                         | Dilator, 1 channel, 15/18 Fr., 300 mm, for 70-8213                                                               | 1 |
| 8                                                         | Grasper for small stones, semi-rigid, 5Fr., 400mm                                                                | 1 |
| 9                                                         | Biopsy spoon, semi-rigid, 5Fr., 400mm                                                                            | 1 |
| 10                                                        | Grasper for medium sized stones, semi-rigid, 5Fr., 600mm                                                         | 1 |
| <b>STANDARD URETERO-RENSCOPY SET 70-9904SET</b>           |                                                                                                                  |   |
| 1                                                         | HD Uretero-Renoscope, 6,8Fr. working channel, 0° direction of view, 7,5-9-12Fr. Sheath, 90° field of view, 425mm | 1 |

|                                                  |                                                                                                                 |   |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---|
| 2                                                | Dormia stone basket with 4 wires, without handle,5Fr.,600mm working length                                      | 1 |
| 3                                                | Stone grasper, flexible,5Fr., 600mm600 mm 5 fr.                                                                 | 1 |
| 4                                                | Medium stone grasper, flexible,5Fr., 600mm                                                                      | 1 |
| 5                                                | Biopsy spoon, flexible,5Ch., 600mm                                                                              | 1 |
| 6                                                | Large stone grasper, flexible,5Fr., 600mm                                                                       | 1 |
|                                                  |                                                                                                                 |   |
| <b>THIN URETERO-RENSCOPY SET 70-9905SET</b>      |                                                                                                                 |   |
| 1                                                | HD Uretero-Renoscope, 5,1Fr. workingchannel, 0° direction of view, 6-7-9Fr.sheath, 80° field of view, 425mm     | 1 |
| 2                                                | Dormia stone basket with 4 wires, without handle,5Fr.,600mm working length                                      | 1 |
| 3                                                | Stone grasper, flexible,4Fr., 600mm                                                                             | 1 |
| 4                                                | Medium stone grasper, flexible,4Fr., 600mm                                                                      | 1 |
| 5                                                | Biopsy spoon, flexible,4Fr., 600mm                                                                              | 1 |
| 6                                                | Large stone grasper, flexible,4Fr., 600mm                                                                       | 1 |
|                                                  |                                                                                                                 |   |
| <b>UTRA THIN URETERO-RENSCOPY SET 70-9906SET</b> |                                                                                                                 |   |
| 1                                                | HD Uretero-Renoscope, 4Fr. workingchannel, 0° direction of view, 4,9-6,5-8,1Fr.sheath, 80° field of view, 425mm | 1 |
| 2                                                | Dormia stone basket with 4 wires, without handle,5Fr.,600mm working length                                      | 1 |
| 3                                                | Stone grasper, flexible,3Fr., 600mm600 mm 3 fr.                                                                 | 1 |
| 4                                                | Medium stone grasper, flexible,3Fr., 600mm                                                                      | 1 |
| 5                                                | Biopsy spoon, flexible,3Fr., 600mm                                                                              | 1 |
| 6                                                | Scissors, flexible,3Fr., 600mm                                                                                  | 1 |
|                                                  |                                                                                                                 |   |

| PEDIATRIC UROLOGY SETS                        |                                                                                                                 |   |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---|
| CYSTOSCOPY SET 13Fr 32-9901SET                |                                                                                                                 |   |
| 1                                             | #N/A                                                                                                            | 1 |
| 2                                             | Cysto-urethroscope-sheath with obturator,13Fr., 5Fr. working channel,color code red                             | 1 |
| 3                                             | Albarran deflector with 1 instrument channel,for 13Fr. Cysto-sheaths,color code red                             | 1 |
| 4                                             | Telescope bridge for diagnostics,suitable for 13Fr. cysto-sheath                                                | 1 |
| 5                                             | Flexible ball electrode,3Fr.,250mm working length                                                               | 1 |
| 6                                             | Flexible needle electrode,3Fr.,250mm working length                                                             | 1 |
| 7                                             | Biopsy Forceps,flexible, double action,3Fr., 280mm                                                              | 1 |
| 8                                             | Grasping Forceps, serrated,flexible, double action,3Fr., 280mm                                                  | 1 |
| 9                                             | Monopolar cable for Resectoscopy,Ø 2.0 mm instrument plug, 3,0 m,Ø 4.0 mm plug for Ackermann, Erbe T generators | 1 |
| CYSTOSCOPY SET 9,5Fr 32-9902SET               |                                                                                                                 |   |
| 1                                             | #N/A                                                                                                            | 1 |
| 2                                             | Cysto-urethroscope-sheath with obturator,9,5Fr., 3Fr. working channel,color code blue                           | 1 |
| 3                                             | Flexible ball electrode,3Fr.,250mm working length                                                               | 1 |
| 4                                             | Flexible needle electrode,3Fr.,250mm working length                                                             | 1 |
| 5                                             | Biopsy Forceps,flexible, double action,3Fr., 280mm                                                              | 1 |
| 6                                             | Grasping Forceps, serrated,flexible, double action,3Fr., 280mm                                                  | 1 |
| 6                                             | Monopolar cable for Resectoscopy,Ø 2.0 mm instrument plug, 3,0 m,Ø 4.0 mm plug for Ackermann, Erbe T generators | 1 |
| CYSTOSCOPY MINI-COMPACT SET 32-9903SET        |                                                                                                                 |   |
| 1                                             | Cysto-Urethrotome,0° direction of view, 80° field of view,5,1Fr. working channel                                | 1 |
| 2                                             | Biopsy Forceps,flexible, double action,3Fr., 280mm                                                              | 1 |
| 3                                             | Grasping Forceps, serrated,flexible, double action,3Fr., 280mm                                                  | 1 |
| MONOPOLAR RESECTOSCOPY SET 13Fr 32-9910SET    |                                                                                                                 |   |
| 1                                             | #N/A                                                                                                            | 1 |
| 2                                             | Resectoscopy sheath and obturator,13Fr., 1 stopcock,color code red                                              | 1 |
| 3                                             | Passiv working element, monopolar,closed handlefor 13Fr.                                                        | 1 |
| 4                                             | Loop electrode, large,13Fr.                                                                                     | 1 |
| 5                                             | Loop electrode, small,13Fr.                                                                                     | 1 |
| 6                                             | Ball electrode,13Fr.                                                                                            | 1 |
| 7                                             | Knife electrode,13Fr.                                                                                           | 1 |
| 8                                             | Monopolar cable for Resectoscopy,Ø 2.0 mm instrument plug, 3,0 m,Ø 4.0 mm plug for Ackermann, Erbe T generators | 1 |
| MONOPOLAR RESECTOSCOPY SET 11Fr 32-9911SET    |                                                                                                                 |   |
| 1                                             | #N/A                                                                                                            | 1 |
| 2                                             | Resectoscopy sheath and obturator,11Fr., 1 stopcock,color code green                                            | 1 |
| 3                                             | Passiv working element, monopolar,closed handlefor 11Fr.                                                        | 1 |
| 4                                             | Loop electrode, large,11Fr.                                                                                     | 1 |
| 5                                             | Loop electrode, small,11Fr.                                                                                     | 1 |
| 6                                             | Ball electrode,13Fr.                                                                                            | 1 |
| 7                                             | Knife electrode,11Fr.                                                                                           | 1 |
| 8                                             | Monopolar cable for Resectoscopy,Ø 2.0 mm instrument plug, 3,0 m,Ø 4.0 mm plug for Ackermann, Erbe T generators | 1 |
| VISUAL URETHROTOMY SET 13Fr NO HF! 32-9920SET |                                                                                                                 |   |
| 1                                             | #N/A                                                                                                            | 1 |
| 2                                             | Urethrotome-Sheath with 1 instrumentchannel, 13Fr., with standard obturator                                     | 1 |
| 3                                             | Passiv working element, monopolar,closed handlefor 13Fr.                                                        | 1 |
| 4                                             | Cold knife, hook shaped,for visual urethrotome 13Fr.,with Ø 2,7mm scope,187mm                                   | 1 |
| 5                                             | Cold knife, half-round shaped,for visual urethrotome 13Fr.,with Ø 2,7mm scope,187mm                             | 1 |
| 6                                             | Cold knife, straight,for visual urethrotome 13Fr.,with Ø 2,7mm scope,187mm                                      | 1 |
| 7                                             | Telescope bridge for pediatric standardresecto-sheath and urethrotom-sheath13Fr.                                | 1 |
| VISUAL URETHROTOMY SET 11Fr NO HF! 32-9920SET |                                                                                                                 |   |
| 1                                             | #N/A                                                                                                            | 1 |
| 2                                             | Urethrotome-Sheath with 1 instrument channel,11Fr., with standard obturator                                     | 1 |
| 3                                             | Passiv working element, monopolar,closed handlefor 11Fr.                                                        | 1 |
| 4                                             | Cold knife, hook shaped,for visual urethrotome 11Fr.,with Ø 2mm scope,187mm                                     | 1 |
| 5                                             | Cold knife, half-round shaped,for visual urethrotome 11Fr.,with Ø 2mm scope,187mm                               | 1 |
| 6                                             | Cold knife, straight,for visual urethrotome 11Fr.,with Ø 2mm scope,187mm                                        | 1 |
| 7                                             | Telescope bridge for pediatric standardresecto-sheath and urethrotom-sheath11Fr.                                | 1 |

