

[illegible]

٢٠٢٦ ٠٥ (١٩٧/٢٠٢٦/١٩٧) (٠٥ ٢٠٢٦) (١٩٧/٢٠٢٦/١٩٧) (٠٥ ٢٠٢٦)

1- زُفَرْدَرْ كَافِرْ دَرْ / مَوَلَايِ رَحِمِ مَوْسُو:

[illegible][illegible]

2.1	2.1.1 $\frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} m v^2 \right) = \frac{1}{2} m v \frac{dv}{dt}$ 2.1.2 $\frac{1}{2} m v^2 = \frac{1}{2} m v_0^2 + \frac{1}{2} m v_1^2$ 2.1.3 $\frac{1}{2} m v^2 = \frac{1}{2} m v_0^2 + \frac{1}{2} m v_1^2$ 2.1.4 $\frac{1}{2} m v^2 = \frac{1}{2} m v_0^2 + \frac{1}{2} m v_1^2$ 2.1.5 $\frac{1}{2} m v^2 = \frac{1}{2} m v_0^2 + \frac{1}{2} m v_1^2$ 2.1.6 $\frac{1}{2} m v^2 = \frac{1}{2} m v_0^2 + \frac{1}{2} m v_1^2$ 2.1.7 $\frac{1}{2} m v^2 = \frac{1}{2} m v_0^2 + \frac{1}{2} m v_1^2$
-----	---

(2/11)



2.3 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަސް	2.3.1 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަސް: • ބަންދުވާ 15 ރަජަބު 1448 (2026) ގެ ދުވަހު • 11:00 ގަޑިއިރު • ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.2 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.1 ގައި ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.3 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.1 ގައި ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.4 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.1 ގައި ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.5 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.1 ގައި ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.6 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.1 ގައި ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.7 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.1 ގައި ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު
2.4 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު	2.4.1 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.1 ގައި ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.4.2 ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު 2.3.1 ގައި ބަންދުވާ ފަރާތްތަކުގެ ބަންދު ދުވަހު





١٥٠٠ ١٥٠٠

[illegible]

اِسْمُكَ كَيْفَ تَسْمِيهِ فِى مَكْرَمَتِى سَمِيحًا	
سَمِيحًا	مَكْرَمَتِى

	سورۃ النحل
سورۃ النحل	

Minimum Specifications

Project: Supply & Installation of Additional Door Access Control System for existing setup

Location	No. of door	Item Details	Qty
Area 1	4	4 Door Access Control System	1
		No Touch Exit Button	4
		Magnetic Lock	4
		Door Loop	4
		CAT6 Cabling (ft)	225
		1/2" Casing	8
		Installation	4
Area 2	3	4 Door Access Control System	1
		Slave Fingerprint Reader	3
		No Touch Exit Button	3
		Magnetic Lock	3
		Door Loop	3
		CAT6 Cabling (ft)	170
		1/2" Casing	10
		Installation	3
Area 3	3	4 Door Access Control System	1
		Slave Fingerprint Reader	1
		No Touch Exit Button	1
		Magnetic Lock	1
		CAT6 Cable	50
		1/2" Casing	2
		Installation	1

2. Warranty & Support –

Minimum 1-year warranty on all hardware components, except installation materials. - On-site support during installation and initial configuration.

3. Software Requirements –

Supplier must provide centralized access management software with the following features:

- User Management: Add, edit, and delete users with fingerprints and access credentials.
- Access Rights Control: Assign access permissions per door, time schedules, and user groups.
- Audit Logs: Track entry/exit logs with timestamps.
- Remote Access: Web-based interface for administration within the internal network, no external or cloud access is permitted or required.



- Software must be installed on a local, physical or virtual server provided.
- Users should be able access the software within the internal network.
- Software must be licensed if required for lifetime.

4. Supplier Requirements –

Supplier must be an authorized re-seller or distributor of the proposed hardware. - Supplier must have a local service center to provide warranty and support services

