



سرکاری خریداری کے ذریعے  
دوا، سرکاری خریداری

سرکاری خریداری کے ذریعے دوا، سرکاری خریداری  
دوا، سرکاری خریداری، دوا، سرکاری خریداری

171-Y(FBM2)/IUL/2026/219

15 جولائی 2026

PC-171/2026/T337

دوا، سرکاری خریداری، دوا، سرکاری خریداری

Procurement of Rappelling Kit

دوا، سرکاری خریداری

دوا، سرکاری خریداری

دوا، سرکاری خریداری

دوا، سرکاری خریداری



[illegible][illegible]

[illegible][illegible]

[illegible]

|                                  |                                  |
|----------------------------------|----------------------------------|
| <p>3.0</p> <p>3.1</p> <p>3.2</p> | <p>3.0</p> <p>3.1</p> <p>3.2</p> |
|----------------------------------|----------------------------------|



[illegible][illegible]

[illegible][illegible]

وَمِنْ ذُرِّيَّتِهِ نَبِيٍّ يُهْدِي إِلَى صِرَاطٍ مُسْتَقِيمٍ

[illegible]

[illegible]

|      |                                    |
|------|------------------------------------|
| 13.3 | <p>13.3.1. ...<br/>...<br/>...</p> |
| 13.4 | <p>13.4.1. ...<br/>...<br/>...</p> |
| 13.5 | <p>13.5.1. ...<br/>...<br/>...</p> |
| 13.6 | <p>13.6.1. ...<br/>...<br/>...</p> |
| 13.7 | <p>13.7.1. ...<br/>...<br/>...</p> |
| 13.8 | <p>13.8.1. ...<br/>...<br/>...</p> |
| 14.0 | <p>14.0.1. ...<br/>...<br/>...</p> |
| 14.1 | <p>14.1.1. ...<br/>...<br/>...</p> |
| 14.2 | <p>14.2.1. ...<br/>...<br/>...</p> |
| 14.3 | <p>14.3.1. ...<br/>...<br/>...</p> |
| 14.4 | <p>14.4.1. ...<br/>...<br/>...</p> |
| 14.5 | <p>14.5.1. ...<br/>...<br/>...</p> |
| 15.0 | <p>15.0.1. ...<br/>...<br/>...</p> |

[illegible][illegible]

[illegible]

|       |       |       |
|-------|-------|-------|
| 17.4  | 17.1  | 17.4  |
| 17.5  | 17.5  | 17.5  |
| 17.6  | 17.6  | 17.6  |
| 17.7  | 17.7  | 17.7  |
| 17.8  | 17.8  | 17.8  |
| 17.9  | 17.9  | 17.9  |
| 17.10 | 17.10 | 17.10 |
| 18.0  | 18.0  | 18.0  |
| 18.1  | 18.1  | 18.1  |
| 18.2  | 18.2  | 18.2  |
| 19.0  | 19.0  | 19.0  |
| 19.1  | 19.1  | 19.1  |

۞ وَبَشِّرِ الصَّالِحِينَ ۝ الَّذِينَ إِذَا أَصَابُوا بِرَأْسِهِم مِّمْرًا فَقَالُوا هَذَا الَّذِي آتَانَا مِن قَبْلُ ۖ وَأَن تُلَاقُوا نِسَاءَكُم مِّن بَيْنِ يَدَيْكُمْ فَادْخُلُوا فِي بُيُوتِكُمْ فِي سُبُحٍ ۚ ۝

[illegible]



بَحْرُ مَرْوُحٍ - 2 (مَرْوُحٌ مَرْوُحٌ مَرْوُحٌ)

[illegible]



މަދަރުސާ ދަރިވަރުންނަށް ދަރުސާދޭ ފަރާތްތަކުގެ ބޭނުންކޮށް

4 - (ދަރުސާދޭ ފަރާތްތަކުގެ ބޭނުންކޮށް - ދަރުސާދޭ ފަރާތް)

## Performance Bond

**Guarantor:** -----

**Beneficiary:** Maldives police service

**Date:** -----

**Performance Bond No.:** -----

We have been informed that -----, (hereinafter called “the Contractor”) has entered into Contract; Award Letter No: -----) Dated -----, with you, for the execution of ----- (hereinafter Called “the Contract”).

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Contractor, we ----- hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of **MVR** --

----- (-----) such sum being payable in the types and proportions of currencies in which the Contract Price is Payable, upon receipt by us of your first demand in writing accompanied by a statement stating that the Contractor is in breach of its obligation(s) under the Contract, proving and showing the grounds for your demand or the sum specified therein Any claim under this Bond must be received by the Guarantor on or before (...Date) (the “Expiry Date”), when this Bond shall expire and shall be returned to the Guarantor.

This guarantee shall be governed by and construed in accordance with the laws of Republic of Maldives.

**SIGNED ON (Date) on behalf of** (-----)

މަދަރުސާ ދަރިވަރުންނަށް ދަރުސާދޭ ފަރާތްތަކުގެ ބޭނުންކޮށް



ބަޔާން - 6

ބަޔާން 6 (މަޢުލޫމާތު / ބަޔާން / ސަރުކާރުގެ ބަޔާން)

**SPECIFICATIONS**

| #  | ITEMS                                                 | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | QTY |
|----|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 01 | 310 RESCUE HARNESS (Black)                            | <p>Well suited for rescue, military, SWAT and tactical rappel applications where a metal attachment point is not necessary. Originally designed for the US Navy Seals tactical teams, the anatomical configuration of the harness has made it the choice for many tactical teams who need a non-restrictive harness system. The front attachment point is provided through slot webbing construction.</p> <p>Weight 1 lb. 3 oz.<br/> <b>Model:</b><br/>                     310 Rescue Harness<br/>                     SKU:31</p> <ul style="list-style-type: none"> <li>• One size, fully adjustable</li> <li>• Available in terra, black and foliage green</li> <li>• Quick leg adjustment with camlock buckles</li> <li>• All hardware plated or epoxy coated in color</li> <li>• One gear rack</li> <li>• Meets ASTM F1772 Seat Harness Standards</li> </ul> <p>COLOUR (BLACK)</p> | 40  |
| 02 | 925B YATES TACTICAL RAPPEL / FAST ROPE GLOVES (BLACK) | <p>The thick full-grain leather second palm extends over the palm and to the second joint of your fingers to provide added protection from the heat and friction generated when fast roping. The index finger is separated for trigger finger dexterity. Also excellent for tactical and help rappel use. Carabiner hole in the wrist for attaching to harness. Order one size larger if the user intends to wear over a flight glove, gloves fit true to size for dexterity. The entire glove is sewn with heat resistant KEVLAR thread.</p> <p>Sizes:<br/>                     925(Black)-S: NSN# 8415016299029 - 25 Pcs<br/>                     925(Black)-M: NSN# 8415016299010 – 25 Pcs<br/>                     925(Black)-L: NSN# 8415016299028 – 25 Pcs</p>                                                                                                                    | 75  |

|    |                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |    |
|----|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 03 | 1137 Yates<br>TriLock® ANSI<br>Harness<br>Carabiner | Super lightweight aluminum forged carabiner certified for use on any YATES Full Body Harnesses to connect the front chest portion of the harness to the seat portion of the full-body Harness. Replaces the original Trapezoid screw link. One of the only aluminum carabiners that currently meets the new ANSI/ASSE Z359.12-2019 side load gate strength requirements. 6750 lbf. (30kN) closed gate strength. Keylock style gate. Gate open strength 2025 lbf. (9kN). Meets ANSI Z133.1-2000 and ANSI/ASSE Z359.12-2019. UL Classified to meet NFPA 1983/2017 edition standards. Weight 100 grams                                                                                                                                      | 40 |
| 04 | 1026 ISC RP100<br>LARGE<br>ALUMINUM 8               | Original design figure eight has many uses in work and rescue such as rappelling, belaying and lowering. Manufactured of forged alloy aluminum and hard coat anodized for extended wear. Rig point will allow multiple carabiners to pass through the hole.<br><br><ul style="list-style-type: none"> <li>• Rope diameter range (mm) 9 – 13</li> <li>•(MBS) Minimum Breaking Strength (kN) 35</li> <li>•(MBS) Minimum Breaking Strength (lbf) 7868</li> </ul>                                                                                                                                                                                                                                                                            | 20 |
| 05 | BP6154<br>BACKPACK<br>(Colour : Black)              | 1. Material: Nylon (liftable)<br>2. Dimensions: 74x38x26cm<br>3. Capacity: 80L<br>4. Weight: Approx. 2640g<br>5. For rope rescue, storing equipment or ropes; abrasion-resistant; can be packed in a bucket or laid flat.<br>Features YKK zippers and UTX buckles, 7 internal zippered compartments, two side open-sided mesh pockets, 12 x 2 main locking points, 3 horizontal securing straps, light-colored lining for easier equipment identification, and a helmet securing link on the top for modular storage. Low absorbency with padded back support, thickened waist and shoulder straps for comfort, suitable for long- distance heavy-duty carrying. The pack also features ID card slots and 12 practical attachment points | 10 |
| 06 | 7009Y KASK<br>ZENITH E-<br>RATED<br>HELMET          | Working-At-Height / Industrial Rope Access / Electric Utilities<br>OUTER SHELL: ABS Plastic.<br>INNER SHELL: HD Polystyrene.<br>HEADBAND: PE Polythene.<br>UNIVERSAL SIZE: Adjustable from 53 to 63 cm (6-3/8 – 7-3/4)<br>WEIGHT: 400 g (14 oz)<br>PPE Category: Type I – Class E<br>STANDARD: Type I, Class C helmet based on ANSI Z89.1-2009 classification. / CSA 89.1-2009 (USA & Canada).<br>LAMP CARRYING SYSTEM - External Nylon 6.6 Lamp Clips.                                                                                                                                                                                                                                                                                  | 40 |

**مۆھرىملىك ۋە تەكشۈرۈش ئۆمرى، مەھسۇلات سېتىش رەسمىيەتلىرىنىڭ تەكشۈرۈلۈشى**

|    |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |
|----|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|    |                                       | ADJUSTMENT SYSTEM: Up & Down<br>Color : Anthracite WHE00097-209                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |
| 07 | 1275 PROTAC<br>11 MM -<br>DESERT SAND | Polyester sheath braided over a double twist nylon cable core. The new ProTac rope is a slightly smaller diameter than standard 7/16 Assaultline because of the use of a greater number of smaller diameter sheath yarns. 50/50 ratio of sheath to core ensures good abrasion resistance. Much smoother running in descent control devices. Originally developed for the FBI training center in Quantico, Virginia, this new construction technique has been recognized in the tactical community as the best all-around rappel rope available today. Certified to NFPA 1983/2006 edition. | 600 meter<br>x 02 rope  |
| 08 | SWAT Rappelling<br>Ropes              | Product Origin: USA<br>Material: Polyester<br>Dimensions 08mm" X 200'<br>Material Specs: 100% Polyester                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 04                      |
|    |                                       | Product Origin: USA<br>Material: Polyester<br>Dimensions 12mm" X 200'<br>Material Specs: 100% Polyester                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 20                      |
|    |                                       | Product Origin: USA<br>Material: Polyester<br>Dimensions 16mm" X 200'<br>Material Specs: 100% Polyester                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 05                      |
| 09 | CMCRESCUE<br>BELAY                    | -<br>CMC RESCUE BELAY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 05                      |
| 10 | CMC Rescue<br>Pulley (SINGLE)         | -<br>CMC Rescue Pulley (SINGLE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 04                      |
| 11 | CMC Rescue<br>Pulley<br>(DOUBLE)      | -<br>CMC Rescue Pulley (DOUBLE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 04                      |
| 12 | Petzl<br>ASCENSION<br>ascender        | -<br>Petzl ASCENSION ascender                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Left – 05<br>Right – 05 |
| 13 | OTTO<br>STANDARD -<br>Descender       | 092801 - OTTO STANDARD<br>One of the lightest figure eights on the market, our Standard Figure Eight offers a smooth rappel with minimal impact on the rope                                                                                                                                                                                                                                                                                                                                                                                                                                | 40                      |



[illegible]

4-  $\frac{d}{dt} \left( \frac{1}{2} m v^2 \right) = \left( \frac{1}{2} m v^2 \right) \left( \frac{1}{v} \frac{dv}{dt} \right)$  - 4.1  $\frac{d}{dt} \left( \frac{1}{2} m v^2 \right) = \left( \frac{1}{2} m v^2 \right) \left( \frac{1}{v} \frac{dv}{dt} \right)$

[illegible]

100% ڊيٽا ڏيکارڻ لاءِ 10 ڊيٽا پوائنٽس ڏيکارڻ لاءِ

50% ڊيٽا ڏيکارڻ ۽ 05 ڊيٽا ڏيکارڻ

[illegible]

5. مَوَاجِدُ (مَوْجِدٌ مُوَجِّدٌ) (05)

[illegible][illegible]

# 8 (a) (b) (c) (d) (e) (f) (g) (h) (i) (j) (k) (l) (m) (n) (o) (p) (q) (r) (s) (t) (u) (v) (w) (x) (y) (z)

## 8 (a) (b) (c) (d) (e) (f) (g) (h) (i) (j) (k) (l) (m) (n) (o) (p) (q) (r) (s) (t) (u) (v) (w) (x) (y) (z)

| #     | QTY | ITEM                                                  | UNIT | PRICE | TOTAL |
|-------|-----|-------------------------------------------------------|------|-------|-------|
| 1     | 40  | 310 RESCUE HARNESS (Black)                            |      |       |       |
| 2     | 75  | 925B YATES TACTICAL RAPPEL / FAST ROPE GLOVES (BLACK) |      |       |       |
| 3     | 40  | 1137 Yates TriLock® ANSI Harness Carabiner            |      |       |       |
| 4     | 20  | 1026 ISC RP100 LARGE ALUMINUM 8                       |      |       |       |
| 5     | 10  | BP6154 BACKPACK (Colour : Black)                      |      |       |       |
| 6     | 40  | 7009Y KASK ZENITH E-RATED HELMET                      |      |       |       |
| 7     | 02  | 1275 PROTAC 11 MM - DESERT SAND (600 meter x 02 rope) |      |       |       |
| 8     | 04  | SWAT Rappelling Ropes - 08mm" X 200'                  |      |       |       |
| 9     | 20  | SWAT Rappelling Ropes - 12mm" X 200'                  |      |       |       |
| 10    | 05  | SWAT Rappelling Ropes - 16mm" X 200'                  |      |       |       |
| 11    | 05  | CMCRESCUE BELAY                                       |      |       |       |
| 12    | 04  | CMC Rescue Pulley (SINGLE)                            |      |       |       |
| 13    | 04  | CMC Rescue Pulley (DOUBLE)                            |      |       |       |
| 14    | 10  | Petzl ASCENSION ascender – LEFT and RIGHT             |      |       |       |
| 15    | 40  | OTTO STANDARD - Descender                             |      |       |       |
| TOTAL |     |                                                       |      |       |       |

8 (a) (b) (c) (d) (e) (f) (g) (h) (i) (j) (k) (l) (m) (n) (o) (p) (q) (r) (s) (t) (u) (v) (w) (x) (y) (z)

8 (a) (b) (c) (d) (e) (f) (g) (h) (i) (j) (k) (l) (m) (n) (o) (p) (q) (r) (s) (t) (u) (v) (w) (x) (y) (z)



[illegible][illegible]

|            |  |            |
|------------|--|------------|
| سَمَوَاتٍ: |  | سَمَوَاتٍ: |
| دَرَجَاتٍ: |  | دَرَجَاتٍ: |

[illegible]



# 1. 2. 3.

## 1. 2. 3.

### 1. 2. 3.

1. 2. 3.

## 1. 2. 3.

1. 2. 3.

1. 2. 3.

1. 2. 3.

1. 2. 3.

1. 2. 3.

1. 2. 3.



## 1. 2. 3.

1. 2. 3.

## 1. 2. 3.

1. 2. 3.











عَرَفُوا عَزَّ وَجَلَّ عَزَّ وَجَلَّ عَزَّ وَجَلَّ



