



MALDIVES
CUSTOMS
SERVICE

މަސައްދާ ދަންނަވުމުގެ ނަންބަރު

މިއަންގަވާ ނަންބަރު ސަބަބުގައި 12 ވަނަ ދުވަހުގެ ތެރޭގައި 8 ވަނަ ވަނަ ދުވަހުގެ ތެރޭގައި
'މިއަންގަވާ ނަންބަރު' ދަންނަވުމުގެ ތެރޭގައި ސަބަބުގައި ދަންނަވާ

މިއަންގަވާ ނަންބަރު:

(IUL)14-PR/1/2026/112

މިއަންގަވާ ނަންބަރު:

29 ވަނަ ދުވަހުގެ ތެރޭގައި 2026 (މިއަންގަވާ)

މިއަންގަވާ ނަންބަރު ދަންނަވާ ވަނަ ދުވަހު:

14:00

މިއަންގަވާ ނަންބަރު ދަންނަވާ ވަނަ ދުވަހު:

މިއަންގަވާ ނަންބަރު 12 ވަނަ ދުވަހުގެ ތެރޭގައި 8 ވަނަ ވަނަ ދުވަހުގެ ތެރޭގައި

މިއަންގަވާ ނަންބަރު ދަންނަވާ ވަނަ ދުވަހު:

18 ވަނަ ދުވަހުގެ ތެރޭގައި 2026 (މިއަންގަވާ)

މިއަންގަވާ ނަންބަރު ދަންނަވާ ވަނަ ދުވަހު:



1. زَوَّجْنَاهُ دَسْرَةَ نَجْوَى

[illegible]

2. $\frac{1}{x^2} = x^{-2}$, $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$

[illegible]

ސަލާސަތުގެ ސަރަޙައްދު 3334154 / 3334113 ގައި ހިމެނޭ ތަކެތި ހިފަން ކަނޑުވަނަ ދުވަހު. 2.4.2 ގަވާއިދުގެ ދަށުން ހިމެނޭ ތަކެތި ހިފަން: ދަންނަވާ ދުވަހު 7774782 / 2.4.3 ތަކެތި ހިމެނޭ ދަންނަވާ ތަކެތި ހިފަން: 3334113 / 3334154 2.4.4 ތަކެތި ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން: – ތަނ: 27 ވަނަ ދުވަހު 2026 (ހިފަން) – ޖަހަން : 14:00		
2.5.1 ހިމެނޭ ތަކެތި ހިފަން: – ތަނ: 24 ވަނަ ދުވަހު 2026 (ހިފަން) – ޖަހަން : 14:00 – ތަނ: ސަލާސަތުގެ ސަރަޙައްދު، ހިމެނޭ ތަކެތި ހިފަން، ހިމެނޭ ތަކެތި. 2.5.2 ތަކެތި ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން: – ތަކެތި ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން. 2.5.3 ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން: – ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން. – ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން.	2.5 ހިމެނޭ ތަކެތި ހިފަން	
2.6.1 ތަކެތި ހިމެނޭ ތަކެތި ހިފަން: – ތަނ: 29 ވަނަ ދުވަހު 2026 (ހިފަން) – ޖަހަން : 14:00 2.6.2 ތަނ: ސަލާސަތުގެ ސަރަޙައްދު، ހިމެނޭ ތަކެތި ހިފަން: 2.6.3 ތަކެތި ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން: – 2.6.1 ތަކެތި ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން. 2.6.4 ތަކެތި ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން: – ތަކެތި ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން. 2.6.5 ތަކެތި ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން: – ތަކެތި ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން ހިމެނޭ ތަކެތި ހިފަން.	2.6 ތަކެތި ހިމެނޭ ތަކެތި ހިފަން	



[illegible]

4.3. $\mathbb{Z}_2$ -Symmetry:

[illegible][illegible]

4.4. مَرَاتِبُ الْمَرْبُوعِ الْمُرَبَّعِ:

[illegible]

4.5. قوس سرج:

[illegible][illegible]

21 (1990) ڏيکاريل ٿيل ٻنهي ٻڌڻن جي وچ ۾ ڳالهه ٿيڻ لڳي.

[illegible]

4.10. د ژبې سره سم لاسوهنيزه کړنې

[illegible][illegible]

4.10.2 $\frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} m v^2 \right) = \frac{1}{2} m v \frac{dv}{dt} = \frac{1}{2} m v \frac{dv}{dt} = \frac{1}{2} m v \frac{dv}{dt}$

[illegible][illegible][illegible][illegible]

اَللّٰهُمَّ اِنِّىْ اَسْأَلُكَ بِرَحْمَتِكَ الَّتِىْ رَفَعْتَ بِهَا السَّمٰوٰتِ سَبْعَ مَرَّاتٍ وَبِحَبْلِ لَدُنِّكَ الَّذِىْ لَا يَنْفَكُ عَنْ يَمِيْنِكَ وَاَسْأَلُكَ بِمَا تَرْضٰۤى لِقَابَكَ وَاَسْأَلُكَ بِمَا تُحِبُّ لِعِبَادِكَ

[illegible]

نَاسِکُ دَسُوں لَاقُوں رَوَنو تَر مَہر سِرُو.

[illegible]

١٥٠ صوفور ٢٠٠ زئبق ٣٠٠ مس ٤٠٠ نحاس ٥٠٠ كبريت ٦٠٠ زئبق ٧٠٠ مس ٨٠٠ نحاس ٩٠٠ كبريت ١٠٠٠ صوفور

4.10.7 ج اَنفَسُوذِي اَنفَسَ دَمَتَرَا، اَنفَسَ سَهْوَا، تَرَفَّعَاجِي تَزَسَّرَا سَرُومَ تَقَوَّرَا

[illegible]

سَوَاحِلُ سَمْعِيٍّ سَمْعِيٍّ سَمْعِيٍّ سَمْعِيٍّ سَمْعِيٍّ سَمْعِيٍّ سَمْعِيٍّ سَمْعِيٍّ سَمْعِيٍّ سَمْعِيٍّ

[illegible]

[illegible]

دستوریه بر سرِ دُستور

1- ڄڻي ۽ ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي		
1.1	ڄڻي ڄڻي ڄڻي	
1.2	ڄڻي ڄڻي ڄڻي	
1.3	ڄڻي ڄڻي ڄڻي / ڄڻي ڄڻي ڄڻي	
1.4	ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي	
1.5	ڄڻي ڄڻي ڄڻي	
1.6	ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي (ڄڻي ڄڻي ڄڻي)	
1.7	ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي	
1.8	ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي	
1.9	ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي ڄڻي	

2- ڄڻو ڏسڻو ۽ ڄاڻڻو		
2.1	ڄڻو ڏسڻو	
2.2	ڄڻو ڏسڻو	
2.3	ڄڻو ڏسڻو ۽ ڄاڻڻو	
2.4	ڄڻو ڏسڻو ۽ ڄاڻڻو	
2.5	ڄڻو ڏسڻو ۽ ڄاڻڻو	

[illegible]

ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން

#	ބަޔާން	✓	ފަސޭހަކުރާ ބޭނުންތަކާ ގުޅިގެން
1	ޖަދުވަލު 1 "އިންޓަރނެޝަނަލް ރިޕޯޓް ޖަދުވަލު"		
2	ޖަދުވަލު 2 "ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން"		
3	ޖަދުވަލު 7 "އިންޓަރނެޝަނަލް ސެކްޓަރ"		
4	މަޢުލޫމާތު ސަރުކާރުގެ ރިޕޯޓް ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން.		
5	މި ސަރުކާރުގެ 10,000 (ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން)		
6	މަޢުލޫމާތު ސަރުކާރުގެ ރިޕޯޓް ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން.		
7	އިންޓަރނެޝަނަލް ފުލުޝިޔާ ޖަދުވަލު (ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން 60 ވަނަ ޖަދުވަލު)		
8	ވިޔަފާރީގެ ބޭނުންތަކާ ގުޅިގެން (އިޖުތިމާއިއްޔާގެ ވިޔަފާރީގެ ބޭނުންތަކާ ގުޅިގެން 10 ވަނަ ސަރުކާރުގެ ބަޔާންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން).		
9	މި.އ.އ. ގެ ހުރިހާ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން، ޖ.އ.އ. ގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން.		
10	ވިޔަފާރީގެ ބޭނުންތަކާ ގުޅިގެން (މި.އ.އ. ގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން).		
11	އި.އ.އ. ގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން، ވިޔަފާރީގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން.		
12	މި.އ.އ. ގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން، ވިޔަފާރީގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން.		
13	އިންޓަރނެޝަނަލް ޖަދުވަލު ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން، ޖ.އ.އ. ގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން.		
14	މި.އ.އ. ގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން (މި.އ.އ. ގެ ބޭނުންތަކާ ގުޅިގެން 19.01 ވަނަ ޖަދުވަލު (ހ) ގެ ބޭނުންތަކާ ގުޅިގެން "މި.އ.އ. ގެ ބޭނުންތަކާ ގުޅިގެން" ގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން).		
15	ސަރުކާރުގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން، ވިޔަފާރީގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން.		
16	މި.އ.އ. ގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން، ވިޔަފާރީގެ ބޭނުންތަކާ ގުޅިގެން ދަރަނުކުރާ ބޭނުންތަކާ ގުޅިގެން.		

BID SECURITY FORMAT

The Issuing Bank shall fill in this Bank Guarantee Form in accordance with the instructions indicated.

_____ *[Bank's Name, and Address of Issuing Branch or Office]*

Beneficiary: ----- *[Name and Address of Procuring Entity]*

Date: -----

BID GUARANTEE No.: -----

We have been informed that *[name of the Bidder]* (hereinafter called "the Bidder") has submitted to you its bid dated (hereinafter called "the Bid") for the execution of *[name of contract]* under Invitation for Bids No. *[Procurement Reference number]* ("the IFB").

Furthermore, we understand that, according to your conditions, bids must be supported by a bid guarantee.

At the request of the Bidder, we *[name of Bank]* hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[amount in figures]* (*[amount in words]*) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder:

- (a) has withdrawn its Bid during the period of bid validity specified by the Bidder in the Form of Bid; or
- (b) having been notified of the acceptance of its Bid by the Procuring Entity during the period of bid validity,
 - (i) fails or refuses to execute the Contract Form; or (ii) fails or refuses to furnish the performance security, if required, in accordance with the Instructions to Bidders.

This guarantee will expire: (a) if the Bidder is the successful Bidder, upon our receipt of copies of the contract signed by the Bidder and the performance security issued to you upon the instruction of the Bidder; or (b) if the Bidder is not the successful Bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of the Bidder's Bid.

Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.

[signature(s)]



PERFORMANCE GUARANTEE FORMAT

[The issuing bank, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated]

Date: *[insert date (as day, month, and year)]*

Title of the procurement: *[Insert general title of the procurement]*

Procurement Reference No: *[insert reference]*

Bank's Branch or Office: *[insert complete name of Guarantor]*

Beneficiary: *[insert complete name of Procuring Entity]*

PERFORMANCE GUARANTEE No.: *[insert Performance Guarantee number]*

We have been informed that *[insert complete name of Supplier]* (hereinafter called "the Supplier") has entered into Contract No. *[insert number]* dated *[insert day and month]*, *[insert year]* with you, for the supply of *[description of Goods and related Services]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a Performance Guarantee is required.

At the request of the Supplier, we hereby irrevocably undertake to pay you any sum(s) not exceeding *[insert amount(s)¹ in figures and words]* upon receipt by us of your first demand in writing declaring the Supplier to be in default under the Contract, without cavil or argument, or your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This Guarantee shall expire no later than the *[insert number]* day of *[insert month]* *[insert year]*,² and any demand for payment under it must be received by us at this office on or before that date. We agree to a one-time extension of this Guarantee for a period not to exceed *[six months]* *[one year]*, in response to the Procuring Entity's written request for such extension, such a request to be presented to us before the expiry of the Guarantee.

.....
[signatures of authorized representatives of the bank]

1 The Bank shall insert the amount(s) specified in the SCC and denominated, as specified in the SCC, either in the currency(ies) of the Contract or a freely convertible currency acceptable to the Procuring Entity.

2 Dates established in accordance with a Clause of the General Conditions of Contract ("GCC"), taking into account any warranty obligations of the Supplier under a Clause of the GCC intended to be secured by a partial Performance Guarantee.



General Scope of Work – Instructions to Bidders

1. General Requirements for All Components

- 1.1. The drawings show the design intent. Bidders must visit the site, take their own measurements and check existing conditions before pricing. No quantities are given.
- 1.2. Each lump sum must cover everything needed for a complete, working component, whether every item is listed here.
- 1.3. The bidder bears all costs (labor, materials, equipment, transport, access, permits, insurance, removal, storage, reinstallation, testing, making good and any damage). The Client provides only electricity and water at the site of work.
- 1.4. All materials, products, samples, colors, finishes, shop drawings, method statements and control systems must be approved in writing by the Maldives Customs Service office before use. Unapproved work may be rejected and redone at the bidder's cost.
- 1.5. The hall is inside Customs Head Office. The bidder must follow the building's security, access and working-hours rules, keep noise, dust and disturbance to a minimum, and protect lifts, corridors, floors and adjoining spaces.
- 1.6. The existing VRV indoor units and fire protection devices remain the Client's property. The bidder is responsible for them until they are reinstalled and fully working.
- 1.7. Work at height, electrical work and refrigerant handling must be done by qualified people following applicable safety rules. Fire protection must be kept working during the works by approved temporary measures.
- 1.8. All demolition and construction waste is removed from site and disposed of by the bidder. The work area is kept clean daily.
- 1.9. Work must be neat, level and properly aligned, especially the ceiling, which is the main visible feature of the hall.

2. Scope of Work of Each Component in the Price Sheet (Jadhuval -7)

2.1. Ceiling Works

- 2.1.1. Remove the existing ceiling over the hall and storage area, including hangers, framing and finishes. Safely disconnect and remove other ceiling-mounted services that are not being reused. Existing VRV units and fire protection devices are not demolished. Dispose of all waste.
- 2.1.2. Supply and install the new ceiling in three parts, as shown on the ceiling plan
- 2.1.3. Form all openings and access panels for lights, existing AC units, fire protection devices and speakers. The existing slab soffit level must be checked on site before setting out.
- 2.1.4. Supply and install the lighting shown on the lighting plan: CL1 recessed ceiling downlights in the soffit around the perimeter, and CL2 LED linear lights (2,000 × 120 mm, black housing) installed within the baffle ceiling. All lights must be 4000K, with suitable drivers. Quantities and positions are to be taken from the drawing and confirmed on site.
- 2.1.5. Provide all electrical work for the new ceiling: lighting circuits, with an individual switch or control for each light. The bidder proposes the control method for approval. Also include distribution board work, reconnection of the AC units, general and control room power, emergency lighting where needed, and testing and certification of the installation.
- 2.1.6. Reuse the existing VRV indoor units in the new ceiling. Lower or remove them wherever needed to install the new ceiling, protect and store them, modify refrigerant piping, drains, controls and wiring as needed, and reinstall them at the positions on the ceiling plan with

openings coordinated. Test and commission the system so that full operation is restored. Refrigerant work must be done by a qualified VRV contractor. Any damage is repaired or replaced at the bidder's cost with approved equal equipment.

- 2.1.7. Treat the firefighting devices installed in the current ceiling in the same way as the AC units: disconnect, remove, protect and reinstall them in the new ceiling, modify pipework and cabling as needed, then test and recertify them. Keep the hall's fire protection working during the works by temporary measures approved by the office, and obtain any approval needed from the relevant fire authority.
- 2.1.8. Supply and install ceiling speakers at the positions shown on the ceiling plan, with cabling and wall plates. Tune and test the system. Equipment made and models are subject to approval.

2.2. Walls, Partitions and Finishes

- 2.2.1. Supply and install pale greige wall panels.
- 2.2.2. Paint walls and all interior columns Sherwin-Williams Alabaster SW 7008.
- 2.2.3. Provide the charcoal backdrop on the stage wall.
- 2.2.4. Make good existing walls after demolition and refurbish existing doors.
- 2.2.5. The existing stage is kept; no stage work is included.

2.3. Stage Carpet Replacement.

- 2.3.1. Remove and dispose of the existing carpet, prepare the floor and supply and install new carpet. Type, color and pattern are subject to approval by the office. The oak flooring shown on the drawings is not part of this tender.

2.4. Curtains and Decorations

- 2.4.1. Supply and install warm taupe curtains with tracks along the north wall, and stage side curtains where required. Fabric is subject to approval and should be fire-retardant.

3. Testing, Completion and Handover

- 3.1. The bidder tests every system (lighting, power, AC, fire protection, sound) in the presence of the Client, corrects defects, and hands over the hall clean and ready for use with as-built drawings, manuals, certificates and warranties. The Client may inspect the works at any stage and reject non-approved or defective work.

4. Exclusions

- 4.1. Furniture (chairs and tables).
- 4.2. Stage platform, steps and handrails (existing stage is kept).
- 4.3. Oak flooring (FF1) shown on the drawings.
- 4.4. Works on the balcony.



بَحْ ثُرُوعُ-6



Project Title:

CUSTOMS HALL

Client:

MALDIVES CUSTOMS SERVICE





WARM IVORY



PALE GREIGE



NATURAL OAK



WARM TAUPE



CHARCOAL

NATURAL OAK BAFFLED CEILING

LED LINEAR LIGHTING

WARM TAUPE CURTAINS

WOODEN STAGE AND CHARCOAL BACKDROP

PALE GREIGE WALL PANELLING

PLAIN WARM IVORY WALLS

MATTE OAK FLOORING












HATCH	DESCRIPTION
	WALLS TO BE DEMOLISHED
	CEILING TO BE DEMOLISHED



HATCH	DESCRIPTION
	ADDITIONAL WALLS







FINISHES LEGEND

CODE	IMAGE	DESCRIPTION
WF1		SHERWIN-WILLIAMS ALABASTER SW 7008
WF2		PALE GREIGE WALL PANELS
FF1		OAK FLOORING

NOTE:
ALL INTERIOR COLUMNS TO BE PAINTED SHERWIN-WILLIAMS ALABASTER SW 7008






LIGHTING LEGEND

SYMBOL	CODE	IMAGE	DESCRIPTION
	CL1		CEILING DOWNLIGHT
	CL2		LED LINEAR LIGHT (2000MMX120MM)


SWITCHES LEGEND

SYMBOL	CODE	DESCRIPTION
	S1	ONE GANG POWER SWITCH
	S2	ONE GANG POWER SWITCH
	S3	FOUR GANG POWER SWITCH





CEILING LEGEND

SYMBOL	DESCRIPTION
	FLAT GYPSUM CEILING @2500MM FFL
	DROPPED GYPSUM BOARD PERIMETER SOFFIT PAINTED IN WARM IVORY @ 3000MM FFL
	50X100MM POWDER-COATED ALUMINUM BAFFLES @175 C/C WITH AN OAK WOOD COLOUR FINISH @3500MM FFL
	CEILING CASSETTE AIR CONDITIONER
	SPEAKERS




BAFFLE CEILING REFERENCE







1 ELEVATION 1
SCALE: 1 : 100



2 ELEVATION 2
SCALE: 1 : 100



3 ELEVATION 3
SCALE: 1 : 100



4 ELEVATION 4
SCALE: 1 : 100

Price Sheet

Item	Component	QTY	Line Total (MVR)
1	Ceiling Works	1 Bundle	
2	Walls, Partitions and Finishes	1 Bundle	
3	Carpet Replacement	1 Bundle	
4	Curtains and Decorations	1 Bundle	
Total excluding GST			
GST (if applicable)			
Total including GST			

