بسم الله الرحمن الرحيم

ތިލަދުންމަތީ ދެކުނުބުރީ ނޮޅިވަރަމް ކައުންސިލްގެ އިދާރާ
ހދ. ނޮޅިވަރަން ދިވެހިރާއްޖެ
Secretariat of Nolhivaram Council
South Thiladhunmathi, Republic of Maldives

ނޮޅިވަރަމް ކައުންސިލް
NOLHIVARAM COUNCIL

މަސައްކަތާއި ބެހޭ މައުލޫމާތު

1. ޕްރީސްކޫލް ކުޅޭ ސަރަހައްދުގެ މައުލޫމާތު ކުރުން

- މިހާރު ކުޅޭ ސަރަހައްދުގައި އަލިފާ ދެމުމަށް ހަރުކުރާފައިވާ ދިއްގަނޑު އެއްކޮށް ނަގުން
- މައުލޫމާތު ސްކެޗުގެ އުސްމިން 1 ގައިވާ ގޮތަށް ކުޅޭ ސަރަހައްދުގެ ދިއްގަނޑު ހެދުން
- ކޮންކްރީޓް ބޭސްގެ މިންވަރު އުސްމިން 1 ގައި ހުރިހާ ބޭސްތަކުގެ މަތި ފެންހަރުނުކުރާގޮތަށް ސިމެންތިން ހެދުން
- މިހާރު ބަހައްޓާފައިވާ ސްޓޭޖުގައި އަލިފާން ނުޖެހޭ ގޮތަށް ދިއްގަނޑު ފަރުމާކުރުން.
- ދިއްގަނޑު ހެދުމަށް ބޭނުންކުރަންވާނީ 2 އިންޗި.އެމް އަށް ވުރެ ބޮޑު ނޫން ހޮޅި
- މަތީގައި 4 ފޫޓުން ހޮޅިއެޅުން
- ކޮންކްރީޓް ކުރުމަށް ބޭނުން ކުރަންވާނީ ، ހިލަ، ހިރަފުސް، ސިމެންތި
- ކޮންކްރީޓް ރޭޝިއޯ 1·2·3
- ހުރިހާ ވެލްޑިން ތަނެއްގައި ރެޑް ލުން
- ހުރިހާ ހޮޅިތަކެއްގައި ދަވާދު ލުން
- ހުރިހާ ހޮޅިތަކެއްގައި ވެލީގެ ލެވެލް އިން މައްޗަށް 5 އިންޗިއަކަށް ޓާރު ހާކުން

2. ކުޅޭ ސަރަހައްދު ފިޔަވާ އެހެން ސަރަހައްދު ތަކެއް:

- ދަގަނޑު ދިއްގަނޑު ގައި ދަބަރު ޖަހާފައިވާ ހޮޅިތައް ނަގައި އަލުން ހޮޅިއެޅުން
- ވެލްޑިން ކަނޑައިގެން ގޮސްފައިވާ ހުރިހާ ސަރަހައްދުތައް ވެލްޑިން ކުރުން
- ވެލްޑިން ކުރާ ކޮންމެ ތަނެއްގައި ރެޑްލެޑްލުން
- ބިމަށް ޖަހާފައިވާ ހޮޅިތަކުން ކޮންކްރީޓް ބޭސްކައިރިން ހަލާކުވެފައިވާ ހޮޅިތައް ބަދަލު ކުރުން
- ހުރިހާ ހޮޅިތަކެއްގައި ދަވާދު ލުން

3. އަލިފާ ދެމުން

- ކުޅޭ ސަރަހައްދުގައި 50% ގެ އަލިކަން ޖެހޭގޮތަށް އަދި، މަތިން ކަނޑާފަތު އަޅާ، ކޮންމެ ހިޔާއަކަށް އަލިކަން ގަތައި ހަރުކުރުން.(ދިގުމިނުގައި 3 ފޫޓު 3 ފޫޓުން އެއްސޭން / ކަނޑާފަތުގެ ސައިޒް 80 ނުވަތަ 90 ސަންތިބަރ).

- ފްރީ ސްކޫލްގެ ބޭނުގައި ދަމާފައިވާ އަވިނެޓް ބަދަލުކުރުން އަދި ހުރިހާ ގޯޅިތަކަށް އުއްސުން

- ކުޅޭ ސަރަހައްދު ފިޔަވާ އެހެން ސަރަހައްދުތަކުގައި 50 އަވިނެޓް އަޅައި ކޮންމެ ގޯޅިއަކަށް އަވިނެޓް ޖަހައި ހަރުކުރުން.(ދުރުވެގެން 3 ފޫޓް 3 ފޫޓުން އުއްސުން / ކަންވާރުގެ ސައިޒް 80 ނުވަތަ 90 ނަމްބަރ).
- ކުޅޭ ސަރަހައްދުގެ ދެކުނު ފަރާތުގައި އަވިނެޓް ދެމުން(ހުރިހާ ގޯޅިއަކަށް ގެތުން)

4. ސްކޫލް ގޭޓް

- ދެކުނު ގޭޓުގެ ހުޅުވައް ބަދަލުކޮށް ، ވެލްޑްކޮށް ހަރުކުރުން
- ޕްރީސްކޫލް އަދި ސިއްރީމަދުރަސާގެ ކުޅޭ ކަންމަތީ ސްކޫލް ގޭޓުގެ ހަރުކުރުމަށް ސިއްޓީ މަގުކަޓާ ބޭރުއަށް ޖަހާފައިވާ ހުރި ނަގައި ގޭޓް ހަރުކުރެވޭނެ ގޭޓަކަށް ބަދަލުކުރުން
- 2 ގޭޓުގައި ދަވާދުރުން

5. ޓޭންކް

- އުތުރު ގޭޓު ކައިރިން ޓޭންކްލީ އަޅާފައިވާ ސަރަހައްދުން ވެލިތައް މަގުމައްޗަށް ނުދާނެ ގޮތަށް ރާނައި ސިމެންތި ޖެހުން(ބިމުން ފުރިގެ 6 އިންޗި މައްޗަށް ހުންނަގޮތަށް)
- ފެންވަޅުކައިރީ ފެންޖެހުން ދިޔުމަށް އަޅާފައިވާ ތަޅުން ގަނޑުތައް ނަގައި ، ފެންޖެހިން ފުރިގެން ވަޅުކޮނެ ހިސާބަށް އެޅުމާއިންގައި ތަޅުންއެޅުން.
- ފެންކުޅި ދެފަރާތުގައި ގަސް އިންދުމަށް ހަދާފައިވާ ސަރަހައްދުގެ މަތި ކައިރި މިހާރު ހުރިވަރަށް ވަށްކުރުން އަދި މަތީގައި ލުރިޖެހުން.

6. ކަބަޑް ހެދުން

- އެނެކްސް 2 ގައިވާގޮތަށް ކަބަޑް ފިރާގައި ކަބަޑް ހެދުން
- 8 ކަބަޑް ހެދުން

ކޮންމެ ކުލާސް ރޫމްއެއްގައި 1 ކަބަޑް ހަރުކުރުން (2 ކުލާސް ރޫމް)

2. ފޮތް ބަހައްޓާމަކަން 4 ކަބަޑް ހެދުން (ކޮންމެ ކުލާސް ރޫމަކަށް 2 ކަބަޑް)

3. އޮފީސް ބަހަން 2 ކަބަޑް ހެދުން

7. ދިހަދޮރި / ކޮށި ހަރުކުރުން

- ދެކުނު ފަރާތުގައި މިހާރު ހަރުކޮށްފައިވާ ދިހަދޮރި ނަގައި ، ކައުންސިލުން ދާ ދިހަދޮރި / ކޮށި ހަރުކުރުން
- ދިހަދޮރީގެ ބެންޗަށް ފްރީ ސްކޫލްގެ ހުރަހު ފަރާތުގެ އުތުރު ފެންވައިވާ ގޮތަށް ހަރުކުރުން

8. ވެލިފުން

- ފްރީސްކޫލްގެ ކުޅޭ ސަރަހައްދަށް ދޮންވެލިފުރުން / އޭރިޔާ 2275 ސކ.ފ.(ބޯމިނުގައި މަދުވެގެން 2 އިންޗި ހުންނަވަރަށް.)
- ކުޅޭ އޭރިޔާގައި ވެލިފުރުމަށް ޚާއްޞަ ކޮށްފައިވާ އޭރިޔާއަށް ހިމުން ދޮންވެލިފުރުން (150 ގޯނި).

ކުޑަ ސަރަހައްދުގެ ދިއުގަނޑު ހަދަންޖެހޭ ގޮތުގެ މަޢުލޫމާތު


1 inch (2 mm thk)
Roof Purlin
(Typical)
Roof Pipes Ø 1 inch (2 mm thk)
8 Nos (Longitudinal)
@ Every 4 ft
(Along 65 ft Length)
Sun Net (Black)
50% Shade
Truss Joint
(at Same Level)
with High Wall
High Wall
(Only at
1st Bay)
①
②
③
④
Continuous Wall
(High Wall + Short Wall Joined)
(With 4 Pillars)
Vertical Pillar
Ø 1.5 inch
(2 mm thk)
(Typical)
10.83 ft
(Equal)
10.83 ft
(Equal)
10.83 ft
(Equal)
10.83 ft
(Equal)
10.83 ft
(Equal)
35 ft (Width)
12 inch
(Total Length)
3 inch
(Above Ground)
Truss Pipe
Ø 1.5 inch
(2 mm thk)
Cross (Web)
Ø 1 inch
(2 mm thk)
Bend Pipe Ø 1 inch (2 mm thk)
(From Pillar to Pillar)
6 Nos Only
②
③
⑤
⑥
65 ft (Length)
6 PILLARS EACH SIDE
(LEFT: 1 HIGH WALL + 5 SHORT WALL;
RIGHT: 6 FREESTANDING)
CONCRETE BASE DETAIL
(RIGHT SIDE – FREESTANDING PILLAR)
Ø 1.5 inch
(2 mm thk)
Pipe
3 inch
(Above Ground)
White Sand
(Ground)
Concrete Base
(Each Pillar)
15 inch
(Below Ground)
12 inch
(Total Length)
FRONT ELEVATION (END VIEW)
Overall
Height
(To Be
Confirmed)
35 ft (Width)
SIDE ELEVATION (LONGTIUDINAL VIEW) – LEFT SIDE (WALL SIDE)
①
②
③
④
High Wall
(Only 1st Bay)
Continuous Wall
(High Wall + Short Wall Joined,
With 4 Pillars)
65 ft (Length)
SIDE ELEVATION (LONGTIUDINAL VIEW) – RIGHT SIDE
①
②
③
④
④
⑤
⑥
65 ft (Length)
PLAN VIEW (TOP)
6 Pillars on Wall (Left Side)
35 ft
(Width)
6 Fresetanding Pillars (Right Side)
65 ft (Length)

PROJECT SPECIFICATION

Overall Length	:	65 ft
Overall Width	:	35 ft
Roof Cover	:	Sun Net (Black), 50% Shade
Ground	:	White Sand
Vertical Pillars	:	Round Pipe Ø 1.5 inch (Thickness 2 mm)
Truss (Main)	:	Round Pipe Ø 1.5 inch (Thickness 2 mm)
Truss Cross (Web)	:	Round Pipe Ø 1 inch (Thickness 2 mm)
All Other Pipes	:	Round Pipe Ø 1 inch (Thickness 2 mm)
Right Side Pillars	:	6 (Freestanding with Concrete Base)
Left Side Pillars	:	6 (On Wall, 1 High Wall + 5 Short Wall)
Concrete Base	:	3 inch Above Ground + 15 inch Below Ground)

KEY NOTES

1. Left side: only the 1st bay is a high wall; wall height continuous for that bay only.
2. Left side: 5 bays are short wall (low wall) continuously joined with the high wall (one continuous wall), with 4 pillars on the wall side, equally spaced.
3. Bend pipe (arched): Round pipe Ø 1 inch (2 mm thk) from pillar to pillar only – 6 Nos (no intermediate bend pipes).
4. Roof pipes (longitudinal): Ø 1 inch (2 mm thk), 8 Nos, at every 4 ft along the 65 ft length.
5. Equal spacing (right side): Minimum 4 ft between 6 freestanding pillars.
6. Concrete base length: 12 inch (each freestanding pillar).
7. Base level: 3 inch above ground + 15 inch below ground.
8. Overall size: Length **65 ft x Width 35 ft.**

ކުލާސް ރޫމުގައި ބަހައްޓާ ކުޑާ އެއްޗެހި އަޅާ ކަބަޑު


3D Perspective View
18 inch
14 inch
1 ft (H)
1 ft (W)
1 ft (H)
1 ft (W)
1 ft (H)
1 ft (W)
1 ft (H)
1 ft (W)
2 inch (Footer Width)
Overall Dimensions
1200 mm (4 ft)
650 mm
300 mm
Exploded 3D View
Assembled (Unpainted) 3D Model
Key Part Dimensions
14 inch
18 inch
14 inch
1200 mm (4 ft)
14 inch
300 mm
Front View
1200 mm (4 ft)
Side View
14 inch
300 mm
Top View (Seat)
300 mm
1200 mm (4 ft)
Joint & Fastening (Carpentry)
Screw joint (with wood screws and glue)
Divider to bottom (screw + glue)
Base plinth fixing (screw + glue)

Cut List (18 mm Plywood)

No.	Part	Qty	Size (mm) [L × W × T]
1	Seat (top)	1	1200 × 300 × 18
2	Bottom	1	1200 × 300 × 18
3	Back panel (wave)	1	1200 × 650 × 18
4	Front divider (vertical)	3	300 × 650 × 18
5	Side panel (left)	1	300 × 650 × 18
6	Side panel (right)	1	300 × 650 × 18
7	Front plinth (base front)	1	1200 × 60 × 18
8	Back plinth (base back)	1	1200 × 60 × 18

Materials & Finish

- Material: 18 mm plywood (or 18 mm MDF)
- Fasteners: Wood screws (3.5 × 40 mm)
- Adhesive: Wood glue
- Finish: Sand, primer, and non-toxic enamel paint (multi-color)

ކުލާސް ރޫމްގައި ބަހައްޓާ ކުޑާ އުއްޓޯރި އަޑާ ކަބަޑު


3D Perspective View
18 inches
(Back Height)
W: 12 inch
H: 12 inch
W: 12 inch
H: 12 inch
W: 12 inch
H: 12 inch
W: 12 inch
H: 12 inch
Overall Dimensions
48 in (4 ft)
18 in
27 in
12 in
12 in (W)
12 in (W)
12 in (W)
12 in (W)
Top View (Seat)
12 in
48 in (4 ft)
Side View
27 in
12 in
12 in
Back Panel (Pencil Board)
18 in
48 in (4 ft)
Exploded 3D View
Back panel
(Pencil board)
18 in (H) × 48 in (W)
Side panel
(Left & Right)
27 in (H) × 12 in (D)
(same design)
Seat (Top)
48 in (W) × 12 in (D)
Dividers (3 pcs)
12 in (H) × 12 in (D)
Bottom panel
48 in (W) × 12 in (D)
Pencil Back Panel Detail
≈ 3 in
3 in
(tip)
15 in
(body)
18 in
4.8 in
(≈ 121 mm)
(10 pcs across 48 in)
Front View
27 in
48 in (4 ft)
Compartment (Each)
H: 12 in
W: 12 in
Joint & Fastening (Carpentry)
Screw joint
(with wood screws
and glue)
Divider to bottom
(screw + glue)
Seat to side panel
(screw + glue)

Cut List (18 mm Plywood / MDF)

No.	Part	Qty	Size (in) [L × W × T]
1	Seat (Top)	1	48 × 12 × 3/4 (18 mm)
2	Bottom	1	48 × 12 × 3/4 (18 mm)
3	Back panel (pencil board)	1	48 × 18 × 3/4 (18 mm)
4	Side panel (left)	1	27 × 12 × 3/4 (18 mm)
5	Side panel (right)	1	27 × 12 × 3/4 (18 mm)
6	Dividers (vertical)	3	12 × 12 × 3/4 (18 mm)
7	Front bottom strip (optional)	1	48 × 2 × 3/4 (18 mm)
8	Plywood edging / lipping	—	48 ft (approx.)

Materials & Finish

- Material: 18 mm plywood (or 18 mm MDF)
- Fasteners: Wood screws (3.5 × 40 mm)
- Adhesive: Wood glue
- **Finish:** Sand, primer, and non-toxic enamel paint (multi-color)

އާޓިސް ބައިގެ ބަރައްޗާ ކަބަޑު


3D Perspective View (Cupboard)
116 cm (W)
150 cm (H)
58 cm (W)
75 cm (H)
58 cm (W)
75 cm (H)
58 cm (W)
75 cm (H)
58 cm (W)
75 cm (H)
Front Elevation
116 cm
150 cm
Side Elevation
36 cm
150 cm
Top View
116 cm
36 cm
Section A – A (Internal Detail)
Vertical divider 18 mm plywood
Horizontal shelf 18 mm plywood
Butt joint (with wood glue and screws)
Exploded View (Assembly)
①
④
②
⑤
③
①
Assembled Model (No Doors)
Joint & Fastening (Typical)

Key Dimensions

Overall Width	116 cm
Overall Height	150 cm
Overall Depth	36 cm
Plywood Thickness	18 mm
No. of Compartments	4 (2 × 2)
Each Compartment (W × H)	58 cm × 75 cm

Cut List (18 mm Plywood)

No.	Part	Qty	Size (cm) L × W × T
①	Top panel	1	116 × 36 × 1.8
①	Bottom panel	1	116 × 36 × 1.8
②	Side panel (left)	1	150 × 36 × 1.8
③	Side panel (right)	1	150 × 36 × 1.8
④	Vertical divider	1	150 × 36 × 1.8
⑤	Horizontal shelf	1	116 × 36 × 1.8

Materials & Hardware

- **Material:** 18 mm plywood
- **Fasteners:** Wood screws (3.5 × 40 mm)
- **Adhesive:** Wood glue
- **Finish:** Sand, primer and non-toxic enamel / laminate (as required)

ކުލާސް ރޫމްގައި ބަހައްޓާ ކަބަޑު


3D Perspective View (Cupboard)
188 cm (W)
150 cm (H)
62.67 cm (W)
50 cm (H)
Front Elevation
188 cm
150 cm
Side Elevation
36 cm
150 cm
Top View
188 cm
36 cm
Section A – A (Internal Detail)
Vertical divider (18 mm plywood)
Horizontal shelf (18 mm plywood)
Butt joint (with wood glue and screws)
Exploded View (Assembly)
①
②
③
④
⑤
Assembled Model (No Doors)
Joint & Fastening (Typical)

Key Dimensions

Overall Width	188 cm
Overall Height	150 cm
Overall Depth	36 cm
Plywood Thickness	18 mm
No. of Compartments	9 (3 × 3)
Each Compartment (W × H)	62.67 cm × 50 cm

Cut List (18 mm Plywood)

No.	Part	Qty	Size (cm) [L × W × T]
①	Top panel	1	188 × 36 × 1.8
①	Bottom panel	1	188 × 36 × 1.8
②	Side panel (left)	1	150 × 36 × 1.8
③	Side panel (right)	1	150 × 36 × 1.8
④	Vertical divider	2	150 × 36 × 1.8
⑤	Horizontal shelf	2	188 × 36 × 1.8

Materials & Hardware

- **Material:** 18 mm plywood
- **Fasteners:** Wood screws (3.5 × 40 mm)
- **Adhesive:** Wood glue
- **Finish:** Sand, primer, and non-toxic enamel / laminate (as required)