

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



جَزِيرَةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، عَذْلٌ وَإِنْصَافٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ  
جَنَاحِيَّةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، حِكْمَةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ

### جَنَاحِيَّةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ

جَزِيرَةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، عَذْلٌ وَإِنْصَافٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ 5 (وَسْتَ)  
جَنَاحِيَّةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، حِكْمَةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ

جَزِيرَةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، عَذْلٌ وَإِنْصَافٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ 5 (وَسْتَ)  
جَنَاحِيَّةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، عَذْلٌ وَإِنْصَافٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ

(IUL)459-PL/459/2021/13 - جَنَاحِيَّةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ

25 فِيفَرِي 2021 - مُؤَجِّلٌ

### 1. حَسَنَةٌ مَأْمُوذٌ مَوْبِعِيَّةٌ

1.1 جَزِيرَةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، عَذْلٌ وَإِنْصَافٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ 1 (وَسْتَ)  
جَنَاحِيَّةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، حِكْمَةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ

### 2. مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ

2.1 جَزِيرَةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، عَذْلٌ وَإِنْصَافٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ 2 (وَسْتَ)  
جَنَاحِيَّةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ، حِكْمَةٌ مُسْتَعِدٌ لِلْجَنَاحِيَّةِ

2.2 مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ  
مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ  
مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ  
مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ

2.3 مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ  
مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ  
مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ

2.4 مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ  
مَسْتَحْفِيَّةٌ رِسَّاهُ دُرْجَةٌ عُونَّادِيَّةٌ كَمْ





.1  
.2

ج.م.ع

ج.م.ع

## Medical room Items

#	Items	Specification	Quantity
1	Laser thermometer	<ul style="list-style-type: none"> <li>Thermometer should non-contact, measure both ear and forehead temperature with rapid measuring time.</li> <li>Clinical Measuring Range at least of 35-45 °C</li> <li>Accuracy +/- 1°C / °F or better</li> <li>Measuring time, no greater than 10sec.</li> <li>Battery operated (AA or AAA batteries).</li> <li>Memory capacity of at least 3 readings</li> <li>Battery life at least of 1000 takes</li> <li>Auto shut-off.</li> <li>Water and disinfectant 'resistant.</li> <li>Standard accessories shall be included</li> <li>Shall be CE marked and/or FDA approved.</li> <li>The unit and the accessories must be supplied with one year of warranty.</li> </ul>	5
2	Medical Bed (Rubber cover)	<ul style="list-style-type: none"> <li>Must be at least 2 section table with independently adjustable back and height via electric control</li> <li>Sturdy structure in S.S, epoxy powder coated and must be scratch and chip resistant</li> <li>Backrest &amp; height adjustable by handset and foot pedal controlled</li> <li>Must contain Cushion padded foam mattress over 50mm thick</li> <li>Must be antibacterial, antistatic, resistant to corrosion of water, detergent soap</li> <li>The bed should be mobile on 4 swivel castors with at least 2 brakes</li> <li>Must have lifting capacity of at least 150 Kg</li> <li>Approximate dimensions (mm): 2000(L) x 600(W) x 530 - 940(H)</li> <li>Power input to be 220-240VAC, 50Hz fitted 13Amp BT type plug</li> <li>Should be FDA approved /CE marked</li> <li>At least 12 months warranty from date of hand over or installation and commissioning</li> </ul>	5

3	<b>Stethoscope</b>	<ul style="list-style-type: none"> <li>• Chest piece: Dual head no chill rim &amp; diaphragm</li> <li>• Diaphragm: Tunable diaphragm</li> <li>• Binaural: Dual-leaf spring encased at 15° angle</li> <li>• Operating temperature range: 0° C ~ 40° C</li> <li>• Operating humidity: Less than 95% RH</li> <li>• The unit and the accessories must be supplied with one year of warranty</li> <li>• Shall be CE marked and/or FDA approved.</li> </ul>	5
4	<b>Apparatus</b>	<ul style="list-style-type: none"> <li>• NIBP</li> <li>• Adult / pediatric measurement range:</li> <li>• Systolic 30-255 mmHg</li> <li>• Diastolic 15-220 mmHg</li> <li>• Mean 20-235 mmHg</li> <li>• BP accuracy: +/- 3 mmHg</li> </ul> <p>.</p> <p>Should include 3 sizes of NIBP cuffs; Adult (L&amp;XL) and pediatric</p> <p>Standard accessories shall be included</p> <p>Power input to be 220-240VAC, 50Hz fitted 13Amp BT Type plug.</p> <p>Should be FDA approved/CE marked</p>	5
5	<b>Examination Torch</b>	<ul style="list-style-type: none"> <li>• Turns on in low mode</li> <li>• Multiple brightness levels</li> <li>• Easy one-handed operation</li> </ul>	5
6	<b>IV stand</b>	<ul style="list-style-type: none"> <li>• Fully SS with rust proof castors (with two hook)</li> </ul>	5
7	<b>Nebulizer</b>	<ul style="list-style-type: none"> <li>• High nebulization rate of 0.35ml/min</li> <li>• Additional masks used for nebulization (adult and children sizes)</li> </ul>	5
8	<b>Oximeter</b>	<ul style="list-style-type: none"> <li>• Pulse rate 30-250 bpm</li> </ul>	5
9	<b>Scissor ( Big)</b>	<ul style="list-style-type: none"> <li>• High Degree of Precision and Flexibility while conducting the Clinical Procedure.</li> <li>• Stainless Steel</li> <li>• Silver color</li> </ul>	5
10	<b>Scissor (Small)</b>	<ul style="list-style-type: none"> <li>• High Degree of Precision and Flexibility while conducting the Clinical Procedure.</li> <li>• Stainless Steel</li> <li>• Silver color</li> </ul>	5
11	<b>Steel Cupboard (For consumables)</b>	<ul style="list-style-type: none"> <li>• 1*4 Drawers 0.6 mm</li> </ul>	5
12	<b>Bed side Locker</b>	<ul style="list-style-type: none"> <li>• White</li> </ul>	5
13	<b>Table (Small)</b>	<ul style="list-style-type: none"> <li>• Simple Office Desk size 1800Wx900Dx750H/ 2000Wx900Dx750H</li> </ul>	5
14	<b>Chair</b>	<ul style="list-style-type: none"> <li>• White Monobloc chair</li> </ul>	5

