Quotation Submission Form

IMPORTANT: This sheet should serve as a front page of the Proposal. If any Bidder fails to submit the prices in this sheet, bids will be rejected at the Bid Opening stage.

Title:

Supply and Installation of Equipment needed for Workshop (2nd Announcement)

Iulaan: (IUL)RDC/RDC/2021/49

ITEM #	Item Description	Specification	UOM	QTY	Price (Excluding GST)
	Horizontal Panel Sliding Table Saw Machine	Specifications		1	
		Spindle Speed: 3800r/min			
		Spindle diameter: 25.4mm	NOS		
		Max Blade Diameter: 305mm			
Item 01		Max Working thickness: 65mm (45)/95mm (90)			
		Working Table Size: 1000*760mm			
		Motor Power: 3kw			
		Weight: 260Kg			
		Overall Dimensions: 1100*900*900mm			
		Specifications			
	Table Planer	Motor Power input/Outlet: 2.2kw, 1.5kw (230/400V)		1	
		Planning Table Length (mm) 1130			
		Planer Fence (mm) 123x700	NOS		
		Planer shaft Diameter (mm) 70			
		Thicknesses Table Length (mm) 545			
		Work Width (mm) 258			
		Work Thickness (mm) 5-225			
Item 02		Max. Cutting Depth (mm) 4			
		Cutter Knife (pcs) 3			
		cutter Block speed (rpm) 5500			
		Max. Planning Width (mm) 260			
		Feed speed (m/min)5.5			
		Dust Extraction outlet (mm) 100			
		N.W/G.W (kgs) 170			
		Machine Dimension (mm) 1130x750x1000			
		Packing Size (mm) 1150x500x970			
		Units/20" (pcs) 66			
I					·

Item 03 Hydraulic hose Crimper Hydraulic hose Crimper Hydraulic hose Crimper Hydraulic hose Crimper Hydraulic Press Machine Hydraulic Press Machine Hydraulic Press Max Daylight Horizontal: 1000 Cylinder Type: Double Acting Max Daylight Horizontal: 1000 Cylinder Type: Double Acting Hydraulic Press Machine	NOS 1	
Item 032 Braided wire (2SN): 11/4 inch 4 Spiral wire (ISP): 11/4 inch Crimping Range: 6 ~ 65mm Max Opening: +21 mm Master Die Length: 80 mm Control: Automatic Controlled Crimping force: 1750 kN Voltage: 110v - 480v Motor: 3kw/4kw Quick Change Tool: included Foot pedal: included Backstop Device: included Noise Level: 65 dB(A) Protection Class: IP56 Dimension (LxWxH): 600x480x Weight without Oil: 220kgItem 04Hydraulic Press MachineHydraulic Press MachineNominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 M	NOS 1	
Item 03 Hydraulic hose Crimping Range: 6 ~ 65mm Max Opening: +21 mm Master Die Length: 80 mm Control: Automatic Controlled Crimping force: 1750 kN Voltage: 110v - 480v Motor: 3kw/4kw Quick Change Tool: included Foot pedal: included Backstop Device: included Noise Level: 65 dB(A) Protection Class: IP56 Dimension (LxWxH): 600x480x Weight without Oil: 220kg Item 04 Hydraulic Press Machine Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 MI Max Daylight Horizontal: 1000 Cylinder Type: Double Acting	NOS 1	
Item 03 Hydraulic hose Crimper Hydraulic hose Crimper Hydraulic Press Machine Master Die Length: 80 mm Control: Automatic Controlled Crimping force: 1750 kN Voltage: 110v - 480v Motor: 3kw/4kw Quick Change Tool: included Foot pedal: included Backstop Device: included Noise Level: 65 dB(A) Protection Class: IP56 Dimension (LxWxH): 600x480x Weight without Oil: 220kg Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 M Max Daylight Horizontal: 1000 Cylinder Type: Double Acting	NOS 1	
Item 03 Hydraulic hose Crimper Hydraulic hose Crimping force: 1750 kN Control: Automatic Controlled Crimping force: 1750 kN Voltage: 110v - 480v Motor: 3kw/4kw Quick Change Tool: included Foot pedal: included Backstop Device: included Noise Level: 65 dB(A) Protection Class: IP56 Dimension (LxWxH): 600x480x Weight without Oil: 220kg Item 04 Hydraulic Press Machine Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 MI Max Daylight Horizontal: 1000 Cylinder Type: Double Acting	NOS 1	
Item 03 Hydraulic hose Crimper Control: Automatic Controlled Crimping force: 1750 kN Voltage: 110v - 480v Motor: 3kw/4kw Quick Change Tool: included Foot pedal: included Backstop Device: included Noise Level: 65 dB(A) Protection Class: IP56 Dimension (LxWxH): 600x480x Weight without Oil: 220kg Item 04 Hydraulic Press Machine Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 M Max Daylight Horizontal: 1000 Cylinder Type: Double Acting	NOS 1	
Item 03Hydraulic hose CrimperCrimping force: 1750 kNVoltage: 110v - 480vMotor: 3kw/4kwMotor: 3kw/4kwQuick Change Tool: includedFoot pedal: includedBackstop Device: includedBackstop Device: includedNoise Level: 65 dB(A)Protection Class: IP56Dimension (LxWxH): 600x480xVeight without Oil: 220kgVeight without Oil: 220kgNominal Force: 150 TONStoke Length: 300 MMMax Daylight Vertical: 1200 MIMax Daylight Horizontal: 1000Cylinder Type: Double Acting	NOS 1	
Item 03Hydraulic Press MachineVoltage: 110v - 480vVoltage: 110v - 480vMotor: 3kw/4kwQuick Change Tool: includedFoot pedal: includedBackstop Device: includedBackstop Device: includedNoise Level: 65 dB(A)Protection Class: IP56Dimension (LxWxH): 600x480xWeight without Oil: 220kgNominal Force: 150 TONStoke Length: 300 MMMax Daylight Vertical: 1200 MIMax Daylight Horizontal: 1000Cylinder Type: Double Acting	NOS 1	
Item 05CrimperVoltage: 110v - 480vMotor: 3kw/4kwQuick Change Tool: includedFoot pedal: includedFoot pedal: includedBackstop Device: includedBackstop Device: includedNoise Level: 65 dB(A)Protection Class: IP56Dimension (LxWxH): 600x480xWeight without Oil: 220kgVoltage: 150 TONStoke Length: 300 MMMax Daylight Vertical: 1200 MIMax Daylight Horizontal: 1000Cylinder Type: Double Acting	NOS 1	
Item 04Hydraulic Press MachineNominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 MI 		
Item 04 Foot pedal: included Hydraulic Press Machine Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 MI Max Daylight Horizontal: 1000 Cylinder Type: Double Acting		
Item 04 Hydraulic Press Machine Nominal Force: 150 TON Stoke Length: 300 MM Item 04 Max Daylight Vertical: 1200 MI Max Daylight Horizontal: 1000		
Item 04 Hydraulic Press Machine Noise Level: 65 dB(A) Protection Class: IP56 Dimension (LxWxH): 600x480x Weight without Oil: 220kg Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 MI Max Daylight Horizontal: 1000 Cylinder Type: Double Acting		
Item 04 Hydraulic Press Machine Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 MI Item 04 Max Daylight Horizontal: 1000		
Item 04 Image: Dimension (LxWxH): 600x480x Weight without Oil: 220kg Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 MI Max Daylight Horizontal: 1000 Cylinder Type: Double Acting		
Item 04 Hydraulic Press Machine Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 MI Max Daylight Horizontal: 1000 Cylinder Type: Double Acting		
Item 04 Hydraulic Press Machine Nominal Force: 150 TON Stoke Length: 300 MM Max Daylight Vertical: 1200 M Max Daylight Horizontal: 1000 Cylinder Type: Double Acting	550mm	
Item 04 Hydraulic Press Machine Stoke Length: 300 MM Max Daylight Vertical: 1200 M Max Daylight Horizontal: 1000 Cylinder Type: Double Acting		
Item 04 Hydraulic Press Machine Stoke Length: 300 MM Max Daylight Vertical: 1200 M Max Daylight Horizontal: 1000 Cylinder Type: Double Acting		
Item 04 Hydraulic Press Machine Max Daylight Vertical: 1200 M Max Daylight Horizontal: 1000 Cylinder Type: Double Acting		
Item 04 Machine Max Daylight Horizontal: 1000 Cylinder Type: Double Acting		
Machine Max Daylight Horizontal: 1000 Cylinder Type: Double Acting		
	MM NOS 1	
Motor Power: 7.5 KW		
Size: 14"- 26"		
Rim Diameter: 14" - 26"		
Max wheel weight: 500Kg		
Max Wheel Width: 780mm		
Max Tyre Diameter: 1600mm		
Item 05 Hydraulic Tyre Changing Hydraulic Pump Motor: 1.5kw, (220V Optional)		
Item 05 Changing Machine Gearbox Motor: 1.8kw, 380V-32 Optional)	Ph (220V NOS 1	
Bread Breaker Force: 2500Kg		
Operation Control Voltage: 24V		
Machine weight Approx: 570Kg	·	
Overall Dimensions Approx: 25		
Power: 400V, 50H2, 3P		1

TOTAL (Excluding GST):

Total in Words: (

- Marking Criteria:
 - Price: 80% (Total offered price will be evaluated)
 - Experience: 20%
- Maximum number of days allowed to deliver is 60 days upon confirmation by PO.
- Delivery Location: RDC Site within Grater Male' area.
- Payment will be made in Maldivian Rufiyaa.
- Payment Term: Payment shall be made in equal 4 months payments upon receipt of invoice after delivery, acceptance, installation and testing. Invoice shall be submitted along with the acceptance document from RDC.
- Only Maldivian Companies are allowed to submit proposal.

Terms & condition:

It is bidder's responsibility to cover all the expenses involved in supply and installation of the items. (employer will not bare any cost apart from the quoted price).

Che	ck list for documents submitted (<i>please tick the appropriate box</i>)		
		Yes (√)	No (×)
1	Quotation Submission Form (this form) completed & signed		
2	Supporting Documents to prove the past experience:		
	Points will be awarded based on number of similar projects carried out by the bidder.		
	4 marks will be awarded for each reference document. Employer will only review		
	maximum of 5 references. Therefore, total marks allocated for experience would 20 marks.		
	Bidder should not submit more than 2 reference from the same employer.		
	(documents considered for evaluation will be those from past 3 years, March 2018		
	to March 2021)		
	Offers will be accepted without Experience Documents. However, no mark will be		
3	allocated in absence of Experience Letters. Product Information Sheet (Detailed Technical Specifications of the proposed		
ר	product)		
3	Business Profile		
4	Copy of Business Registration Certificate		
5	Copy of GST Registration Certificate (where applicable)		
6	Vendor Registration Form (for parties who have not registered as vendors with RDC)		

Check list for documents submitted (please tick the appropriate box)

Signature and Stamp

)