







אֲרָזִים וְשֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים  
אֲרָזִים וְשֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים  
אֲרָזִים וְשֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים  
אֲרָזִים וְשֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים

8. דְּבָרֵי הַיְחִיָּה

א. דְּבָרֵי הַיְחִיָּה הֵם הַדְּבָרִים הַלְלוּ אֱלֹהִים וְעָשׂוּ חֲסִידִים  
בְּיָמֵינוּ וְעָשׂוּ חֲסִידִים בְּיָמֵינוּ וְעָשׂוּ חֲסִידִים בְּיָמֵינוּ

ב. אֲרָזִים וְשֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים  
אֲרָזִים וְשֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים וְעֵץ אֲרָזִים וְעֵץ שֵׁנִים

ג. הַיְחִיָּה הֵם הַדְּבָרִים הַלְלוּ אֱלֹהִים וְעָשׂוּ חֲסִידִים  
בְּיָמֵינוּ וְעָשׂוּ חֲסִידִים בְּיָמֵינוּ וְעָשׂוּ חֲסִידִים בְּיָמֵינוּ

ד. הַיְחִיָּה הֵם הַדְּבָרִים הַלְלוּ אֱלֹהִים וְעָשׂוּ חֲסִידִים  
בְּיָמֵינוּ וְעָשׂוּ חֲסִידִים בְּיָמֵינוּ וְעָשׂוּ חֲסִידִים בְּיָמֵינוּ

9. חֻמְּתֵי הַיְחִיָּה

א. הַיְחִיָּה הֵם הַדְּבָרִים הַלְלוּ אֱלֹהִים וְעָשׂוּ חֲסִידִים  
בְּיָמֵינוּ וְעָשׂוּ חֲסִידִים בְּיָמֵינוּ וְעָשׂוּ חֲסִידִים בְּיָמֵינוּ

# 1 مَجْرَعَاتُ

Qty	Description
5	<p><u>MacBook Air 13 Inches</u></p> <p><b>Chip:</b> Apple M1 chip  <b>Memory:</b> 8 Gb RAM  <b>Storage:</b> 256 GB SSD  <b>Adapter:</b> USB-C to USB Adapter, USB-C to Gigabit Ethernet Adapter, USB-C to HDMI Adapter  <b>Accessories:</b> Backpack (Black)</p>
1	<p><u>Apple iPad Air 10.9"</u>  Memory: 256 GB  Color: Black.  Case; Yes  <b>Adapter:</b> USB-C to USB Adapter</p>
2	<p><u>Conference Phone</u></p> <p>4 Detachable DECT Microphones  HD Sound  3 SIP accounts  USB Port  Backlit dot matrix display  Call logs 200 entries  Voice feature: G722, G711A/u,G726,G729 Wide band audio  Network Feature: DHCP, STUN, DNS Srv,</p>

**Network Scanner****Scanning speed (A4, 200dpi):** Black and White: 45ppm (simplex)

Colour: 45ppm (simplex)

**Scanning Side:** Simplex / Duplex**Scan Resolution:** 600 x 600 dpi**Feeding Capacity:** 60 sheets**Document size - Plain Paper (A4/LTR):** Width: 50.8 – 216 mm, Length: 54 – 356 mm**Document size – Plastic Card (ISO/IEC compliant):** 54 mm x 86 mm

2

**Document size – Passport:** 88 mm x 125 mm**Interface:** USB 3.2 Gen1x1 / USB 2.0, IEEE802.11b/g/n, 10Base-T/100Base-TX/1000Base-T**Bundled Software:** ISIS/TWAIN driver, CaptureOnTouch, Wireless Connection Tool,

CaptureOnTouch Job Tool, PowerPDF

**Supported OS:** Windows 10 (32/64 bit), Windows 8.1 (32/64 bit), Windows 8 (32/64 bit), Windows

7 (32/64 bit) and Mac

**Suggested Daily Volume (Scans):** 4,000 scans per day

<b>1 Video Camera</b>		
CMOS Sensor	Total pixels	1/2.84-inch, approx. 3.09 megapixels
	Effective pixels	Approx. 2.91 megapixels (2136 x 1362)
Lens	Magnification	Optical 20x
	Focal length (35mm equivalent)	Approx. 26.8 - 576 mm (without Dynamic IS) Approx. 28.8 - 576 mm (with Dynamic IS)
	Aperture	Round iris (consisting of 8 blades)
	Image stabilizer	Optical system (with dynamic mode)
Infrared camera support	YES	
Panel	3.0-inch (7.5 cm, approx. 460,000 dots) Electrostatic capacitive touch panel	
EVF	0.24-inch (approx. 1.56 million dots) Tilt operations enabled	
Recording formats	AVCHD recording, MP4 recording (Dual recording, MP4 conversion, Slow & Fast motion recording)	
Recording media	SD cards only (2 slots)	
Terminals	XLR	YES (Provided on the handle unit)
	Shoe	Cold
	Others	HDMI-OUT / AV OUT / MIC / REMOTE / USB / Headphone
Handle unit	YES (XLR / IR light / mic holder / shoe / zoom lever / tally lamp / record trigger)	
Battery pack / Compact power adapter	BP-820 CA-570	
Image processing platform	DIGIC DV 4	
Camera Bag	Yes	
Camera Tripod	Yes	
Memory Card	Yes - 32 GB SD Card	
<b>09</b>	External Hard disk 1 TB	

01	SSD External Hard disk 1 TB
QTY	<b>Headset specification</b>
31	<p><b>Type:</b> Multi device headset</p> <p><b>Sound:</b> Stereo sound</p> <p><b>Input:</b> 3.5MM dual jack (Mic and Speaker separately)</p> <p><b>Headband:</b> Adjustable Headband</p> <p><b>Microphone:</b> Yes</p> <p><b>Device Capability:</b> PC, Laptop, Mobile</p>
18	<p><b>Type:</b> Multi device headset</p> <p><b>Sound:</b> Stereo sound</p> <p><b>Input:</b> 3.5MM Single Jack (Mic and Speaker separately)</p> <p><b>Headband:</b> Adjustable Headband</p> <p><b>Microphone:</b> Yes</p> <p><b>Device Capability:</b> PC, Laptop, Mobile</p>
<b>Qty</b>	<b>Description</b>
10	<p><b>Tablets</b></p> <p><b>Display:</b> between 10” – 12”</p> <p><b>Platform:</b> Android OS</p> <p><b>Memory:</b> 6GM RAM 128GB ROM MicroSD Slot</p> <p><b>Network:</b> Nano SIM (GSM/HSPA/LTE/4G Wi-Fi 802.11 a/b/g/n/ac, dual-band, Wi-Fi Direct, hotspot Bluetooth 5.0, A2DP, LE</p> <p><b>Audio:</b> 3.5mm jack Audio Recording Feature</p> <p><b>Cover:</b> Flip Cover</p>
	<p><b>Conference System</b></p> <p>1 Discussion Chairman Unit</p> <p>9 Discussion Delegate Unit</p> <p>1 Conference System Controller</p> <ul style="list-style-type: none"> <li>• Built in recording function and</li> <li>• SD card interface, touch button,</li> <li>• Support max 30-unit capacity</li> </ul> <p>1 Micro SD Card with Extension 64 GB or more</p>



1 USB Memory Card Reader

**Microphone Specs (Chairman and Delegate Unit)**

Microphone Type	Heart shaped projection electrets microphone
Frequency Response	80Hz~16KHz
Mic Input Impedance	1K $\Omega$
Sensitivity	-46 dBV/Pa
Max SPL	100dB(THD>3%)
S/N Ratio	>80dB
Crosstalk	>70dB
Dynamic Range	>80dB
THD	<0.1%
Max Power Consumption	>2W
Earphone Load	8-32 $\Omega$
Earphone Volume	40mW maximum
Earphone Jack	3.5mm mono jack
Standard	IEC60914
Connector	Built-in 1.8m aviation plug (8 core)
Hand-in-hand Extension Port	Provided
Power Supply Mode	DC24V supplied by the host
Color	Black or Gray
Mic Tube Length	415mm
Installation Way	Desktop

**Conference System Controller**

Microphone quantity	$\leq 30$
Channel	1CH
Frequency Response	30 ~ 20KHz
SNR	>75 dB(A)
Dynamic Range	>80 dB
Crosstalk	>80 dB
THD	<0.05%
Power Supply	>24V DC
Audio Input	LINE IN: 350mV Balance
Audio Output	LINE OUT 1: 1V Balance

Output Load	>1K $\Omega$
Static Consumption	10W
Output Consumption	70W
Connector	8 core aviation plug
Working Temperature	-10°C $\sim$ +60°C
Working Humidity	20% $\sim$ 80% relative humidity, without condensation