

މުޢާމިލާތުގެ މިއުނިވަތުގެ ސަބަބުން
މަޢުލޫމާތު ދޭން

މިއަހަރުގެ ބަޔާން ދަނީ (އިންޖެނިއަރ އުޅިފަންނަނީ ބަޔާން) ސަލާމަތްތެރިކަމުގެ ފަންނުގެ ދަށުން ދެނެގަތި
ބަޔާންކުރެއްވި ވަގުތުގެ ދަށުން (އިންޖެނިއަރ ބަޔާން) 14-PR/1/2021/51 (IUL) ގައި (މަޢުލޫމާތު)

1. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު:

#	ބަޔާން	އަދަދު
1	އިންޖެނިއަރ އުޅިފަންނަނީ ބަޔާން	01

1.1. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު:

1.1.1. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި
ބަޔާންކުރެއްވި 9 ވަނަ ބަޔާން (ބަޔާން 1) ގެ ދަށުން ދެނެގަތި.

2. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު:

2.1. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި
ބަޔާންކުރެއްވި 120 ވަނަ ބަޔާން (ބަޔާން 1)

2.2. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި.

3. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު:

3.1. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި.

4. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު:

4.1. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި
ބަޔާންކުރެއްވި 9 ވަނަ ބަޔާން (ބަޔާން 1)
ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި
ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި
ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި.

4.2. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި
ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި.

4.3. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި.

4.4. ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު: ބަޔާންކުރެއްވި ބަޔާންތަކުގެ ތަފްޞީލު ދަށުން ދެނެގަތި.



5.1.1. **مَنْزِلَةُ الْمَرْءِ فِي الْمَدِينَةِ**

[illegible]

5.1.3. $\mathcal{D}_{\text{S}}^{\text{S}} \rightarrow \mathcal{D}_{\text{S}}^{\text{S}}$, $\mathcal{D}_{\text{S}}^{\text{S}} \rightarrow \mathcal{D}_{\text{S}}^{\text{S}}$, $\mathcal{D}_{\text{S}}^{\text{S}} \rightarrow \mathcal{D}_{\text{S}}^{\text{S}}$

[illegible][illegible][illegible]

5.5. $\frac{1}{x^2} = x^{-2}$, $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$.
 $\frac{d}{dx} \frac{1}{x^2} = -\frac{2}{x^3}$.

[illegible][illegible][illegible][illegible][illegible]

6.1. جَزَسَوْرَمَو نَسَرَقَوَس اَرِي (خُصَوَسِي اَرَقَر سَرَدَسَر اَر اَر رَدَسَرِي سَر اَرِي قَوَسَر اَرِي سَرَسَر)

6.2. زمرهٔ اول، از یک سو در برابر دوازده نفر و از سوی دیگر در برابر هشتاد و نه نفر قرار دارد.

سَرْسَرَه پَر اَرْتَر ر. دُرُوح اَر اَرْتَر.

6.3. نَسْتَعِزُّ بِكَ / جُزِّعْ سِرَّ شَيْئٍ / لَا تَجْعَلْهُ وَاسْتَوِجْ / اِدْرَاخًا قَدْ خَمَّرْتُ لِي فِيهِ كَرَجَ مَوْجٍ

[illegible]

6.5. $\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

6.6. $\frac{1}{x^2} = x^{-2}$, $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$

6.7. ھۆججەت ۱-ئى 500,000/- ئىكەنلىكى ئۈستىگە، ھۆججەت ۲-ئى ۵۰۰ مىڭ ۵۰۰ ئىكەنلىكى ئۈستىگە، ھۆججەت ۳-ئى ۶۰ مىڭ ۵۰۰ ئىكەنلىكى ئۈستىگە

0.05% ریسک سوزش و سوراخ شدن در اثر خوردگی

سَمْعًا وَبَصَرًا وَفُحْمًا وَأَنْفًا وَخَلْقًا وَجَعَلْنَا لَكَ ذُرِّيَّةً ۖ إِنَّكَ مِنْ عِنْدَ رَبِّكَ بِرَءٍ ۚ

قرآن مجید و سورہ حجرات

6.8. اِسْتَقْرَبُوْا رِجَالَكُمْ لَعَلَّكُمْ تُفْحَشُوْنَ

[illegible]

فَوَسِّرْهُ. حَرِّحْهُ. حَرِّحْهُ. حَرِّحْهُ. حَرِّحْهُ. حَرِّحْهُ. حَرِّحْهُ. حَرِّحْهُ. حَرِّحْهُ. حَرِّحْهُ.



7. ތަންދަނީ ބަލާލުމުގެ ގޮތުން

7.1. ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

80 ގަވާއިދު	• ހުށަހަޅާ ފަރާތް
20 ގަވާއިދު	• ބަލާލުމުގެ ގޮތުން
100 ގަވާއިދު	• ބަލާލުމުގެ ގޮތުން

7.1.1 ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން

(ހ) ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

80 ގަވާއިދު ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

• (ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން) X 80

7.1.2 ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން

(ހ) ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

(ށ) ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

2 ގަވާއިދު ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

(ނ) ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

(ބަލާލުމުގެ ގޮތުން).

8. ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން

○ ބަލާލުމުގެ ގޮތުން ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން.

▪ ފޮތްތައް ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން: procurement@customs.gov.mv

ފޯން: 3334113

▪ ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން: (9688869)

▪ ހުށަހަޅާ ފަރާތްތަކުގެ ތެރެއިން ބަލާލުމުގެ ގޮތުން: (7774782)



FIBERGLASS (WALK AROUND CABIN) VESSEL

9.1 PRINCIPLE PARTICULARS:

- Should be a new vessel
- Vessel type : Mono hull (step in hull)
- Hull material : Fiber Reinforced (14 LAYER) (Complete hull – 14 Layers, Cabin – 9 layers)
- Length over all : 38 – 40ft
- SPEED : minimum 40 + knots @ max RPM
- Seating capacity : 19-22
- Climate Control Cabin (At least 8 people can sit inside cabin)
- Walk Around Cabin (WAC) at least 18 inches wide side walk

9.2 TANK CAPACITIES

- Fuel oil tank : Minimum 800-1000 ltrs
- Water tank : Minimum 200 ltrs

9.3. ENGINES

- Four stroke Engine with Salt water series propeller (SS propeller)
- 2Nos. 300-350 HP outboard Engine
- Hydraulic Steering system with power assist
- Installation of Engine as well as all necessary accessories to complete the job (Eg. Fuel, Racor filters, hoses etc.)

9.4 GENERAL FEATURES

- Hard Top double finishing
- Hard Top under layer polishing
- Hull in complete white color gelcoat with at least 14 layers of fiber glass. (Double finishing reinforced hull).
- Minimum 2 coats Antifouling with undercoat as per manufactures guidelines
- Entrance door front
- Necessary steps for boarding persons and boarding arrangements
- Sliding windows on side of cabin
- Grab rail where required
- Manual swim ladder
- Fuel and water fillers on gunwale with marking
- Upholstered seating with comfortable back rests were required.
- Nonskid flooring
- Water Drying fire retardant carpet – (cabin and walk-around area)
- Drain plates fixed where necessary
- Electro Trim tab to be fixed
- Maximum allowed side storages
- Maximum storage facility
- Walk around provided on STBD & PORT
- 4inch rubber D fender around the boat as well as PORT and ATBD shipside



- Out board engine Guard made in marine grade SS
- U bolt fixed in forward stem
- Back seating console with driver seat (Pilot seat)
- Cushion seating in back and front

9.5 PRINCIPLE FEATURES

- 02 Nos. RC led Search light
- 04 Nos. Cabin lights
- 01 Nos. light for Engine service
- 04 Nos. Deck lights
- 01 Nos. Dual Beacon light (led/blue) - Round
- 01 Nos. Electric Horn
- Deck cleats, 04 Nos. on forward, 02 Nos. on amidships and two on aft
- 01 Nos. Sliding pilot side windows
- 01 Nos. Front wind screen wipers system
- 01 Nos. Deck wash outlet shower with 50ft pipe
- 01 Nos. DC Mini Bar (Refrigerator), (optional)
- 01 Nos Electric trim

9.6 ELECTRICAL SYSTEM

- 2X24V DC outlets for mobile charging
- Deck wash shower pump
- Batteries for port and starboard engine

9.7 NAVIGATION

- Full set of navigation lights (red, green, white)
- Compass with light (offshore 135 Plastimo)
- Minimum 9"-12" touch display, Rader, Chart plotter and GPS combo unit
- Marine VHF set with antenna (GPS interface with VHF set)
- A.I.S receiver
- EPIRB
- Distress light

9.8 ENTERTAINMENT SYSTEMS

- 01 Nos Music player with 02 speakers (fusion model / marine grade) (Optional)
- 01 Nos PA system with marine grade speaker.

9.9 HELM CONSOLE

- Console in white gelcoat (black surface for anti-reflection)
- Steering wheel with power steering.
- Port and starboard engine display
- Navigation light switch
- Search light switch
- Cabin light switch
- Deck light switch



- Stern light switch (Engine service light)
- Water Pump switch
- Blige pump switches
- Blower switch
- Wiper controls
- Trim tab gauge and controls
- GPS and Rader display with power on/off switch
- Engine throttle
- Fuel tank gauge
- Water tank gauge
- 2 Nos DC outlets for phone charging
- Wind screen splashing arrangement for wipers

9.10 TOILET

- Marine electric Toilet
- Entrance door
- Wash basin with fresh water
- Mirror
- Extractor fan
- Hand shower
- Proper lightings
- Toilet paper holder
- Hand railing (SS)

9.11 BILGE

- 01 Nos Automatic electric bilge in necessary compartment (2000-3000gph pump)

9.12 SAFETY EQUIPMENTS AND BOARDING CRAFT

- 22 No. Inflatable life jackets with automatic inflatable mechanism (Adults)
- 01 Nos. First aid kit
- 01 Nos. Flag set (CB – 5)
- 01 Nos life Ring fitted
- 02 Nos. buckets

9.13 TOOLS

- 1 Nos. Tool box (multipurpose tool box)
- 01 Nos. wrench set (8-24)
- 01 Nos Socket box (98-22)
- 01 Nos Deep socket (14 mm)
- 01 Nos Alenkey set
- 01 Nos Small hammer
- 01 Nos Long nose plier (165 mm)
- 01 Nos Side cutter
- 01 Nos bull nose pliers (7mm)
- 01 Nos Engine Oil filter wrench
- 01 Nos Strap wrench
- 01 Nos Pump fuel extractor
- 01 Nos Grease Gun
- 01 Nos Silicon Gun



- 01 Nos Screwdriver + (x 3 No. of different size)
- 01 Nos Screwdriver – (x 3 No. of different size)
- 01 Nos Screwdriver – (Big size, For gear oil change)

9.14 FIRE EXTINGUISHING

- 02 Nos Hand operated fire extinguishers each of 4.5 Kg, embosses to hull inside cabin in closed boxes with plastic doors. Install in easily accessible areas.

9.15 MESCELLENIOUS

- 1 Nos SS Danforth Anchor (14 kg)
- 6 Nos F-4 or F-6 Fenders
- 100ft 14mm rope (Anchor rope)
- 2x30 ft 14mm rope (alongside rope)
- 01 Nos Boat hooks
- 02 Nos LED Torch light (water proof)
- mirror fixed on hardtop in front of driver seat (marine grade)
- 45ft water pipe with roller (for fresh water replenishment)
- 03 Nos Raincoats (2piece)
- 02 No . Sets snorkel/mask/fins
- Name and logo painted in gel code (according to the information provided by Customs)
- Engine flushing pipe arrangement
- Available equipment's operational and service manuals
- Sea worthiness certificate provided
- To register the vessel (according to the information provided by Customs)

