





9	PPR Test Kits containing a lateral flow device and pipette	500 pcs
10	FMD Test Kits containing a lateral flow device and pipette	500 pcs
11	Avian Influenza Rapid test kits containing colloidal gold-based lateral flow device	300 pcs
12	VETSHE-ES-FORTE Water dispersible powder	50 packets
13	HERBOMIN-AM vitamin mineral water-soluble powder	50 packets
14	HERBOMIN - A vitamin A and Amino acids soluble powder	50 packets
15	MINVIT-AD3EC	50 packets
16	VGMINERAL water soluble minerals	50 packets
17	Vitamin AD3EC powder poultry feed supplement 100gm	50 packets
18	5 Vita 100ml water mixable liquid	50 bottles
19	Anti-Fungal Shampoo Specialized for cattle and goats (Amitraz)	50 bottles
20	Fenbendazole de-worming oral suspension 125ml (100mg/ml)	50 bottles
21	Amprolium Soluble Powder U.S.P. 20% (1kg)	30 packets
22	Pure liquid molasses (goat feed supplement) 3L	25 bottles
23	Reusable Test tube	30 tubes
24	Butorphanol - injection 10mg/ml (20ml)	20 bottles
25	Atipamezole - injection 5mg/ml (10ml)	15 bottles
26	Tramadol - injection 50mg/ml (1ml)	100 Injections
27	Medetomidine Hydrochloride 1 mg/ml) 10 ml	15 bottles
28	Prednisolone - injection 10mg/ml (10ml)	15 bottles
29	Convenia 80 mg / ml (10ml)	15 bottles
30	Ketoprofen 100mg/ml (100ml)	6 bottles
31	Atropine BP - injection 0.6mg/ml	100 ampules
32	Vit B Injectable (100ml)	2 bottles
33	Dexamethasone - injection 2mg/ml	10 bottles
34	Cerenia 10 mg/ml (20 ml)	5 bottles
35	Salbutamol 2.5 mg/ml	5 bottles

36	IV line with IV port	300
37	Butterfly Cannula 24 G	350
38	Lubricant Gel	3 tubes
39	Disposable Drapes	300
40	Under pads for Surgery	300

### Conditions to import

- Medicines requested is estimated for 1 year use hence the expiry date of the medicine should not be no less than 1.5 years from the date of import.
- Medicines must be imported under permit obtained from MFDA and should provide a copy to the ministry.
- Medicines must be imported in cold chain (if necessary)
- All information about the medicine should be provided to the ministry prior to procuring the medicine to avoid importation of the wrong medication.
- All injectable bottles must be packed in a box/packing that avoids direct sunlight exposure.
- All medicines should be the exact dosage as requested. If there are any changes in ml due to difference in brand, please provide the information to the ministry before procuring the medicine.
- If different brand of the medicine is available, please provide the information before procuring the medicine.