



مجلس إدارة جامعة القدس

مجلس إدارة جامعة القدس	مجلس إدارة جامعة القدس
(IUL)401-E/401/2021/355	مجلس إدارة جامعة القدس
21 كانون الأول 2021	مجلس إدارة جامعة القدس

مجلس إدارة جامعة القدس

المراجع

1. هورنبرغ 3
 2. هورنبرغ وهورنبرغ 3
 3. هورنبرغ وهورنبرغ (الدراسات والبحوث | بيروت) 5
 4. هورنبرغ وهورنبرغ وهورنبرغ 5
 5. هورنبرغ وهورنبرغ وهورنبرغ 5
 6. هورنبرغ وهورنبرغ 6
 7. هورنبرغ وهورنبرغ 6
 8. هورنبرغ وهورنبرغ 6
 9. هورنبرغ وهورنبرغ 6
 10. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 6
 11. هورنبرغ وهورنبرغ وهورنبرغ 6
 12. هورنبرغ وهورنبرغ وهورنبرغ 6
 13. هورنبرغ وهورنبرغ وهورنبرغ 7
 14. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 7
 15. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 7
 16. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 7
 17. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 8
 18. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 8
 19. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 8
 20. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 9
 21. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 10
 22. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 10
 23. هورنبرغ وهورنبرغ وهورنبرغ وهورنبرغ 10
- المراجع: 1

2.3- අර්ථසාරයේ රැස්වීමේ පිටපතක් නිකුත් කර ඇති බවට සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

සඳහා: අර්ථසාරයේ සභාපතිවරයාට විවෘතව පිටපතක් යැවීමට ඉඩ ඇත.

සඳහා: අර්ථසාරයේ රැස්වීමේ පිටපතක් 10 ඔක්තෝබර් 2021 (අඟුණ) දින 11:00

අර්ථසාරයේ පිටපතක් 10 ඔක්තෝබර් 2021 (අඟුණ) දින 11:00

2.4- පවුලේ සාමාජිකයන්ගේ අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

සඳහා: 04 ඔක්තෝබර් 2021 (අඟුණ) දින 12:00

2.5- පවුලේ සාමාජිකයන්ගේ අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. www.fonadhoo.gov.mv වෙබ් අඩවියට සහතිකයක් යැවීමට කැමැත්තක් පෙන්වන්න.

අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

පවුලේ සාමාජිකයන්ගේ අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

පවුලේ සාමාජිකයන්ගේ අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

☞ අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. 04 ඔක්තෝබර් 2021 (අඟුණ) දින 12:00 දින සඳහා.

සඳහා: අර්ථසාරයේ පිටපතක් 9:00 දින 12:00 දක්වා

පවුලේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. 9:30 දින 11:30 දක්වා

☞ අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. / අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. 12:00 දින සඳහා.

දුරකථන අංකය: 7970214 අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

☞ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. 7707700292001

සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. 1452

පවුලේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

☞ අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

☞ අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

2.6- පවුලේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. අර්ථසාරයේ සහතිකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න. 1 (අර්ථසාරය)

දුරකථන අංකය: 6800082 දුරකථන අංකයක් ලබා දීමට කැමැත්තක් පෙන්වන්න.

5-4 - ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

5-5 - ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

6. دىئالوگ ھۆكۈم قىلىش

6-1 - ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

6-2 - ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

7. دىئالوگ ھۆكۈم قىلىش

7-1 - دىئالوگ ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

8. دىئالوگ ھۆكۈم قىلىش

8-1 - دىئالوگ ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

8-2 - دىئالوگ ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

9. ھۆكۈم قىلىش ھۆججەتلىرى

9-1 - ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

9-2 - ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

10. دىئالوگ ھۆكۈم قىلىش ھۆججەتلىرى

10-1 - ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

11. دىئالوگ ھۆكۈم قىلىش ھۆججەتلىرى

11-1 - ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

12. دىئالوگ ھۆكۈم قىلىش ھۆججەتلىرى

12-1 - ھۆكۈم قىلىش ھۆججەتلىرىنى تەكشۈرۈش ھۆججەتلىرىنى تەكشۈرۈش.

20.2.3- מיוזמים ומקצוענים מובילים בתחום, אשר יסייעו במימוש המטרות האסטרטגיות, יסייעו לרשויות המקומיות במימוש המטרות האסטרטגיות, יסייעו לרשויות המקומיות במימוש המטרות האסטרטגיות, יסייעו לרשויות המקומיות במימוש המטרות האסטרטגיות.

20.3. זיהוי מקורות מימון

20.3.1- מטרות נדרשות להגדלת 250,000.00 ש"ח (תוכנית מימון כמותית) אשר תכלול מימון מפרטנרים חיצוניים (נדרשים להגדלת) 10.67 ז"ר מהמקורות המימון הנ"ל ומהמימון הממשלתי.

20.4. מימון משותף

20.4.1- חידוש המימון הצפוי ב-10.68 ז"ר וכן מימון משותף מפרטנרים חיצוניים אשר יסייעו במימוש המטרות האסטרטגיות.

21. מימון עצמי ומימון

21.1- ה"ר המימון הצפוי מתבסס על המימון הנדרש לשינוי המבנה הארגוני, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי.

21.2- מימון עצמי מיישם ז"ר 15% (מימון מפרטנרים) אשר יסייעו במימוש המטרות האסטרטגיות. ה"ר המימון הצפוי מתבסס על המימון הנדרש לשינוי המבנה הארגוני, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי.

22. דיווחים שנתיים ומימון

22.1- דיווחים שנתיים, אשר יכלולו את המימון המצוי, המימון הצפוי, המימון הממשלתי, המימון הפרטנרי, המימון המשותף, המימון העצמי, המימון החיצוני, המימון הפנימי, המימון המוצע, המימון הממומן, המימון הממשלתי, המימון הפרטנרי, המימון המשותף, המימון העצמי, המימון החיצוני, המימון הפנימי, המימון המוצע, המימון הממומן.

23. דרישות ארגון / דרישות


23.1- המימון המצוי מתבסס על המימון הנדרש לשינוי המבנה הארגוני, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי.

23.2- המימון המצוי מתבסס על המימון הנדרש לשינוי המבנה הארגוני, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי.

23.3- המימון המצוי מתבסס על המימון הנדרש לשינוי המבנה הארגוני, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי.

המימון המצוי מתבסס על המימון הנדרש לשינוי המבנה הארגוני, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי, שיתבצע במסגרת המימון הצפוי.

L.FONADHOO LOCAL MARKET



Design of New Local Market Units

L.Fonadhoo Local Market
DESIGN OF NEW LOCAL MARKET UNITS


INTRODUTION

This document includes landscape design, buildings and required dimensions of new local market. Market area consists of 2 building block, each with 5 units, toilet for both gender along the market area.


Major Facilities Available

- **Unit Size 15x12ft with unit front 15x9ft**
- **Aluminum roller shutter door 7x6.5ft for each unit entrance**
- **Aluminum roller shutter door 4x4ft for the unit counter**
- **Aluminum door for rear side of each unit**
- **Exhaust for units**
- **Electricity**
- **Common toilet for both gents**


Building Units with Dimension




Single Block with Dimensions



Building Block Side View with Dimensions



Toilet Block Floor Plan



Floor Plan

Secretariat of Haddhunmathi Fonadhoo Council

Hadhunmathi Fonadhoo

Rep of Maldives

PROJECT: CONSATRUCTION OF LOCAL MARKET

CLIENT: SECRATARIAT OF HADDHUNMATHI FONADHOO

LOCATION: L.FONADHOO

DATE:

BILLS OF QUANTITIES

ITEM	DESCRIPTION	UNIT	QTY	RATE	TOTAL
	BILL No: 01 PRELIMINRIES				
1.1	GENERAL NOTES				
(1)	Abbreviations LS - Lump Sum m - Linere Metre No - Numbers m ³ - cubic metre m ² - square metre t - tonnes incl - including / Inclusive mm - millimetre SS - Stainless Steel GI - Galvanised Iron RC- Reinforced Concrete NGL - Natural Ground Level FFL - Finished Floor Level				
1.2	SITE MANAGEMENT COSTS				
	Allow for all on and off site management costs including costs of foreman and assistant, temporary servces, telephone, fax, hoardings, fences and similar items	Item	1.00		0.00
1.3	SITE ESTABLISHMENTS				
	Allow for mobilization and Demobilization	Item	1.00		0.00
1.4	SEVICES AND FACILITIES				
	Provision and maintenance of services and facilities such as water, power, lighting and fuel for project	Item	1.00		0.00
1.5	SIGN BOARD				
	Allow for project baord incl. the safety sign boards	Item	1.00		0.00
1.6	SAFETY ON SITE				
	Provide and maintain adequate safety measure on site for all workers and all authorized visitors to site.	Item	1.00		0.00
BILL No: 01 PRELIMINARIES					
TOTAL OF BILL No:01 - Carried over to summary					0.00

BILL No: 02				
GROUND WORKS				
2.1	GENERAL Rates shall include for : leveling, Grading, trimming, compacting to faces of excavation, keep sides plumb, backfilling, consolidating and disposing surplus soil.			
2.3	EXCAVATION Excavation quantities are measured to the faces of concrete members. Rates shall include for all additional excavation required to place the formwork and backfill and compaction. Rates shall also include transporting surplus soil away from the site to where directed by the Client's representative			
(1)	Excavation for raft foundation starting from formation level. Thickness of layer of excavation is from 0.00m level to - 2.20m level and disposal of excavated material from site as directed by consultant.	m ³	2.78	0.00
2.4	BACK FILLING Earth filling of floor area upto the floor finish level. Including compaction of Earth Filling with vibrated compactor.	m ³	59.42	0.00
2.6	CLEANING UPON COMPACTION Cleaning the site upon completion of all works	Item	1.00	0.00
BILL No: 02- GROUND WORKS				
TOTAL OF BILL No:02 - Carried over to summary				0.00
BILL No: 03				
CONCRETE WORKS				
3.1	GENERAL Rates shall include for : placing in position; making good after removal of formwork and casting in all required items; additional concrete required to conform to structural and excavated tolerances.			
	Grade 15 for blinding Grade 25-30, w/c ratio < 0.60, cement OPC to BS 12 for all structural concrete unless otherwise stated			
	Quantity for Lean Concrete is measured to the edges or concrete foundation members. (mix ratio; 1:2:6)			
	Quantities for Reinforced Concrete are measured to the edges of concrete members. (mix ratio; 1:2:3)			
	Rates shall include: Formwork and Reinforcement as required			

3.2	LEAN CONCRETE				
	Market Units				
(1)	50mm thick lean concrete to bottom of Foundation	m ³	1.38		0.00
	Toilet Block				
	50mm thick lean concrete to bottom of Foundation	m ³	0.14		0.00
3.3	DAMP PROOF MEMBRANE				
	Market Units				
(1)	Polyethene sheet over lean concrete	m ²	27.22		0.00
	Toilet Block				
	Polyethene sheet over lean concrete	m ²	2.85		
3.4	REINFORCED CONCRETE				
	Rate shall includes formworks and the reinforcement asper the drawings.				
	Market Units				
(1)	Foundation Beam	m ³	0.28		0.00
(2)	Column C1	m ³	5.56		0.00
(3)	Column C2	m ³	0.28		0.00
(4)	Roof Beam	m ³	5.56		0.00
	Toilet Block				
(1)	Foundation Beam	m ³	0.57		0.00
(2)	Column C1	m ³	0.48		0.00
(3)	Roof Beam	m ³	0.43		0.00
(4)	100thick RCC Slab	m ³	1.30		0.00
3.5	OTHER CONCRETE WORKS				
(1)	Lintel beams above shutter doors level through out the wall	m ³	1.42		0.00
(2)	Lintel beams above doors	Item	10.00		0.00
(3)	Sill Beams below window shutters	Item	10.00		0.00
3.6	WATER PROOFING				
	(a) Rates to include for dressings around and sealing all penetrations.				
(1)	Application of approves bituminous water proofing chemical on all concrete and masonry surfaces below lowest finished floor level in accordance with drawings specs and manufacturer instructions	Item	2.00		0.00

4.4	FLOORING				
	<u>Market Units</u>				
4.4.1	65mm Thick cement sand screed with 1:5 mortar mix with smooth finished	m ²	362.26		0.00
	<u>Toilet Block</u>				
	35mm Thick cement sand screed with 1:5 mortar mix with smooth finished	m ²	9.66		0.00
BILL No: 04 - MASONRY AND PLASTERING					
TOTAL OF BILL No:04 - Carried over to summary					0.00
	BILL No: 05				
	<u>METAL WORKS AND RAILING</u>				
5.1	<u>GENERAL</u>				
	(a) Rates shall include for all fabrication work, welding, marking, drilling for bolts including those securing timbers, steel plates, bolts, nuts and any type of washer, rivetted work, counter sinking and tapping for bolts or machine screws				
	(b) Rates shall include for all painting and finishing.				
	(c) Rates shall include for fabrication and erection of temporary supports				
	(d) The contractor shall submit sample of SS and GI Sections and all other accessories for approval of clients/consultant before procurement.				
	(e) The SS grade used shall be 304				
5.2	<u>GI Pipe Column</u>				
(1)	4" GI pipe with 6mm thick Flange	Nos	3.00		0.00
5.2.2	2550mm High Grill as shown in drawings and specifications. (7ft)	Nos	10.00		0.00
(2)	2550mm High Grill as shown in drawings and specifications. (4ft)	m	10.00		0.00

BILL No: 05- METAL WORKS AND RAILING				
TOTAL OF BILL No:05 - Carried over to summary				0.00
BILL No: 06				
<u>CEILING WORKS</u>				
6.1	<u>GENERAL</u>			
	Rates shall include for all fixing, cutting trimming nails screws and other fixings according to manufacturers instructions			
	Rates shall include for timber priming and all putty works as required			
	Rates shall include for all labour in framing, notching and fitting around projections, pipes, light fixtures, hatches, grilles, and similar complete with cleats pacjerts wedges and timber bedding etc. similar and all nails and sceww			
	The contractor shall submit sample of all ceiling boards, all sections for framing and all other accessories for approval of client/consultant			
6.2	<u>SUSPENED CEILING</u>			
(1)	6mm thick gypson board ceiling with timber framing in internal areas	m ²	180.44	0.00
(2)	6mm thick cement board ceiling with timber framing in external areas	m ²	179.92	0.00
BILL No: 06 - CEILIGN WORKS				
TOTAL OF BILL No:06 - Carried over to summary				0.00
BILL No: 07				
<u>DOORS AND WINDOWS</u>				
7.1	<u>GENERAL</u>			
	Rates shall include for locks			
	Rates shall include for Door frames			
	Rates shall include for painting timber doors			
	All doors to be in accordance with drawings and specifications			
	All aluminum doors and windows shall have 80micron white powder coated frames unless otherwise specified			
	The contractor shall submit all sections and samples for approval of client/consultant before procurement			
	<u>Market Units</u>			
7.2	<u>DOOR UNITS</u>			
(1)	Aluminum Door D1	Nos	10.00	0.00
(2)	Aluminum Roller Shutter Door RS1	Nos	10.00	0.00
(3)	Aluminum Roller Shutter Door RS2	Nos	10.00	0.00

	<u>Toilet Block</u>				
(1)	Aluminium Door D2	Nos	2.00		0.00
BILL No: 07 - DOORS AND WINDOWS					
TOTAL OF BILL No:07 - Carried over to summary					0.00
	BILL No: 08				
	FINISHES				
8.1	GENERAL				
	Rates for tiling shall include for: bedding, grouting, pointing, finishing and any other similar works to ensure the required finish.				
8.2	FLOOR FINISHES				
	<u>Market Units</u>				
8.2.1	300mm x 300mm Polishes Homogeneous tiles on floor				
(1)	Indoor Floor Tiles	m ²	404.00		0.00
(2)	Outdoor Floor Tiles (non skid)	m ²	356.58		0.00
	<u>Toilet Block</u>				
	300mm x 300mm Polishes Homogeneous tiles on floor	m ²	3.80		0.00
	300mm x 600mm Polishes Homogeneous tiles on walls	m ²	28.08		0.00
8.3	WALL FINISHES				
8.3.1	300mm x 600mm Homogeneous tiles on walls				
(1)	Sink area	m ²	7.20		0.00
BILL No: 080 - FINISHES					
TOTAL OF BILL No: 08 - Carried over to summary					0.00
	BILL No: 09				
	ELECTRICAL INSTALLATIONS				
9.1	GENERAL				
	Design, Provide and install electrical network for entire building complete in accordance to the standards set by the local governing body.				

	Rates shall include for: screws, nails, bolts, nuts, standard cable fixing or supporting clips, brackets, straps, riverts, plugs and all incidental accessories			
	Rates for work in trench shall include for: excavation, maintaining faces of excavations, backfilling, compaction, appropriate cable covers, warning tape and disposal of surplus spoil.			
	Rates for electrical isolators, conduits, fittings, equipmet and similar items shall include for: all fixings to various building surfaces.			
	Light end and switch end of wiring together measured as one point.			
	A point wiring for power points is mesured as one pont for each socket outlet; other end is not included in the quantity.			
	Rates shall include for supply and complete installation.			
	All switches, breakers must be ABB, Clipsal or equvelant.			
	Single phase power supply.			
	9.2 ELECTRICAL BOARDS			
	Complete installation, including for all conections earthings, painting, testing and smilar of;			
(1)	Connections from mains including meteres, cut-opff fuse and other accessories to be located in each Unit,	Nos	10.00	0.00
(2)	Distribution baords	Nos	10.00	0.00
	9.3 ELECTRICAL WIRING			
	Market Units			
	Electrical wiring with copper conductor cable in conduits in walls and concrete as per government regulations			
(1)	Wiring to fans and lights	Points	80.00	0.00
(2)	wiring to power points	Points	40.00	0.00
(3)	wiring to DBs	Points	10.00	0.00
(4)	Wiring to AC points	Points	10.00	0.00
	<u>Toilet Block</u>			
	Wiring to lights	Points	2.00	0.00
	9.4 LIGHTING, POWER POINTS and FANS			
	Market Units			
	Supply and fixing of			
	Fixing of the follwing items as shown in the drawings. The quantities given below are provisional			
	Rates shall included Switch Boards			
	Lights Sample must be approved by client/consultant			
(1)	1 Way Switch (1 Gang)	Nos	10.00	0.00
(2)	1 Way Switch (3 Gang)	Nos	10.00	0.00
(3)	15A Socket outlet for Ac units (1 Gang)	Nos	10.00	0.00
(4)	15A Socket outlet (1 Gang)	Nos	20.00	0.00
(5)	13A Socket outlet (2 Gang)	Nos	20.00	0.00
(6)	Ceiling mount lights	Nos	16.00	0.00
(7)	Ceiling mount out door lights	Nos	12.00	0.00
(8)	Exust	Nos	10.00	0.00

	Toilet Block				
(1)	Ceiling mount Light	Nos	2.00		0.00
(2)	1 Way Switch (1 Gang)	Nos	2.00		0.00
BILL No: 09 ELECTRICAL INSTALLATIONS					
TOTAL OF BILL No:09 - Carried over to summary					0.00
	BILL No: 10				
	PAINTING				
	GENERAL				
	WALL FINISHES				
8.3.3	Emulsion paint finish on cement plastered walls and concrete column, sides and soffits of beam and soffits of slab surfaces as specified on interior walls				
	<u>Market Units</u>				
(1)	Interior walls (Interior paint)	m ²	476.08		0.00
	Interior walls (wall sealer)	m ²	476.08		0.00
(2)	Exterior walls (exterior paint)	m ²	290.00		0.00
	Exterior walls (Exterior wall sealer)	m ²	290.00		0.00
	Toilet Block				
(1)	walls (exterior paint)	m ²	75.48		0.00
(2)	walls (exterior wall sealer)	m ²	75.48		0.00
8.4	CEILING FINISHES				
	Rates shall include for putty and completion of all other necessary works				
(1)	Exterior ceiling (3mm Cement board)	m ²	180.44		0.00
(2)	Interior Ceiling (9mm Gypsum board)	m ²	179.92		0.00
	Toilet Block				
(1)	Slab (exterior paint)	m ²	11.75		0.00
(2)	Slab (wall sealer)	m ²	11.75		0.00
BILL No: 10 FIRE FIGHTING SYSTEM					
TOTAL OF BILL No:10 - Carried over to summary					0.00
	BILL No: 11				
	HYDRAULICS AND DRAINAGE				
11.1	HYDRAULICS				
	<u>Preamble Notes</u>				
	Rates shall include for excavation, maintaining faces of drain pipe trenches and pits, backfilling, disposal of surplus soil, bends, junctions, reducers, expansion joints and all joints and other incidental materials.				
	All pipework shall be PVC				
11.1.1	Internal Plumbing - Cold Water				
	Internal plumbing to all toilets and sinks incl. supply and laying of pipes				
(1)	Market Units	Nos	10.00		0.00
(2)	Toilets	Nos	2.00		0.00

	External Plumbing				
(1)	Connection to main sewer line	Item	2.00		0.00
(2)	Connection to FENAKA water meter	Nos	10.00		0.00
(3)	All pipe works underr screed to be laid for waste water, sewage, freshwater and well water connection	Item	10.00		0.00
(4)	Waste water and sewage connection from all toilets incl. necessary catch pits and manholes as necessary. Rates shall include for supply and laying of pipes including clean suts as necessary	Item	2.00		0.00
(5)	Waste water and sewage connection from all Sinks incl. necessary catch pits and manholes as necessary. Rates shall include for supply and laying of pipes including clean suts as necessary	Item	10.00		0.00
	Sanitary Fixtures & Accessories				
	Sanitary Fixtures complete incl. brackets, stop valves, fittings etc.. All Sanitary fittings shall ve given in prodcuts manual				
(1)	Double Sink	Nos	10.00		0.00
(2)	Sink Tap	Nos	10.00		0.00
(3)	Water Closet Complete	Nos	2.00		0.00
(4)	Tap	Nos	2.00		0.00
(5)	Muslim Shower	Nos	2.00		0.00
(6)	Floor Drain	Nos	2.00		0.00
11.2	DRAINAGE				
11.2.1	Preamble Notes				
	Rates shall include for excavation, maintaining faces of drain pipe trenches and pits, backfilling, disposal of surplus soil, bends, junctions, reducers, expansion joints and all joints and othe incidental materials.				
	All pipework shall be PVC				
11.2.2	Rainwater Discharge pipe				
(1)	100mm Dia. Rainwater discharge pipe from terrace, rates shall include for supply and installation og piping from terrace through ducting and connection to exterior drain system and any associated civil works	Item	3.00		0.00
11.2.3	Inspection Chamber				
	(a) Installation of inspection chamber for sewafe, waste water and drainage				
(1)	Installation of MWSC inspection chamber	Nos	11.00		0.00
BILL No: 11 HYDRAULICS AND DRAINAGE					
TOTAL OF BILL No:11 - Carried over to summary					0.00