FINISHING WORKS OF
R. ANGOLHITHEEMU
HEALTH CENTER
EXTENSION BUILDING

LOCATION:
R. ANGOLHI THEEMU

CONTENTS: AS GIVEN

MINISTRY OF HEALTH

SHEET CONTENTS:

REVISION NOTES:

SCALE: 1:100

SITE PLAN


ADMIN DIVISON
Ministry of Health
Roshamee Building
Sosun Magu'
Tel: 332 8887, Fax: 3328889

PROJECT MANAGER:

DESIGNER: ARIZ
CIV/STR. ENGINEER:
SURVEYED BY:
DRAWN BY: ARIZ
CHECKED BY:
DATE: MARCH 2022

PROPOSED FLOOR PLAN

SCALE: 1:100



REVISION NOTES:


REVISION NOTES:

PROJECT:
FINISHING WORKS OF
FINISHING WORKS OF
R. ANGOLHITHEEMU
HEALTH CENTER
EXTENSION BUILDING
CLIENT:

MINISTRY OF HEALTH


LOCATION:
R. ANGOLHI THEEMU
CONTENTS: AS GIVEN
PROJECT MANAGER:
DESIGNER: ARIZ
CIV/STR. ENGINEER:
SURVEYED BY: DRAWN BY: ARIZ
CHECKED BY:
DATE: MARCH 2022


0 (O) B \triangleright SCALE 1 100 **ROOF PLAN** 16600 1300 7000 1300 3500 3500 1300 \Box LYSAGHT HIP CAP LYSAGHT HIP CAP 6000 (2) 200X200MM LYSAGHT GUTTER (3) GUTTER 200X200MM LYSAGHT 3500 4000 23500 LYSAGHT ROOFING SHEETS 4 4000 75MM DIA. UPVC DOWN PIPE UPVC DOWN PIPE 75MM DIA. 4000 (b) 700 LYSAGHT END CAP LYSAGHT END CAP LYSAGHT RIDGE CAP FINISHING WORKS OF R. ANGOLHITHEEMU HEALTH CENTER EXTENSION BUILDING DRAWN BY: ARIZ CHECKED BY: DATE: MARCH 2022 MINISTRY OF HEALTH CIV/STR. ENGINEER: SURVEYED BY: -R. ANGOLHI THEEMU LOCATION: REVISION NOTES: CONTENTS: AS GIVEN SHEET CONTENTS: ADMIN DIVISON Ministry of Health Roshanee Building Sosun Magu' Tel: 332 8887, Fax: 3328889 DESIGNER: ARIZ **





DOORS AND WINDOWS SCHEDULE





NOTE	GLAZING	HARDWARE	FRAME	DESCRIPTION	LOCATION	ELEVATION	SYMBOL
ALL MEASURMENTS TO BE CHECKED ON SITE	6MM THICK HEAT REFLECTIVE GLASS	OPENABLE FRAME HANDLE LOCK	120MM ALUMINUM FRAME 80 MICRON POWDER COATED, BLACK SANDY GRAY	ALUMINUM FRAMED TOP HUNG WINDOW	GROUND FLOOR	1700 900 625 625 450 650 650 1300	W1
ALL MEASURMENTS TO BE CHECKED ON SITE	6MM THICK HEAT REFLECTIVE GLASS	OPENABLE FRAME HANDLE LOCK	6MM THICK CLEAR GLASS	TIMBER FRAMED FIXED WINDOW	GROUND FLOOR	T 1400 1200 2400	W2
ALL MEASURMENTS TO BE CHECKED ON SITE	6MM THICK HEAT REFLECTIVE GLASS	OPENABLE FRAME HANDLE LOCK	120MM ALUMINUM FRAME 60-80 MICRON POWDER COATED, BLACK SANDY GRAY	ALUMINUM FRAMED TOP HUNG WINDOW	GROUND FLOOR	FI 2100 500 675	<1
ALL MEASURMENTS TO BE CHECKED ON SITE	6MM THICK HEAT REFLECTIVE GLASS	OPENABLE FRAME HANDLE LOCK	120MM ALUMINUM FRAME 60-80 MICRON POWDER COATED, BLACK SANDY GRAY	ALUMINUM FRAMED TOP HUNG WINDOW	GROUND FLOOR	FE 2100 500 650 650	V2

NOTE:

PROVIDE RC LINTEL ABOVE ALL DOOR/WINDOW/VENTILATOR UNITS NOT FIXED TO BEAMS AND PROVIDE RC SILL BEAMS UNDER ALL WINDOW UNITS

R. ANGOLHI THEEMU

CONTENTS: AS GIVEN

DESIGNER: ARIZ

LOCATION:

AND PROVIDE RC SILL BEAMS UNDER ALL WINDOW UNITS
ALL TIMBER DOORS TO BE MADE OF TIMBER, PUTTY SMOOTHED AND FINISHED WITH ENAMEL PAINT AS SPECIFIED
ALL MEASUREMENTS TO BE CHECKED ON SITI

ALL MEASUREMENTS TO BE CHECKED ON SITE BEFORE FABRICATION

FGI = 6MM THICK CLEAR GLASS
GLI = 6MM THICK HEAT REFLECTIVE BLUE GLASS

CL = CLADDING SHEET (DOUBLE GLAZING)

ALL THE ALUMINUM PROFILE MUST BE MINIMUM 2MM THICK.

DATE: MARCH 2022

SURVEYED BY:
SURVEYED BY:
DRAWN BY: ARIZ

CHECKED BY:


SHEET NO. :

	CONTENTS :
--	------------

**

WALL DETAILS


ALE: 1 : 100



EXISTING MASONRY WALL (FULL HEIGHT) TO EXISTING MASONRY WALL (FULL HEIGHT) TO

NEW MASONRY WALL (FULL HEIGHT)
PARTITION WALL (FULL HEIGHT)

SCALE: 1: 100



ELEVATION 'B'

SCALE: 1:100


A В (c)

D

SHEET NO. : /	
DATE: MARCH 2022	
CHECKED BY:	
DRAWN BY: ARIZ	
SURVEYED BY: -	
CIV/STR. ENGINEER:	
DESIGNER: ARIZ	
PROJECT MANAGER:	
CONTENTS: AS GIVEN	
R. ANGOLHI THEEMU	
LOCATION:	
MINISTRY OF HEALTH	
CLIENT:	
EXTENSION BUILDING	
NGOLHITH	
CT:	
REVISION NOTES:	
SHEET CONTENTS :	

ELECTRICAL LAYOUT

SCALE: 1: 100



	8	ቆ			₽	7		Ţ	SYMBOL	
NETWORK SWITCH	AC OUTDOOR UNIT	OUTDOOR LIGHT	AC INDOOR UNIT, CEILING CASSETTE TYPE	CEILING FAN 1200MM DIA.	5W BULB WITH COVERED	FAN REGULATOR	WALL MOUNT FAN	$ 1 \times 13 \text{ AMP SOCKET OUTLET (200MM BELOW CEILING)} $	DESCRIPTION	

 $|\mathbf{x}|^{\mathbb{T}}|\mathbf{y}|\mathbf{y}|$

x 13 AMP SOCKET OUTLET (300MM ABOVE FFL)
 x 15 AMP SOCKET OUTLET (500MM ABOVE FFL)
 x 15 AMP AC SOCKET OUTLET (50MM BLW, CEILING)

TELEPHONE SOCKET

NETWORK SOCKET

METER WITH OUT DOOR WATER PI

BOX WITH TRANSPARENT

ONE WAY SWITCH
EMERGENCY LIGHT
DISTRIBUTION BOARD

WALL

EMBEDDED

TWO GANG SWITCH

AC WALL MOUNT UNIT

Ţ

LED BULB WITH 150MM DOWN LIGHT

DESCRIPTION

x 13 AMP SOCKET OUTLET (300MM

ABOVE FFL)



DATE: MARCH 2022 CHECKED BY: DRAWN BY: ARIZ FINISHING WORKS OF R. ANGOLHITHEEMU HEALTH CENTER EXTENSION BUILDING

REVISION NOTES:

SHEET CONTENTS:

R. ANGOLHI THEEMU

CONTENTS: AS GIVEN

CIV/STR. ENGINEER: DESIGNER: ARIZ

URVEYED BY: -

MINISTRY OF HEALTH

\bigcirc (B) 14000 7000 7000 3500 3500 7000 2 ТВ ТВ $\overline{\Omega}$ Ω В 6000 TB 3 외 2 ТВ ТВ 3500 TB ТВ ТВ \bigcirc 7500 В ///EXISTING 4000 TB 5 8000 В (b)

SHEET CONTENTS:

SCALE: 1: 100

TIE BEAM PLAN



0 (B) 14000 7000 7000 7000 3500 3500 RB RB RB \mathbb{R} 6000 RB RBRB RB RB RB 3500 RB \mathbb{R} RB1 RB1 \bigcirc RB 4000 RB RB1 RB1 RB1 RB 4 RB1 4000 RB RB1 RB1 5 RB1 4000 RB RB1

RB

SHEET CONTENTS:

SCALE: 1:100

(b)

ROOF BEAM PLAN



PROJECT:
FINISHING WORKS OF
R. ANGOLHITHEEMU
HEALTH CENTER
EXTENSION BUILDING
EXTENSION BUILDING
CLIENT:
MINISTRY OF HEALTH
LOCATION:
R. ANGOLHI THEEMU
CONTENTS: AS GIVEN
PROJECT MANAGER:
DESIGNER: ARIZ
CIV/STR. ENGINEER:
SURVEYED BY:
DRAWN BY: ARIZ
CHECKED BY:
DRAWN BY: ARIZ
CHECKED BY:
DATE: MARCH 2022
SHEET NO.: /

RB1

RB1

 \bigcirc 14000 3500 3500 7000 (2) 3500 (ω) NEW FLOOR SLAB 21500 4 X EXISTING FLOOR SLAB 4000 5 4000

SHEET CONTENTS:

6

SLABPLAN

SCALE 1 100

REVISION NOTES:

FINISHING WORKS OF
R. ANGOLHITHEEMU
HEALTH CENTER
EXTENSION BUILDING

MINISTRY OF HEALTH

LOCATION:
R. ANGOLHI THEEMU


CONTENTS: AS GIVEN

PROJECT MANAGER:

DESIGNER: ARIZ
CIV/STR: ENGINEER:
SURVEYED BY:
DRAWN BY: ARIZ
CHECKED BY:
DATE: MARCH 2022
SHEET NO.: / *

DETAILS R/C

SCALE: 1:25



	NORETE
MINIMUM 50MM COVER BELOW GROUND LEVEL MINIMUN 30MM COVER ABOVE GROUND LEVEL	
ALL BAR BENDING & OVERLAPS AS PER ACTUAL BS STANDARD.	2T 12 R6@I50 2T 12 ROOF BEAM (RB)
NOTE: LINTEL BEAMS TO BE LAID ABOVE AND BELOW ALL WINDOWS AND ALL DOORS.	50

SHEET CONTENTS:

SHEET CONTENTS:

REVISION NOTES:


PROJECT:
FINISHING WORKS OF
R. ANGOLHITHEEMU
HEALTH CENTER
EXTENSION BUILDING
CLIENT:

MINISTRY OF HEALTH
LOCATION:
R. ANGOLHI THEEMU
CONTENTS: AS GIVEN
PROJECT MANAGER:
DESIGNER: ARIZ
CIV/STR. ENGINEER:
SURVEYED BY: DRAWN BY: ARIZ
CHECKED BY:
DATE: MARCH 2022

ADMIN DIVISON Ministry of Health Roshanee Building Sosun Magu' Tel: 332 8887, Fax: 3328889

*

SCALE: 1:10



REVISION NOTES:

PROJECT:
FINISHING WORKS OF
R. ANGOLHITHEEMU
HEALTH CENTER
EXTENSION BUILDING

CHECKED BY:

COCATION:

R. ANGOLHI THEEMU

CONTENTS: AS GIVEN

CONTENTS: AS GIVEN

PROJECT MANAGER:

PROJECT MANAGER:

DESIGNER: ARIZ


CHECKED BY:

CHECKED BY:

MINISTRY OF HEALTH

**

DATE: MARCH 2022



SHEET CONTENTS:

REVISION NOTES:

FINISHING WORKS OF
R. ANGOLHITHEEMU
HEALTH CENTER
EXTENSION BUILDING

MINISTRY OF HEALTH

LOCATION:

CIV/STR. ENGINEER: SURVEYED BY: -

CONTENTS: AS GIVEN

PROJECT MANAGER: DESIGNER: ARIZ


R. ANGOLHI THEEMU

DRAWN BY: ARIZ
CHECKED BY:
DATE: MARCH 2022 *

G/L +400MM G/L +1410MM G/L +6225MM G/L +3850MM **CROSS SECTION X-X** SCALE: 1:50 CEMENT SCREED 500x500x75MM U 12MM DIA GI BOLT ALUMINIUM WINDOW HOLLOW BLOCK WALL LYSAGHT ROOFING SHEET 50xI50MM @ 800 c/c RC CONCRETE FLOOR GYPSUM BOARD CEILING 10MM DIA. BAR @250 BOTH WAYS 50x50mm @ 600 c/c \bigcirc ROOF BEAM (LEVEL I) DAMP PROOF MEMBRANE LYSAGHT ROOFING SHEET HEAT INSULAION ROOF BEAM (LEVEL 2) ROOF BEAM (LEVEL I) \Box SEE DETAIL B HEAT INSULAION GYPSUM BOARD CEILING TILE FINISH ROOF BEAM (LEVEL I) TIMBER PURLINGS 50x50MM @ 600 c/c GYPSUM CORNICE FRAMING, HORIZONTAL @600/C/C FRAMING, VERTICAL @600/C/C DRYWALL PARTITION WALL TIMBER RAFTERS 50XI50MM @ 800 C/C HOLLOW BLOCK WALL 10MM DIA. BAR @250 BOTH WAYS LYSAGHT ROOFING SHEET 12MM DIA GI BOLT \triangleright LYSAGHT GUTTER SEE DETAIL A FINISHING WORKS OF R. ANGOLHITHEEMU HEALTH CENTER EXTENSION BUILDING MINISTRY OF HEALTH REVISION NOTES: CONTENTS: AS GIVEN R. ANGOLHI THEEMU SHEET CONTENTS: ADMIN DIVISON Ministry of Health Roshanee Building Sosun Magu' Tel: 332 8887, Fax: 3328889 DATE: MARCH 2022 LOCATION: CIV/STR. ENGINEER: DESIGNER: ARIZ SHEET NO. : CHECKED BY: DRAWN BY: ARIZ SURVEYED BY: -**


DETAILS A1

SCALE: 1:10



HIP RAFTER CONNECTIO DETAIL


SCALE: 1:10




													_
	CHECKED BY:	ED BY:	DESIGNER: ARIZ CIV/STR. ENGINEER:	کے	CONTENTS: AS GIVEN	LOCATION: R. ANGOLHI THEEMU	CLIENT: MINISTRY OF HEALTH	PROJECT: FINISHING WORKS OF R. ANGOLHITHEEMU HEALTH CENTER EXTENSION BUILDING		REVISION NOTES:		SHEET CONTENTS :	

COLUMN CASING

SCALE: 1:10



SECTION X-X



NOTE: TIMBER FRAMING MEMBERS = 38X38MM @ 600MM c/c BW TIMBER FRAMES AROUND THE COLUMNS SHALL BE FIXED TO CHS USING MACHINE THREADED SELF TAPPING SCREWS

SHEET CONTENTS:

SHEET CONTENTS:


REVISION NOTES:

PROJECT:
FINISHING WORKS OF
R. ANGOLHITHEEMU
HEALTH CENTER
EXTENSION BUILDING
CLIENT:

MINISTRY OF HEALTH
LOCATION:
R. ANGOLHI THEEMU
CONTENTS: AS GIVEV
PROJECT MANAGER:
DESIGNER: ARIZ
CIV/STR. ENGINEER:
SURVEYED BY:
DRAWN BY: ARIZ
CHECKED BY:
DATE: MARCH 2022

INSPECTION CHAMBER DETAILS FROM TOILET


SCALE: 1:10




SECTION X-X

SHEET CONTENTS:


100





DETAILS FROM TOILET INSPECTION CHAMBER

SCALE: 1:10



SECTION X-X

SHEET CONTENTS:

